

Introduction to Data Management

CSE 344

Lecture 15: E/R Diagrams

Guest Lecturer: Sudeepa Roy

Announcements

- WQ6 due Thursday (there is no WQ5...)
- Homework 4 posted, due Friday
- Midterm: Monday, November 4th, in class

Today: E/R diagrams (4.1-4.6)

Today: E/R Diagrams

Motivating scenario: your boss asks you to setup a DBMS about:


- Companies. Each company has:
 - A name, an address, and a CEO
 - A list of employees, with ssn, name, and address
- Products manufactured by these companies
 - Each product has a name and a price
 - The same product may be manufactured by several companies
- Buyers of these products
 - Each buyer has an ssn, name, and address
 - Some employees may be buyers too

Database Design


- Why do we need it?
 - Need a way to model real world entities in terms of relations
 - Not easy to go from real-world entities to a database schema
- Consider issues such as:
 - What entities to model
 - How entities are related
 - What **constraints** exist in the domain
 - How to achieve **good** designs
- Several formalisms exists
 - We discuss E/R diagrams

Database Design Process

Conceptual Model:




Relational Model:
Tables + constraints
And also functional dep.




Normalization:
Eliminates anomalies

Conceptual Schema



Physical storage details

Physical Schema



Entity / Relationship Diagrams

- Entity set = a class
 - An entity = an object




- Attribute




- Relationship





Keys in E/R Diagrams


- Every entity set must have a key




What is a Relation ?

- A mathematical definition:
 - if A, B are sets, then a relation R is a subset of $A \times B$

- $A = \{1, 2, 3\}$, $B = \{a, b, c, d\}$,
 $A \times B = \{(1, a), (1, b), \dots, (3, d)\}$
 $R = \{(1, a), (1, c), (3, b)\}$




- **makes** is a subset of **Product** \times **Company**:




Multiplicity of E/R Relations





- one-one:




- many-one




- many-many





Multi-way Relationships

How do we model a purchase relationship between buyers, products and stores?




Can still model as a mathematical set (Q. how ?)

A. As a set of triples $\subseteq \text{Person} \times \text{Product} \times \text{Store}$

Arrows in Multiway Relationships

Q: What does the arrow mean ?




A: A given person buys a given product from at most one store

[Arrow pointing to E means that if we select one entity from each of the other entity sets in the relationship, those entities are related to at most one entity in E]

Arrows in Multiway Relationships


Q: What does the arrow mean ?



A: A given person buys a given product from at most one store
AND every store sells to every person at most one product


Arrows in Multiway Relationships

Q: How do we say that every person shops at at most one store ?




A: Cannot. This is the best approximation.
(Why only approximation ?)

Converting Multi-way Relationships to Binary



Arrows go in which direction?


Converting Multi-way Relationships to Binary



Make sure you understand why!


3. Design Principles

What's wrong?




Moral: be faithful to the specifications of the app!

Design Principles: What's Wrong?




Design Principles: What's Wrong?



From E/R Diagrams to Relational Schema

- Entity set \rightarrow relation
- Relationship \rightarrow relation

Entity Set to Relation




Product(prod-ID, category, price)

<u>prod-ID</u>	category	price
Gizmo55	Camera	99.99
Pokemn19	Toy	29.99

Create Table (SQL)


```
CREATE TABLE Product (  
    prod-ID CHAR(30) PRIMARY KEY,  
    category VARCHAR(20),  
    price double)
```

N-N Relationships to Relations



Represent that in relations!

N-N Relationships to Relations



Orders(prod-ID, cust-ID, date)

Shipment(prod-ID, cust-ID, name, date)


Shipping-Co(name, address)

<u>prod-ID</u>	<u>cust-ID</u>	<u>name</u>	date
Gizmo55	Joe12	UPS	4/10/2011
Gizmo55	Joe12	FEDEX	4/9/2011

Create Table (SQL)


```
CREATE TABLE Shipment(  
    name CHAR(30)  
        REFERENCES Shipping-Co,  
    prod-ID CHAR(30),  
    cust-ID VARCHAR(20),  
    date DATETIME,  
    PRIMARY KEY (name, prod-ID, cust-ID),  
    FOREIGN KEY (prod-ID, cust-ID)  
        REFERENCES Orders  
)
```

N-1 Relationships to Relations



Represent this in relations!

N-1 Relationships to Relations




Orders(prod-ID, cust-ID, date1, name, date2)

Shipping-Co(name, address)

Remember: no separate relations for many-one relationship

Multi-way Relationships to Relations




Purchase(prod-ID, cust-ssn, store-name)

Modeling Subclasses


Some objects in a class may be special

- define a new class
- better: define a *subclass*



So --- we define subclasses in E/R

Subclasses



Understanding Subclasses

- Think in terms of records:

- Product

field1
field2

- SoftwareProduct

field1
field2
field3

- EducationalProduct

field1
field2
field4
field5

Subclasses to Relations

Product


<u>Name</u>	Price	Category
Gizmo	99	gadget
Camera	49	photo
Toy	39	gadget

Sw.Product

<u>Name</u>	platforms
Gizmo	unix


Ed.Product

<u>Name</u>	Age Group
Gizmo	toddler
Toy	retired



Other ways to convert are possible

Modeling UnionTypes With Subclasses




Say: each piece of furniture is owned either by a person or by a company

Modeling Union Types with Subclasses


Say: each piece of furniture is owned either by a person or by a company

Solution 1. Acceptable but imperfect (What's wrong ?)




Modeling Union Types with Subclasses

Solution 2: better, more laborious




Weak Entity Sets

Entity sets are weak when their key comes from other classes to which they are related.



Team(sport, number, universityName)
University(name)

What Are the Keys of R ?



Constraints in E/R Diagrams

Finding constraints is part of the modeling process.
Commonly used constraints:

Keys: social security number uniquely identifies a person.


Single-value constraints: a person can have only one father.

Referential integrity constraints: if you work for a company, it must exist in the database.


Other constraints: peoples' ages are between 0 and 150.

Keys in E/R Diagrams

Underline:



No formal way
to specify multiple
keys in E/R diagrams




Single Value Constraints




v. s.



Referential Integrity Constraints




Each product made by at most one company.
Some products made by no company



Each product made by exactly one company.

Note: For weak entity sets \longrightarrow should be replaced by \longrightarrow (sec 4.4.2)

Other Constraints



Q: What does this mean ?

A: A Company entity cannot be connected by relationship to more than 99 Product entities

Note: For “at least one”, you can use “ ≥ 1 ” in a many-many relationship