

Introduction to Data Management

CSE 344

Lecture 2: Data Models

Announcements

- WQ1 and HW1 are out
 - Use your **CSE** ids to access the HW docs
- Use Piazza to post questions
- OHs are up on website
 - Check for HW specific TA OHs
- In-class note-taking policy

Class Overview

- **Relational Data Model**
 - SQL, Relational Algebra, Relational Calculus, datalog
 - Query processing and optimization
- **Semistructured Data Model**
 - JSon, CouchDB (NoSQL)
- **Conceptual design**
 - E/R diagrams, Views, and Database normalization
- **Transactions and their implementations**
- **Parallel databases**
 - MapReduce, and Spark

Today

- Data models
- Relational data model
- SQL

Review

- What is a database?
 - A collection of files storing related data
- What is a DBMS?
 - An application program that allows us to manage efficiently the collection of data files

Data Models

- Suppose we have book data: author, title, publisher, pub date, price, etc
 - How should we organize such data in files?

Data model: a general, conceptual way of structuring data

Data Models

- Relational
 - Data represented as relations
- Semi-structured (JSON)
 - Data represented as trees
- Key-value pairs
 - Used by NoSQL systems
- Graph
- Object-oriented
- We will study the first two in 344


3 Elements of Data Models

- Instance
 - The actual data
- Schema
 - Describe what data is being stored
- Query language
 - How data can be retrieved and manipulated

Turing Awards in Data Management



Charles Bachman, 1973
IDS and CODASYL



Ted Codd, 1981
Relational model



Michael Stonebraker, 2014
INGRES and Postgres

The Relational Data Model

- Instance
 - Organized as “table” or “relation”
 - Consists of
 - “column” or “attribute” or “field”
 - “row” or “tuple” or “record”
- Schema
 - “table name” or “relation name”
 - “column name” or “attribute name”
 - Each attribute has a “type” or “domain” or “data type”

The Relational Data Model

- “degree” or “arity” of a relation
 - Number of attributes
- Example types:
 - Strings: CHAR(20), VARCHAR(50), TEXT
 - Numbers: INT, SMALLINT, FLOAT
 - MONEY, DATETIME, ...
 - Usually vendor specific
 - Statically and strictly enforced

Keys

- An attribute that uniquely identifies a record
 - Example?
- A key can consist of multiple attributes
 - What does that mean?


Keys

- A relation can have many keys
 - But only one of them can be chosen to be the *primary key*
- Foreign key:
 - An attribute(s) that is a key for other relations

Relation Model: Example

- Instance

cname	country	no_employees	for_profit
Canon	Japan	50000	Y
Hitachi	Japan	30000	Y



- Schema

Company(cname, country, no_employees, for_profit)

Company(cname: varchar(30), country: char(20),
no_employees:int, for_profit:char(1))

Relational Model: Example

Company(cname, country, no_employees, for_profit)

Country(name, population)


<u>cname</u>	<u>country</u>	no_employees	for_profit
Canon	Japan	50000	Y
Hitachi	Japan	30000	Y

<u>name</u>	population
USA	320M
Japan	127M

Semi-Structured Model: Example

Company(cname, country, no_employees, for_profit)

Country(name, population)



Query Language

- SQL
 - **Structured Query Language**
 - Developed by IBM in the 70s
 - Most widely used language to query relational data
- We will see other languages for the relational model later on
 - Relational algebra, relational calculus, etc.

Our First DBMS

- SQL Lite
- Will switch to SQL Server later in the quarter

Demo

Discussion

- Tables are NOT ordered
 - they are sets or multisets (bags)
- Tables are FLAT
 - No nested attributes
- Tables DO NOT prescribe how they are implemented / stored on disk
 - This is called **physical data independence**

Table Implementation

- How would you implement this?

cname	country	no_employees	for_profit
Canon	Japan	50000	Y
Hitachi	Japan	30000	Y

- What happens when you alter a table?

Physical data independence

The logical definition of the data remains unchanged, even when we make changes to the actual implementation

Adding Attributes

cname	country	no_employees	for_profit
Canon	Japan	50000	Y
Hitachi	Japan	30000	Y

- Let's add a list of product that each company produces
 - How? Recall that tables are flat!

Adding Attributes

cname	country	no_employees	for_profit
Canon	Japan	50000	Y
Hitachi	Japan	30000	Y

Product(pname, price, category, manufacturer)

pname	price	category	manufacturer
SingleTouch	149.99	photography	Canon
AC	300	Appliance	Hitachi

Demo