

Introduction to Data Management

CSE 344

Lecture 17: E/R Diagrams and Constraints

Announcements

- HW5 due this Friday
 - Please note minor update to the instructions
- WQ6 due next Wednesday

Database Design

What it is:

- Starting from scratch, design the database schema: relation, attributes, keys, foreign keys, constraints etc

Why it's hard


- The database will be in operation for a very long time (years). Updating the schema while in production is very expensive (why?)

Database Design


- Consider issues such as:
 - What entities to model
 - How entities are related
 - What constraints exist in the domain
- Several formalisms exists
 - We discuss E/R diagrams
- Reading: Sec. 4.1-4.6

Database Design Process


Conceptual Model:



Relational Model:
Tables + constraints
And also functional dep.




Normalization:
Eliminates anomalies



Conceptual Schema

Physical storage details

Physical Schema



Entity / Relationship Diagrams

- Entity set = a class
 - An entity = an object




- Attribute




- Relationship






Keys in E/R Diagrams

- Every entity set must have a key




What is a Relation ?

- A mathematical definition:
 - if A, B are sets, then a relation R is a subset of $A \times B$
- $A = \{1, 2, 3\}$, $B = \{a, b, c, d\}$,
 $A \times B = \{(1, a), (1, b), \dots, (3, d)\}$
 $R = \{(1, a), (1, c), (3, b)\}$




- **makes** is a subset of **Product** \times **Company**:




Multiplicity of E/R Relations





- one-one:




- many-one




- many-many





Multi-way Relationships

How do we model a purchase relationship between buyers, products and stores?




Can still model as a mathematical set (Q. how ?)

A. As a set of triples $\subseteq \text{Person} \times \text{Product} \times \text{Store}$

Arrows in Multiway Relationships

Q: What does the arrow mean ?




A: A given person buys a given product from at most one store

[Arrow pointing to E means that if we select one entity from each of the other entity sets in the relationship, those entities are related to at most one entity in E]


Arrows in Multiway Relationships

Q: What does the arrow mean ?




A: A given person buys a given product from at most one store
AND every store sells to every person at most one product

Converting Multi-way Relationships to Binary



Arrows go in which direction?


Converting Multi-way Relationships to Binary



Make sure you understand why!


3. Design Principles

What's wrong?




Moral: be faithful to the specifications of the app!

Design Principles: What's Wrong?




Design Principles: What's Wrong?



From E/R Diagrams to Relational Schema

- Entity set \rightarrow relation
- Relationship \rightarrow relation


Entity Set to Relation



Product(prod-ID, category, price)


<u>prod-ID</u>	category	price
Gizmo55	Camera	99.99
Pokemn19	Toy	29.99

N-N Relationships to Relations



Represent this in relations

N-N Relationships to Relations




Orders(prod-ID, cust-ID, date)

Shipment(prod-ID, cust-ID, name, date)

Shipping-Co(name, address)


<u>prod-ID</u>	<u>cust-ID</u>	<u>name</u>	date
Gizmo55	Joe12	UPS	4/10/2011
Gizmo55	Joe12	FEDEX	4/9/2011

N-1 Relationships to Relations



Represent this in relations

N-1 Relationships to Relations




Orders(prod-ID, cust-ID, date1, name, date2)

Shipping-Co(name, address)

Remember: no separate relations for many-one relationship

Multi-way Relationships to Relations




Purchase(prod-ID, ssn, name)

Modeling Subclasses


Some objects in a class may be special

- define a new class
- better: define a *subclass*



So --- we define subclasses in E/R

Subclasses



Subclasses to Relations

Product


<u>Name</u>	Price	Category
Gizmo	99	gadget
Camera	49	photo
Toy	39	gadget

Sw.Product

<u>Name</u>	platforms
Gizmo	unix


Ed.Product

<u>Name</u>	Age Group
Gizmo	toddler
Toy	retired



Other ways to convert are possible

Modeling Union Types with Subclasses




Say: each piece of furniture is owned either by a person or by a company

Modeling Union Types with Subclasses


Say: each piece of furniture is owned either by a person or by a company

Solution 1. Acceptable but imperfect (What's wrong ?)




Modeling Union Types with Subclasses

Solution 2: better, more laborious




Weak Entity Sets

Entity sets are weak when their key comes from other classes to which they are related.





Team(sport, number, universityName)
University(name)

What Are the Keys of R ?



What makes good schemas?



Integrity Constraints Motivation

An integrity constraint is a condition specified on a database schema that restricts the data that can be stored in an instance of the database.

- ICs help prevent entry of incorrect information
- How? DBMS enforces integrity constraints
 - Allows only legal database instances (i.e., those that satisfy all constraints) to exist
 - Ensures that all necessary checks are always performed and avoids duplicating the verification logic in each application

Constraints in E/R Diagrams

Finding constraints is part of the modeling process.
Commonly used constraints:

Keys: social security number uniquely identifies a person.


Single-value constraints: a person can have only one father.

Referential integrity constraints: if you work for a company, it must exist in the database.


Other constraints: peoples' ages are between 0 and 150.

Keys in E/R Diagrams

Underline:



No formal way
to specify multiple
keys in E/R diagrams




Single Value Constraints




vs.



Referential Integrity Constraints




Each product made by at most one company.
Some products made by no company



Each product made by exactly one company.

Other Constraints



Q: What does this mean ?

A: A Company entity cannot be connected by relationship to more than 99 Product entities


Constraints in SQL

Constraints in SQL:

- Keys, foreign keys
- Attribute-level constraints
- Tuple-level constraints
- Global constraints: assertions



simplest



Most
complex

- The more complex the constraint, the harder it is to check and to enforce

Key Constraints

Product(name, category)

```
CREATE TABLE Product (  
    name CHAR(30) PRIMARY KEY,  
    category VARCHAR(20))
```

OR:

```
CREATE TABLE Product (  
    name CHAR(30),  
    category VARCHAR(20),  
    PRIMARY KEY (name))
```

Keys with Multiple Attributes

Product(name, category, price)

```
CREATE TABLE Product (  
    name CHAR(30),  
    category VARCHAR(20),  
    price INT,  
    PRIMARY KEY (name, category))
```

Name	Category	Price
Gizmo	Gadget	10
Camera	Photo	20
Gizmo	Photo	30
Gizmo	Gadget	40

Other Keys

```
CREATE TABLE Product (  
    productID CHAR(10),  
    name CHAR(30),  
    category VARCHAR(20),  
    price INT,  
    PRIMARY KEY (productID),  
    UNIQUE (name, category))
```

There is at most one **PRIMARY KEY**;
there can be many **UNIQUE**

Foreign Key Constraints

```
CREATE TABLE Purchase (  
    prodName CHAR(30)  
    REFERENCES Product(name),  
    date DATETIME)
```

Referential
integrity
constraints

prodName is a **foreign key** to Product(name)
name must be a **key** in Product

May write
just Product
if name is PK

Foreign Key Constraints

- Example with multi-attribute primary key


```
CREATE TABLE Purchase (  
    prodName CHAR(30),  
    category VARCHAR(20),  
    date DATETIME,  
    FOREIGN KEY (prodName, category)  
        REFERENCES Product(name, category)
```

- (name, category) must be a KEY in Product

What happens when data changes?

Types of updates:

- In Purchase: insert/update
- In Product: delete/update



What happens when data changes?

- SQL has three policies for maintaining referential integrity:
- NO ACTION reject violating modifications (default)
- CASCADE after delete/update do delete/update
- SET NULL set foreign-key field to NULL
- SET DEFAULT set foreign-key field to default value
 - need to be declared with column, e.g.,
CREATE TABLE Product (pid INT DEFAULT 42)

Maintaining Referential Integrity

```
CREATE TABLE Purchase (  
    prodName CHAR(30),  
    category VARCHAR(20),  
    date DATETIME,  
    FOREIGN KEY (prodName, category)  
    REFERENCES Product(name, category)  
    ON UPDATE CASCADE  
    ON DELETE SET NULL )
```

Product

Name	Category
Gizmo	gadget
Camera	Photo
OneClick	Photo

Purchase

ProdName	Category
Gizmo	Gizmo
Snap	Camera
EasyShoot	Camera

Constraints on Attributes and Tuples

- Constraints on attributes:
 - NOT NULL** -- obvious meaning...
 - CHECK** condition -- any condition !
- Constraints on tuples
 - CHECK** condition

Constraints on Attributes and Tuples

```
CREATE TABLE R (  
    A int NOT NULL,  
    B int CHECK (B > 50 and B < 100),  
    C varchar(20),  
    D int,  
    CHECK (C >= 'd' or D > 0))
```

Constraints on Attributes and Tuples

```
CREATE TABLE Product (  
    productID CHAR(10),  
    name CHAR(30),  
    category VARCHAR(20),  
    price INT CHECK (price > 0),  
    PRIMARY KEY (productID),  
    UNIQUE (name, category))
```

Constraints on Attributes and Tuples

What does this constraint do?

```
CREATE TABLE Purchase (  
    prodName CHAR(30)  
    CHECK (prodName IN  
        (SELECT Product.name  
         FROM Product),  
    date DATETIME NOT NULL)
```

What
is the difference from
Foreign-Key ?

General Assertions

```
CREATE ASSERTION myAssert CHECK  
(NOT EXISTS(  
    SELECT Product.name  
    FROM Product, Purchase  
    WHERE Product.name = Purchase.prodName  
    GROUP BY Product.name  
    HAVING count(*) > 200) )
```

But most DBMSs do not implement assertions
Because it is hard to support them efficiently
Instead, they provide triggers