CSE 344

FEBRUARY 7TH - EXAM REVIEW

EXAMINATION STATIONS

- Exam Friday
 - 3:30 4:50
- No note sheets/calculators/computers
- Practice solutions out after section tomorrow
- Good luck!

EXAM LENGTH

- Production v. Verification
 - Practice exam
- Short answer
 - Simplest answer possible
- Problems not necessarily in order of difficulty

GENERAL TOPICS

- Databases
 - Motivations and definitions
- Relational Databases
 - SQL
 - Relational Algebra
 - Datalog
- Semi-structured Data
 - Motivations and definitions

DATABASES

- Motivations
 - Collections of related files
- Databases vs. DBMS
- What is stored?
- What is the DBMS' responsibility?

DATABASES

- Motivations
 - Collections of related files
- Databases vs. DBMS
- What is stored?
- What is the DBMS' responsibility?
 - Data storage and manipulation
 - Black box thought
 - Physical data independence

RELATIONAL DATABASES

Motivations

- Breaking away from singular flat files
- Why/how do we break up data?

Data model

- Schemas and keys
- Records and attributes
- Attribute types/typing

RELATIONAL DATABASES

- Primary keys
 - What are the constraints?
 - When do we select keys?
 - Multiple keys
- Foreign keys
 - Constraints vs. Joining
- Keys across different data

SQL STRUCTURE

- Flat tables
 - First normal form
 - Crosswalks and joins
 - Breaking up data into multiple relations

- Create statements
 - Key declarations
 - Type declarations
- Insert/Delete statements
- Update statements
- Drop table

- Select
- From
- Where
- Group by
- Having
- Order by

- Distinct (and relation to group by)
- Inner vs. Outer Joining
 - Left/Right/Full
- Nested loop semantics
 - Cross join with selection
- Self joins
 - Produce companies that produce gadgets and cameras

- Aggregation
 - Count,sum,min,max,avg
- Null values
 - IS NOT null
 - Count(null)
- Where vs. Having

- Constructing Queries
 - FWGHOS
- Subqueries
 - In Select (Single attribute projection)
 - In From (subquery AS, WITH AS)
 - In Where (EXISTS, IN, ANY)
 - Correlated vs. Non-correlated
 - Un-nesting
 - Finding the Witness

- Negation in subqueries
- Monotonicity
 - Definitions
 - Example
 - Difficulties and necessity of subqueries

- Set vs. Bag semantics
 - Why bag?
- Query plans and RA expressions
- Operations (on relations, some with conditions)
 - Union, difference
 - Selection
 - Projection
 - Joins

- Operations (on relations, some with conditions)
 - Union, difference
 - Selection
 - Projection
 - Joins
 - Duplicate elimination
 - Grouping
 - Sorting

- Operations (on relations, some with conditions)
 - Union, difference
 - Selection
 - Projection
 - Joins (remember your conditions)
 - Duplicate elimination
 - Grouping
 - Sorting

- How do we know SQL and RA are equally expressive?
 - Translating one to the other
 - Multiple RA expressions possible for same query
 - DBMS optimization

- Producing RA expressions/trees
 - From queries
 - Visa-versa
- Bag vs. Set RA
 - Datalog is set semantic

DATALOG

- Queries which cannot be defined in RA
 - Recursive queries
- Expressing RA expressions in datalog
 - Set semantics (procedural)
 - "Simple, concise, elegant"
- Fixed point semantics
 - Recursion builds from basecase
- Left/right/non-linear

DATALOG

- Logical framework
- Explicitly defined intermediate results
- Terminology
 - Facts and Rules
 - Extensional vs. Intensional Predicates
 - Head and body
 - Head vs. Existential Variables
 - Unsafe rules

DATALOG

- Writing Rules
 - Safety
 - Base cases
 - Aggregation and negation
 - Variable scope
 - Simple recursive queries
 - Converting from RA

SEMISTRUCTURED DATA

Motivations

- Transactional vs. Analytical Data
- Data distribution
- Consistency
- Partition vs. Replication
- Key-value storage -> Document Storage

JSON

- Gives structure to data
- Objects and collections
- Self described
- Separate and less constrained than SQL++
- Nested structure (non-first normal form)

- Document-based
- NoSQL
- Semi-structured
- Over JSON objects
 - Constraints (types, no duplicates)
- SQL++
 - Description vs. Manipulation

Dataverse

Database – set of data currently working with

Types

- UUID auto generated
- Null vs. Missing
- Nested collections
- Open v. Closed
- Required v. Optional fields

Datasets

- Relations
- Defined over a type
- Must have a key

Indexes

- Over particular attributes
- Speeds up 1-d selection (BTREE), 2-d selection (RTREE) and substring selection (KEYWORD)

- SQL++
 - Heterogeneity
 - Unnesting
 - Nesting/Aggregation and non-first normal
 - Multi-value join
 - Supports one to many
 - Can often be represented in SQL

SEMISTRUCTURED

- Distributed systems
- Short-term analysis
- Lower set-up costs
- Higher query costs (often)

QUESTIONS

- That's the material
- Things that will be on the exam
 - Short answer
 - SQL
 - Subquery
 - Datalog
 - Relational Algebra

QUESTIONS

- Probably on the exam
 - Design motivations
 - RA/SQL/Datalog equivalency
 - Data model construction

QUESTIONS

- Probably on the exam
 - Design motivations
 - RA/SQL/Datalog equivalency
 - Data model construction
- Not on the exam
 - Acronyms
 - SQL++ code

ADVICE

- Look through the exam first
 - Try and do easiest questions first
 - Short answer questions are worth equal amounts, varying difficulty
- Always be sure you understand the question
 - More "toy" examples on midterm

ADVICE

- Go through previous exams
 - Good judgement for questions
- Go through HW,OQ assignments
 - If I've asked you something before, I am certain that you should know how to do it
- Think about how null values/your assumptions impact the interpretation of the data