

Executables & Arrays

CSE 351 Autumn 2018

Instructor:

Justin Hsia

Teaching Assistants:

Akshat Aggarwal

An Wang

Andrew Hu

Brian Dai

Britt Henderson

James Shin

Kevin Bi

Kory Watson

Riley Germundson

Sophie Tian

Teagan Horkan



<http://xkcd.com/1270/>

Administrivia

- ❖ Lab 2 due Friday (10/26)
- ❖ Homework 3 due next Friday (11/2)

- ❖ **Midterm** (Monday 10/29, 5:10-6:20 pm)
 - 70 minute exam
 - Exam room split by quiz section
 - Midterm details Piazza post: [@231](#)
 - **Review session:** 5-7 pm on Friday (10/26) in EEB 105
 - Take a look at midterm review packet before section

Roadmap

C:

```
car *c = malloc(sizeof(car));
c->miles = 100;
c->gals = 17;
float mpg = get_mpg(c);
free(c);
```

Java:

```
Car c = new Car();
c.setMiles(100);
c.setGals(17);
float mpg =
    c.getMPG();
```

- Memory & data
- Integers & floats
- x86 assembly
- Procedures & stacks
- Executables**
- Arrays & structs
- Memory & caches
- Processes
- Virtual memory
- Memory allocation
- Java vs. C


Assembly language:

```
get_mpg:
    pushq    %rbp
    movq    %rsp, %rbp
    ...
    popq    %rbp
    ret
```


Machine code:

```
0111010000011000
100011010000010000000010
1000100111000010
110000011111101000011111
```

OS:




Computer system:



Building an Executable from a C File

- ❖ Code in files `p1.c` `p2.c`
- ❖ Compile with command: `gcc -Og p1.c p2.c -o p`
 - Put resulting machine code in file `p`
- ❖ Run with command: `./p`



Compiler

- ❖ **Input:** Higher-level language code (*e.g.* C, Java)
 - `foo.c`
- ❖ **Output:** Assembly language code (*e.g.* x86, ARM, MIPS)
 - `foo.s`
- ❖ First there's a preprocessor step to handle `#directives`
 - Macro substitution, plus other specialty directives
 - If curious/interested: <http://tigrcc.ticalc.org/doc/cpp.html>
- ❖ Super complex, whole courses devoted to these!
- ❖ Compiler optimizations
 - “Level” of optimization specified by capital ‘O’ flag (*e.g.* `-Og`, `-O3`)
 - Options: <https://gcc.gnu.org/onlinedocs/gcc/Optimize-Options.html>

Compiling Into Assembly

❖ C Code (sum.c)

```
void sumstore(long x, long y, long *dest) {  
    long t = x + y;  
    *dest = t;  
}
```

❖ x86-64 assembly (gcc -Og -S sum.c)

```
sumstore(long, long, long*):  
    addq    %rdi, %rsi  
    movq    %rsi, (%rdx)  
    ret
```

Warning: You may get different results with other versions of gcc and different compiler settings

Assembler

- ❖ **Input:** Assembly language code (*e.g.* x86, ARM, MIPS)
 - `foo.s`
- ❖ **Output:** Object files (*e.g.* ELF, COFF)
 - `foo.o`
 - Contains *object code* and *information tables*
- ❖ Reads and uses *assembly directives*
 - *e.g.* `.text`, `.data`, `.quad`
 - x86: https://docs.oracle.com/cd/E26502_01/html/E28388/eoiyg.html
- ❖ Produces “machine language”
 - Does its best, but object file is *not* a completed binary
- ❖ Example: `gcc -c foo.s`

Producing Machine Language

- ❖ **Simple cases:** arithmetic and logical operations, shifts, etc.
 - All necessary information is contained in the instruction itself
- ❖ What about the following?
 - Conditional jump
 - Accessing static data (*e.g.* global var or jump table)
 - `call`
- ❖ **Addresses and labels are problematic because the final executable hasn't been constructed yet!**
 - So how do we deal with these in the meantime?

Object File Information Tables

- ❖ **Symbol Table** holds list of “items” that may be used by other files
 - *Non-local labels* – function names for `call`
 - *Static Data* – variables & literals that might be accessed across files
- ❖ **Relocation Table** holds list of “items” that this file needs the address of later (currently undetermined)
 - Any *label* or piece of *static data* referenced in an instruction in this file
 - Both internal and external
- ❖ Each file has its own symbol and relocation tables

Object File Format


- 1) object file header: size and position of the other pieces of the object file
 - 2) text segment: the machine code
 - 3) data segment: data in the source file (binary)
 - 4) relocation table: identifies lines of code that need to be “handled”
 - 5) symbol table: list of this file’s labels and data that can be referenced
 - 6) debugging information
- ❖ More info: ELF format
- http://www.skyfree.org/linux/references/ELF_Format.pdf

Linker

- ❖ **Input:** Object files (e.g. ELF, COFF)
 - `foo.o`
- ❖ **Output:** executable binary program
 - `a.out`
- ❖ Combines several object files into a single executable (*linking*)
- ❖ Enables separate compilation/assembling of files
 - Changes to one file do not require recompiling of whole program

Linking

- 1) Take text segment from each `.o` file and put them together
- 2) Take data segment from each `.o` file, put them together, and concatenate this onto end of text segments
- 3) Resolve References
 - Go through Relocation Table; handle each entry



Disassembling Object Code

❖ Disassembled:

```
00000000000400536 <sumstore>:  
 400536:  48 01 fe      add    %rdi, %rsi  
 400539:  48 89 32      mov    %rsi, (%rdx)  
 40053c:  c3           retq
```

❖ **Disassembler** (`objdump -d sum`)

- Useful tool for examining object code (`man 1 objdump`)
- Analyzes bit pattern of series of instructions
- Produces approximate rendition of assembly code
- Can run on either a `.out` (complete executable) or `.o` file

What Can be Disassembled?

```
% objdump -d WINWORD.EXE

WINWORD.EXE:      file format pei-i386

No symbols in "WINWORD.EXE".
Disassembly of section .text:

30001000 <.text>:
30001000:
30001001:
30001003:
30001005:
3000100a:
```

**Reverse engineering forbidden by
Microsoft End User License Agreement**

- ❖ Anything that can be interpreted as executable code
- ❖ Disassembler examines bytes and attempts to reconstruct assembly source

Loader

- ❖ **Input:** executable binary program, command-line arguments
 - `./a.out arg1 arg2`
- ❖ **Output:** <program is run>

- ❖ Loader duties primarily handled by OS/kernel
 - **More about this when we learn about processes**
- ❖ Memory sections (Instructions, Static Data, Stack) are set up
- ❖ Registers are initialized

Roadmap

C:

```
car *c = malloc(sizeof(car));
c->miles = 100;
c->gals = 17;
float mpg = get_mpg(c);
free(c);
```

Java:

```
Car c = new Car();
c.setMiles(100);
c.setGals(17);
float mpg =
    c.getMPG();
```

- Memory & data
- Integers & floats
- x86 assembly
- Procedures & stacks
- Executables
- Arrays & structs**
- Memory & caches
- Processes
- Virtual memory
- Memory allocation
- Java vs. C


Assembly language:

```
get_mpg:
    pushq    %rbp
    movq    %rsp, %rbp
    ...
    popq    %rbp
    ret
```

Machine code:

```
0111010000011000
100011010000010000000010
1000100111000010
110000011111101000011111
```

Computer system:



OS:



Data Structures in Assembly

❖ Arrays

- One-dimensional
- Multi-dimensional (nested)
- Multi-level

❖ Structs


- Alignment

~~❖ Unions~~

Array Allocation

❖ Basic Principle


- $\mathbf{T} \ A[N]; \rightarrow$ array of data type \mathbf{T} and length N
- *Contiguously* allocated region of $N * \text{sizeof}(\mathbf{T})$ bytes
- Identifier A returns address of array (type \mathbf{T}^*)



Array Access

❖ Basic Principle

- **T** A[N]; → array of data type **T** and length N
- Identifier A returns address of array (type **T***)



❖ Reference

<u>Reference</u>	<u>Type</u>	<u>Value</u>
<code>x[4]</code>	<code>int</code>	5
<code>x</code>	<code>int*</code>	a
<code>x+1</code>	<code>int*</code>	$a + 4$
<code>&x[2]</code>	<code>int*</code>	$a + 8$
<code>x[5]</code>	<code>int</code>	?? (whatever's in memory at addr $x+20$)
<code>*(x+1)</code>	<code>int</code>	7
<code>x+i</code>	<code>int*</code>	$a + 4*i$

Array Example

```
typedef int zip_dig[5];
```

```
zip_dig cmu = { 1, 5, 2, 1, 3 };
```

```
zip_dig uw = { 9, 8, 1, 9, 5 };
```


```
zip_dig ucb = { 9, 4, 7, 2, 0 };
```

initialization

- ❖ typedef: Declaration “**zip_dig** uw” equivalent to “**int** uw[5]”

Array Example


```
typedef int zip_dig[5];  
  
zip_dig cmu = { 1, 5, 2, 1, 3 };  
zip_dig uw  = { 9, 8, 1, 9, 5 };  
zip_dig ucb = { 9, 4, 7, 2, 0 };
```



- ❖ Example arrays happened to be allocated in successive 20 byte blocks
 - Not guaranteed to happen in general

Array Accessing Example

```
typedef int zip_dig[5];
```




```
int get_digit(zip_dig z, int digit)
{
    return z[digit];
}
```

```
get_digit:
    movl (%rdi,%rsi,4), %eax # z[digit]
```


- Register `%rdi` contains starting address of array
- Register `%rsi` contains array index
- Desired digit at `%rdi+4*%rsi`, so use memory reference `(%rdi,%rsi,4)`

Referencing Examples


`zip_dig cmu;`



`zip_dig uw;`



`zip_dig ucb;`



Reference **Address** **Value** **Guaranteed?**

`uw[3]`

`uw[6]`

`uw[-1]`

`cmu[15]`

- ❖ No bounds checking
- ❖ Example arrays happened to be allocated in successive 20 byte blocks
 - Not guaranteed to happen in general

C Details: Arrays and Pointers

- ❖ Arrays are (almost) identical to pointers
 - `char *string` and `char string[]` are nearly identical declarations
 - Differ in subtle ways: initialization, `sizeof()`, etc.
- ❖ An array variable looks like a pointer to the first (0th) element
 - `ar[0]` same as `*ar`; `ar[2]` same as `*(ar+2)`
- ❖ An array variable is read-only (no assignment)
 - Cannot use `"ar = <anything>"`

C Details: Arrays and Functions

- ❖ Declared arrays only allocated while the scope is valid:

```
char* foo() {  
    char string[32]; ...;  
    return string;  
}
```

BAD!

- ❖ An array is passed to a function as a pointer:
 - Array size gets lost!

```
int foo(int ar[], unsigned int size) {  
    ... ar[size-1] ...  
}
```

*Really int *ar*

Must explicitly pass the size!

Data Structures in Assembly

❖ Arrays

- One-dimensional
- **Multi-dimensional (nested)**
- Multi-level

❖ Structs

- Alignment

❖ ~~Unions~~

Nested Array Example

```
typedef int zip_dig[5];
```

```
zip_dig sea[4] =  
{ { 9, 8, 1, 9, 5 },  
  { 9, 8, 1, 0, 5 },  
  { 9, 8, 1, 0, 3 },  
  { 9, 8, 1, 1, 5 } };
```

Remember, $\mathbf{T} \ A[N]$ is an array with elements of type \mathbf{T} , with length N

same as:

```
int sea[4][5];
```


What is the layout in memory?

```
typedef int zip_dig[5];
```

Nested Array Example

```
zip_dig sea[4] =
  {{ 9, 8, 1, 9, 5 },
   { 9, 8, 1, 0, 5 },
   { 9, 8, 1, 0, 3 },
   { 9, 8, 1, 1, 5 }};
```

Remember, $\mathbf{T} \ A[N]$ is an array with elements of type \mathbf{T} , with length N




- ❖ “Row-major” ordering of all elements
- ❖ Elements in the same row are contiguous
- ❖ Guaranteed (in C)

Two-Dimensional (Nested) Arrays

❖ Declaration: **T** A[R][C];

- 2D array of data type T
- R rows, C columns
- Each element requires **sizeof(T)** bytes


❖ Array size?



Two-Dimensional (Nested) Arrays

❖ Declaration: `T A[R][C];`

- 2D array of data type `T`
- `R` rows, `C` columns
- Each element requires `sizeof(T)` bytes




❖ Array size:

- `R * C * sizeof(T)` bytes

❖ Arrangement: **row-major** ordering

```
int A[R][C];
```




Nested Array Row Access

❖ Row vectors

■ Given \mathbf{T} `A[R][C]`,

- `A[i]` is an array of `C` elements (“row `i`”)
- `A` is address of array
- Starting address of row `i` = `A + i * (C * sizeof(T))`

```
int A[R][C];
```



Nested Array Row Access Code

```
int* get_sea_zip(int index)
{
    return sea[index];
}
```

```
int sea[4][5] =
    {{ 9, 8, 1, 9, 5 },
     { 9, 8, 1, 0, 5 },
     { 9, 8, 1, 0, 3 },
     { 9, 8, 1, 1, 5 }};
```

```
get_sea_zip(int):
    movslq    %edi, %rdi
    leaq     (%rdi,%rdi,4), %rax
    leaq     sea(,%rax,4), %rax
    ret

sea:
    .long    9
    .long    8
    .long    1
    .long    9
    .long    5
    .long    9
    .long    8
    ...
```

Nested Array Row Access Code

```
int* get_sea_zip(int index)
{
    return sea[index];
}
```

```
int sea[4][5] =
    {{ 9, 8, 1, 9, 5 },
     { 9, 8, 1, 0, 5 },
     { 9, 8, 1, 0, 3 },
     { 9, 8, 1, 1, 5 }};
```

- What data type is `sea[index]`?
- What is its value?

```
# %rdi = index
leaq (%rdi,%rdi,4),%rax
leaq sea(,%rax,4),%rax
```

Translation?

Nested Array Row Access Code

```
int* get_sea_zip(int index)
{
    return sea[index];
}
```

```
int sea[4][5] =
    {{ 9, 8, 1, 9, 5 },
     { 9, 8, 1, 0, 5 },
     { 9, 8, 1, 0, 3 },
     { 9, 8, 1, 1, 5 }};
```

```
# %rdi = index
leaq (%rdi,%rdi,4),%rax # 5 * index
leaq sea(,%rax,4),%rax # sea + (20 * index)
```

❖ Row Vector

- `sea[index]` is array of 5 ints
- Starting address = `sea+20*index`

❖ Assembly Code


- Computes and returns address
- Compute as: `sea+4*(index+4*index) = sea+20*index`

Nested Array Element Access

❖ Array Elements

- $A[i][j]$ is element of type \mathbf{T} , which requires K bytes
- Address of $A[i][j]$ is

```
int A[R][C];
```




Nested Array Element Access

❖ Array Elements

- $A[i][j]$ is element of type \mathbf{T} , which requires K bytes
- Address of $A[i][j]$ is

$$A + i * (C * K) + j * K == A + (i * C + j) * K$$

```
int A[R][C];
```



$$A + i * C * 4 + j * 4$$

Nested Array Element Access Code

```
int get_sea_digit
(int index, int digit)
{
    return sea[index][digit];
}
```

```
int sea[4][5] =
{{ 9, 8, 1, 9, 5 },
 { 9, 8, 1, 0, 5 },
 { 9, 8, 1, 0, 3 },
 { 9, 8, 1, 1, 5 }};
```

```
leaq    (%rdi,%rdi,4), %rax    # 5*index
addl    %rax, %rsi            # 5*index+digit
movl    sea(,%rsi,4), %eax    # *(sea + 4*(5*index+digit))
```


❖ Array Elements

- `sea[index][digit]` is an **int** (**sizeof(int)** = 4)
- $\text{Address} = \text{sea} + 5 \cdot 4 \cdot \text{index} + 4 \cdot \text{digit}$

❖ Assembly Code

- Computes address as: $\text{sea} + ((\text{index} + 4 \cdot \text{index}) + \text{digit}) \cdot 4$
- `movl` performs memory reference

Multi-Dimensional Referencing Examples



<u>Reference</u>	<u>Address</u>	<u>Value</u>	<u>Guaranteed?</u>
------------------	----------------	--------------	--------------------

`sea[3][3]`

`sea[2][5]`

`sea[2][-1]`

`sea[4][-1]`

`sea[0][19]`

`sea[0][-1]`

- Code does not do any bounds checking
- Ordering of elements within array guaranteed

Data Structures in Assembly

❖ Arrays

- One-dimensional
- Multi-dimensional (nested)
- **Multi-level**

❖ Structs

- Alignment

~~❖ Unions~~

Multi-Level Array Example

Multi-Level Array Declaration(s):

```
int cmu[5] = { 1, 5, 2, 1, 3 };  
int uw[5] = { 9, 8, 1, 9, 5 };  
int ucb[5] = { 9, 4, 7, 2, 0 };
```

```
int* univ[3] = {uw, cmu, ucb};
```

2D Array Declaration:

```
zip_dig univ2D[3] = {  
    { 9, 8, 1, 9, 5 },  
    { 1, 5, 2, 1, 3 },  
    { 9, 4, 7, 2, 0 }  
};
```

Is a multi-level array the same thing as a 2D array?

NO


One array declaration = one contiguous block of memory

Multi-Level Array Example

```
int cmu[5] = { 1, 5, 2, 1, 3 };
int uw[5] = { 9, 8, 1, 9, 5 };
int ucb[5] = { 9, 4, 7, 2, 0 };
```

```
int* univ[3] = {uw, cmu, ucb};
```


- ❖ Variable `univ` denotes array of 3 elements
- ❖ Each element is a pointer
 - 8 bytes each
- ❖ Each pointer points to array of `ints`



Note: this is how Java represents multi-dimensional arrays

Element Access in Multi-Level Array

```
int get_univ_digit
(int index, int digit)
{
    return univ[index][digit];
}
```



```
salq    $2, %rsi           # rsi = 4*digit
addq    univ(,%rdi,8), %rsi # p = univ[index] + 4*digit
movl    (%rsi), %eax       # return *p
ret
```


❖ Computation

- Element access $\text{Mem}[\text{Mem}[\text{univ} + 8 * \text{index}] + 4 * \text{digit}]$
- Must do **two memory reads**
 - First get pointer to row array
 - Then access element within array
- But allows inner arrays to be different lengths (not in this example)

Array Element Accesses


Nested array

```
int get_sea_digit
(int index, int digit)
{
    return sea[index][digit];
}
```



Multi-level array

```
int get_univ_digit
(int index, int digit)
{
    return univ[index][digit];
}
```




Access *looks* the same, but it isn't:

Mem[sea+20*index+4*digit]

Mem[**Mem**[univ+8*index]+4*digit]

Multi-Level Referencing Examples



Reference Address Value Guaranteed?

univ[2][3]

univ[1][5]

univ[2][-2]

univ[3][-1]

univ[1][12]

- C code does not do any bounds checking
- Location of each lower-level array in memory is *not* guaranteed

Summary

- ❖ Contiguous allocations of memory
- ❖ **No bounds checking** (and no default initialization)
- ❖ Can usually be treated like a pointer to first element
- ❖ **int** a[4][5]; → array of arrays
 - all levels in one contiguous block of memory
- ❖ **int*** b[4]; → array of pointers to arrays
 - First level in one contiguous block of memory
 - Each element in the first level points to another “sub” array
 - Parts anywhere in memory