

Virtual Memory I

CSE 351 Winter 2018

Instructor:

Mark Wyse

Teaching Assistants:

Kevin Bi

Parker DeWilde



Emily Furst

Sarah House

Waylon Huang

Vinny Palaniappan


<http://rebrn.com/re/bad-chrome-1162082/>




Administrative

- ❖ Homework 4 due tonight
- ❖ Lab 4 due next Wednesday (2/28)

Creating New Processes & Programs



Exec-ing a new program



exit: Ending a process

❖ **void** `exit(int status)`

- Exits a process

- Status code: 0 is used for a normal exit, nonzero for abnormal exit

Zombies

- ❖ When a process terminates, it still consumes system resources
 - Various tables maintained by OS
 - Called a “**zombie**” (a living corpse, half alive and half dead)
- ❖ *Reaping* is performed by parent on terminated child
 - Parent is given exit status information and kernel then deletes zombie child process
- ❖ What if parent doesn't reap?
 - If any parent terminates without reaping a child, then the orphaned child will be reaped by `init` process (`pid == 1`)
 - **Note:** on more recent Linux systems, `init` has been renamed `systemd`
 - In long-running processes (e.g. shells, servers) we need *explicit* reaping

wait: Synchronizing with Children

- ❖ `int wait(int *child_status)`
 - Suspends current process (*i.e.* the parent) until one of its children terminates
 - Return value is the PID of the child process that terminated
 - *On successful return, the child process is reaped*
 - If `child_status != NULL`, then the `*child_status` value indicates why the child process terminated
 - Special macros for interpreting this status – see `man wait(2)`
- ❖ **Note:** If parent process has multiple children, `wait` will return when *any* of the children terminates
 - `waitpid` can be used to wait on a specific child process

Process Management Summary

- ❖ `fork` makes two copies of the same process (parent & child)
 - Returns different values to the two processes
- ❖ `exec*` replaces current process from file (new program)
 - Two-process program:
 - First `fork()`
 - `if (pid == 0) { /* child code */ } else { /* parent code */ }`
 - Two different programs:
 - First `fork()`
 - `if (pid == 0) { execv(...) } else { /* parent code */ }`
- ❖ `wait` or `waitpid` used to synchronize parent/child execution and to reap child process

Summary

❖ Processes

- At any given time, system has multiple active processes
- On a one-CPU system, only one can execute at a time, but each process appears to have total control of the processor
- OS periodically “context switches” between active processes
 - Implemented using *exceptional control flow*

❖ Process management

- `fork`: one call, two returns
- `execve`: one call, usually no return
- `wait` or `waitpid`: synchronization
- `exit`: one call, no return

Roadmap

C:

```
car *c = malloc(sizeof(car));
c->miles = 100;
c->gals = 17;
float mpg = get_mpg(c);
free(c);
```

Java:

```
Car c = new Car();
c.setMiles(100);
c.setGals(17);
float mpg =
    c.getMPG();
```

- Memory & data
- Integers & floats
- x86 assembly
- Procedures & stacks
- Executables
- Arrays & structs
- Memory & caches
- Processes
- Virtual memory**
- Memory allocation
- Java vs. C


Assembly language:

```
get_mpg:
    pushq    %rbp
    movq    %rsp, %rbp
    ...
    popq    %rbp
    ret
```

Machine code:

```
0111010000011000
100011010000010000000010
1000100111000010
110000011111101000011111
```

Computer system:



Virtual Memory (VM*)


- ❖ Overview and motivation
- ❖ VM as a tool for caching
- ❖ Address translation
- ❖ VM as a tool for memory management
- ❖ VM as a tool for memory protection

Warning: Virtual memory is pretty complex, but crucial for understanding how processes work and for debugging performance

**Not to be confused with “Virtual Machine” which is a whole other thing.*

Memory as we know it so far... is *virtual*!



- ❖ Programs refer to virtual memory addresses
 - `movq (%rdi), %rax`
 - Conceptually memory is just a very large array of bytes
 - System provides private address space to each process
- ❖ Allocation: Compiler and run-time system
 - Where different program objects should be stored
 - All allocation within single virtual address space
- ❖ But...
 - We *probably* don't have 2^w bytes of physical memory
 - We *certainly* don't have 2^w bytes of physical memory for every process
 - Processes should not interfere with one another
 - Except in certain cases where they want to share code or data



Problem 1: How Does Everything Fit?

64-bit virtual addresses can address
several exabytes
(18,446,744,073,709,551,616 bytes)

Physical main memory offers
a few gigabytes
(e.g. 8,589,934,592 bytes)



(Not to scale; physical memory would be smaller than the period at the end of this sentence compared to the virtual address space.)

1 virtual address space per process,
with many processes...

Problem 2: Memory Management

We have multiple processes:

Process 1
Process 2
Process 3
...
Process n

Each process has...

X


stack
heap
.text
.data
...

*What goes
where?*


Physical main memory



Problem 3: How To Protect



Problem 4: How To Share?




How can we solve these problems?

- 1) Fitting a huge address space into a tiny physical memory
- 2) Managing the address spaces of multiple processes
- 3) Protecting processes from stepping on each other's memory
- 4) Allowing processes to share common parts of memory


Indirection

- ❖ “Any problem in computer science can be solved by adding another level of indirection.” – *David Wheeler, inventor of the subroutine*

- ❖ Without Indirection



- ❖ With Indirection




What if I want to move Thing?

Indirection

- ❖ *Indirection*: The ability to reference something using a name, reference, or container instead of the value itself. A flexible mapping between a name and a thing allows changing the thing without notifying holders of the name.
 - Adds some work (now have to look up 2 things instead of 1)
 - But don't have to track all uses of name/address (single source!)
- ❖ Examples:
 - **Phone system**: cell phone number portability
 - **Domain Name Service (DNS)**: translation from name to IP address
 - **Call centers**: route calls to available operators, etc.
 - **Dynamic Host Configuration Protocol (DHCP)**: local network address assignment

Indirection in Virtual Memory



- ❖ Each process gets its own private virtual address space
- ❖ Solves the previous problems!


Address Spaces

- ❖ **Virtual address space:** Set of $N = 2^n$ virtual addr
 - $\{0, 1, 2, 3, \dots, N-1\}$
- ❖ **Physical address space:** Set of $M = 2^m$ physical addr
 - $\{0, 1, 2, 3, \dots, M-1\}$


- ❖ Every byte in main memory has:
 - one physical address (PA)
 - zero, one, *or more* virtual addresses (VAs)

Mapping

- ❖ A virtual address (VA) can be mapped to either **physical memory** or **disk**
 - Unused VAs may not have a mapping
 - VAs from *different* processes may map to same location in memory/disk




A System Using Physical Addressing



- ❖ Used in “simple” systems with (usually) just one process:
 - Embedded microcontrollers in devices like cars, elevators, and digital picture frames

A System Using Virtual Addressing




- ❖ Physical addresses are *completely invisible to programs*
 - Used in all modern desktops, laptops, servers, smartphones...
 - One of the great ideas in computer science

Why Virtual Memory (VM)?

- ❖ Efficient use of limited main memory (RAM)
 - Use RAM as a cache for the parts of a virtual address space
 - Some non-cached parts stored on disk
 - Some (unallocated) non-cached parts stored nowhere
 - Keep only active areas of virtual address space in memory
 - Transfer data back and forth as needed
- ❖ Simplifies memory management for programmers
 - Each process “gets” the same full, private linear address space
- ❖ Isolates address spaces (protection)
 - One process can't interfere with another's memory
 - They operate in *different address spaces*
 - User process cannot access privileged information
 - Different sections of address spaces have different permissions


VM and the Memory Hierarchy

- ❖ Think of virtual memory as array of $N = 2^n$ contiguous bytes
- ❖ *Pages* of virtual memory are usually stored in physical memory, but sometimes spill to disk
 - Pages are another unit of aligned memory (size is $P = 2^p$ bytes)
 - Each virtual page can be stored in *any* physical page (no fragmentation!)




or: Virtual Memory as DRAM Cache for Disk

- ❖ Think of virtual memory as an array of $N = 2^n$ contiguous bytes stored *on a disk*
- ❖ Then physical main memory is used as a *cache* for the virtual memory array
 - These “cache blocks” are called *pages* (size is $P = 2^p$ bytes)



Memory Hierarchy: Core 2 Duo

Not drawn to scale



Virtual Memory Design Consequences

- ❖ Large page size: typically 4-8 KB or 2-4 MB
 - *Can* be up to 1 GB (for “Big Data” apps on big computers)
 - Compared with 64-byte cache blocks
- ❖ Fully associative
 - Any virtual page can be placed in any physical page
 - Requires a “large” mapping function – different from CPU caches
- ❖ Highly sophisticated, expensive replacement algorithms in OS
 - Too complicated and open-ended to be implemented in hardware
- ❖ *Write-back* rather than *write-through*
 - *Really* don't want to write to disk every time we modify something in memory
 - Some things may never end up on disk (*e.g.* stack for short-lived process)

Why does VM work on RAM/disk?


- ❖ Avoids disk accesses because of *locality*
 - Same reason that L1 / L2 / L3 caches work
- ❖ The set of virtual pages that a program is “actively” accessing at any point in time is called its *working set*
 - If (*working set of one process* \leq *physical memory*):
 - Good performance for one process (after compulsory misses)
 - If (*working sets of all processes* $>$ *physical memory*):
 - **Thrashing**: Performance meltdown where pages are swapped between memory and disk continuously (CPU always waiting or paging)
 - This is why your computer can feel faster when you add RAM

Virtual Memory (VM)

- ❖ Overview and motivation
- ❖ VM as a tool for caching
- ❖ **Address translation**
- ❖ VM as a tool for memory management
- ❖ VM as a tool for memory protection

Address Translation

*How do we perform the virtual
→ physical address translation?*



Address Translation: Page Tables


- ❖ CPU-generated address can be split into:

n -bit address:

Virtual Page Number	Page Offset
---------------------	-------------


- Request is Virtual Address (**VA**), want Physical Address (**PA**)
- Note that Physical Offset = Virtual Offset (page-aligned)
- ❖ Use lookup table that we call the *page table* (**PT**)
 - Replace Virtual Page Number (**VPN**) for Physical Page Number (**PPN**) to generate Physical Address
 - Index PT using VPN: page table entry (**PTE**) stores the PPN plus management bits (*e.g.* Valid, Dirty, access rights)
 - Has an entry for *every* virtual page – why?

Page Table Diagram



- ❖ Page tables stored in physical memory
 - Too big to fit elsewhere – managed by MMU & OS
- ❖ How many page tables in the system?
 - *One per process*


Page Table Address Translation



In most cases, the MMU can perform this translation without software assistance

Page Hit

❖ **Page hit:** VM reference is in physical memory



Example: Page size = 4 KB

Virtual Addr: 0x00740b


Physical Addr:

VPN:

PPN:

Page Fault

❖ **Page fault:** VM reference is NOT in physical memory



Example: Page size = 4 KB

Provide a virtual address request (in hex) that results in this particular page fault:


Virtual Addr:

Page Fault Exception

- ❖ User writes to memory location
- ❖ That portion (page) of user's memory is currently on disk

```
int a[1000];
int main ()
{
    a[500] = 13;
}
```


```
80483b7:      c7 05 10 9d 04 08 0d  movl   $0xd,0x8049d10
```



- ❖ Page fault handler must load page into physical memory
- ❖ Returns to faulting instruction: `mov` is executed again!
 - Successful on second try


Handling a Page Fault

- ❖ Page miss causes page fault (an exception)




Handling a Page Fault

- ❖ Page miss causes page fault (an exception)
- ❖ Page fault handler selects a *victim* to be evicted (here VP 4)




Handling a Page Fault

- ❖ Page miss causes page fault (an exception)
- ❖ Page fault handler selects a *victim* to be evicted (here VP 4)



Handling a Page Fault

- ❖ Page miss causes page fault (an exception)
- ❖ Page fault handler selects a *victim* to be evicted (here VP 4)
- ❖ **Offending instruction is restarted: page hit!**



Peer Instruction Question

- ❖ How many bits wide are the following fields?
 - 16 KB pages
 - 48-bit virtual addresses
 - 16 GB physical memory

	VPN	PPN
(A)	34	24
(B)	32	18
(C)	30	20
(D)	34	20

Summary

- ❖ Virtual memory provides:
 - Ability to use limited memory (RAM) across multiple processes
 - Illusion of contiguous virtual address space for each process
 - Protection and sharing amongst processes
- ❖ Indirection via address mapping by page tables
 - Part of memory management unit and stored in memory
 - Use virtual page number as index into lookup table that holds physical page number, disk address, or NULL (unallocated page)
 - On page fault, throw exception and move page from swap space (disk) to main memory