

# Procedures II

CSE 351 Spring 2019

## Instructor:

Ruth Anderson

## Teaching Assistants:

Gavin Cai

Britt Henderson

Sophie Tian

Casey Xing

Jack Eggleston

Richard Jiang


Connie Wang

Chin Yeoh

John Feltrup

Jack Skalitzyk

Sam Wolfson



# Administrivia

- ❖ Lab 2 (x86-64) due Wednesday (5/01)
- ❖ Homework 3, due Wednesday (5/8)
  - On midterm material, but due after the midterm
- ❖ **Midterm** (Fri 5/03, 4:30-5:30pm in KNE 130)

# Example: increment

```
long increment(long *p, long val) {  
    long x = *p;  
    long y = x + val;  
    *p = y;  
    return x;  
}
```

increment:

```
movq    (%rdi), %rax  
addq    %rax, %rsi  
movq    %rsi, (%rdi)  
ret
```

Register	Use(s)
<b>%rdi</b>	1 <sup>st</sup> arg (p)
<b>%rsi</b>	2 <sup>nd</sup> arg (val), y
<b>%rax</b>	x, return value


# Procedure Call Example - Handout

```
long call_incr() {
    long v1 = 351;
    long v2 = increment(&v1, 100);
    return v1 + v2;
}
```

```
call_incr:
    subq    $16, %rsp
    movq    $351, 8(%rsp)
    movl    $100, %esi
    leaq    8(%rsp), %rdi
    call    increment
    addq    8(%rsp), %rax
    addq    $16, %rsp
    ret
```

```
increment:
    movq    (%rdi), %rax # x = *p
    addq    %rax, %rsi   # y = x+100
    movq    %rsi, (%rdi) # *p = y
    ret
```

## Stack Structure




Register	Use(s)
%rdi	
%rsi	
%rax	

# Procedure Call Example (initial state)

```
long call_incr() {  
    long v1 = 351;  
    long v2 = increment(&v1, 100);  
    return v1 + v2;  
}
```

```
call_incr:  
    subq    $16, %rsp  
    movq    $351, 8(%rsp)  
    movl    $100, %esi  
    leaq   8(%rsp), %rdi  
    call   increment  
    addq   8(%rsp), %rax  
    addq   $16, %rsp  
    ret
```

## Initial Stack Structure



- ❖ Return address on stack is the address of instruction immediately *following* the call to “call\_incr”
  - Shown here as main, but could be anything)
  - Pushed onto stack by call call\_incr


# Procedure Call Example (step 1)

```
long call_incr() {
    long v1 = 351;
    long v2 = increment(&v1, 100);
    return v1 + v2;
}
```

```
call_incr:
    subq    $16, %rsp
    movq    $351, 8(%rsp)
    movl    $100, %esi
    leaq    8(%rsp), %rdi
    call    increment
    addq    8(%rsp), %rax
    addq    $16, %rsp
    ret
```

} Allocate space  
for local vars

## Stack Structure



- ❖ Setup space for local variables
  - Only v1 needs space on the stack
- ❖ Compiler allocated extra space
  - Often does this for a variety of reasons, including alignment


# Procedure Call Example (step 2)

```
long call_incr() {
    long v1 = 351;
    long v2 = increment(&v1, 100);
    return v1 + v2;
}
```

```
call_incr:
    subq    $16, %rsp
    movq    $351, 8(%rsp)
    movl    $100, %esi
    leaq    8(%rsp), %rdi
    call    increment
    addq    8(%rsp), %rax
    addq    $16, %rsp
    ret
```

} Set up parameters for call  
to increment

## Stack Structure



*Aside:* `movl` is used because 100 is a small positive value that fits in 32 bits. High order bits of `rsi` get set to zero automatically. It takes *one less byte* to encode a `movl` than a `movq`.

Register	Use(s)
<code>%rdi</code>	<code>&amp;v1</code>
<code>%rsi</code>	100


# Procedure Call Example (step 3)

```
long call_incr() {
    long v1 = 351;
    long v2 = increment(&v1, 100);
    return v1 + v2;
}
```

```
call_incr:
    subq    $16, %rsp
    movq    $351, 8(%rsp)
    movl    $100, %esi
    leaq    8(%rsp), %rdi
    call   increment
    addq    8(%rsp), %rax
    addq    $16, %rsp
    ret
```

```
increment:
    movq    (%rdi), %rax
    addq    %rax, %rsi
    movq    %rsi, (%rdi)
    ret
```

## Stack Structure



- ❖ State while inside `increment`
  - **Return address** on top of stack is address of the `addq` instruction immediately following call to `increment`

Register	Use(s)
%rdi	&v1
%rsi	100
%rax	




# Procedure Call Example (step 4)

```
long call_incr() {
    long v1 = 351;
    long v2 = increment(&v1, 100);
    return v1 + v2;
}
```

```
call_incr:
    subq    $16, %rsp
    movq    $351, 8(%rsp)
    movl    $100, %esi
    leaq    8(%rsp), %rdi
    call   increment
    addq    8(%rsp), %rax
    addq    $16, %rsp
    ret
```

```
increment:
    movq    (%rdi), %rax # x = *p
    addq    %rax, %rsi   # y = x+100
    movq    %rsi, (%rdi) # *p = y
    ret
```

## Stack Structure



- ❖ State while inside `increment`
  - *After code in body has been executed*


Register	Use(s)
%rdi	&v1
%rsi	451
%rax	351

# Procedure Call Example (step 5)

```
long call_incr() {
    long v1 = 351;
    long v2 = increment(&v1, 100);
    return v1 + v2;
}
```

```
call_incr:
    subq    $16, %rsp
    movq    $351, 8(%rsp)
    movl    $100, %esi
    leaq   8(%rsp), %rdi
    call   increment
    addq   8(%rsp), %rax
    addq   $16, %rsp
    ret
```

## Stack Structure



- ❖ After returning from call to `increment`
  - Registers and memory have been modified and return address has been popped off stack

Register	Use(s)
<code>%rdi</code>	<code>&amp;v1</code>
<code>%rsi</code>	451
<code>%rax</code>	351


# Procedure Call Example (step 6)

```
long call_incr() {
    long v1 = 351;
    long v2 = increment(&v1, 100);
    return v1 + v2;
}
```

```
call_incr:
    subq    $16, %rsp
    movq    $351, 8(%rsp)
    movl    $100, %esi
    leaq    8(%rsp), %rdi
    call    increment
    addq    8(%rsp), %rax
    addq    $16, %rsp
    ret
```

← Update %rax to contain v1+v2

## Stack Structure



Register	Use(s)
%rdi	&v1
%rsi	451
%rax	451+351


# Procedure Call Example (step 7)

```
long call_incr() {
    long v1 = 351;
    long v2 = increment(&v1, 100);
    return v1 + v2;
}
```

```
call_incr:
    subq    $16, %rsp
    movq    $351, 8(%rsp)
    movl    $100, %esi
    leaq    8(%rsp), %rdi
    call    increment
    addq    8(%rsp), %rax
    addq    $16, %rsp
    ret
```

← De-allocate space for local vars

## Stack Structure




Register	Use(s)
%rdi	&v1
%rsi	451
%rax	802

# Procedure Call Example (step 8)

```
long call_incr() {
    long v1 = 351;
    long v2 = increment(&v1, 100);
    return v1 + v2;
}
```

```
call_incr:
    subq    $16, %rsp
    movq    $351, 8(%rsp)
    movl    $100, %esi
    leaq    8(%rsp), %rdi
    call    increment
    addq    8(%rsp), %rax
    addq    $16, %rsp
    ret
```

## Stack Structure



- ❖ State *just before* returning from call to `call_incr`

Register	Use(s)
%rdi	&v1
%rsi	451
%rax	802

# Procedure Call Example (step 9)

```
long call_incr() {
    long v1 = 351;
    long v2 = increment(&v1, 100);
    return v1 + v2;
}
```

```
call_incr:
    subq    $16, %rsp
    movq    $351, 8(%rsp)
    movl    $100, %esi
    leaq    8(%rsp), %rdi
    call    increment
    addq    8(%rsp), %rax
    addq    $16, %rsp
    ret
```

## Final Stack Structure



- ❖ State immediately *after* returning from call to `call_incr`
  - Return addr has been popped off stack
  - Control has returned to the instruction immediately following the call to `call_incr` (not shown here)

Register	Use(s)
%rdi	&v1
%rsi	451
%rax	802

# Procedures

- ❖ Stack Structure
- ❖ Calling Conventions
  - Passing control
  - Passing data
  - Managing local data
- ❖ **Register Saving Conventions**
- ❖ Illustration of Recursion

# Register Saving Conventions

- ❖ When procedure `yoo` calls `who`:
  - `yoo` is the *caller*
  - `who` is the *callee*
- ❖ Can registers be used for temporary storage?

```
yoo:  
  . . .  
  movq $15213, %rdx  
  call who  
  addq %rdx, %rax  
  . . .  
  ret
```

```
who:  
  . . .  
  subq $18213, %rdx  
  . . .  
  ret
```

- No! Contents of register `%rdx` overwritten by `who`!
- This could be trouble – something should be done. Either:
  - *Caller* should save `%rdx` before the call (and restore it after the call)
  - *Callee* should save `%rdx` before using it (and restore it before returning)



# Register Saving Conventions

## ❖ “*Caller-saved*” registers

- It is the **caller**'s responsibility to save any important data in these registers before calling another procedure (*i.e.* the **callee** can freely change data in these registers)
- **Caller** saves values in its stack frame before calling **Callee**, then restores values after the call

## ❖ “*Callee-saved*” registers

- It is the callee's responsibility to save any data in these registers before using the registers (*i.e.* the **caller** assumes the data will be the same across the **callee** procedure call)
- **Callee** saves values in its stack frame before using, then restores them before returning to **caller**

# Silly Register Convention Analogy

- 1) Parents (*caller*) leave for the weekend and give the keys to the house to their child (*callee*)
  - Being suspicious, they put away/hid the valuables (*caller-saved*) before leaving
  - Warn child to leave the bedrooms untouched: “These rooms better look the same when we return!”
- 2) Child decides to throw a wild party (*computation*), spanning the entire house
  - To avoid being disowned, child moves all of the stuff from the bedrooms to the backyard shed (*callee-saved*) before the guests trash the house
  - Child cleans up house after the party and moves stuff back to bedrooms
- 3) Parents return home and are satisfied with the state of the house
  - Move valuables back and continue with their lives

# x86-64 Linux Register Usage, part 1

## ❖ `%rax`


- Return value
- Also **caller**-saved & restored
- Can be modified by procedure

## ❖ `%rdi, ..., %r9`

- Arguments
- Also **caller**-saved & restored
- Can be modified by procedure

## ❖ `%r10, %r11`

- **Caller**-saved & restored
- Can be modified by procedure



# x86-64 Linux Register Usage, part 2

## ❖ `%rbx`, `%r12`, `%r13`, `%r14`, `%r15`

- **Callee**-saved
- **Callee** must save & restore

## ❖ `%rbp`


- **Callee**-saved
- **Callee** must save & restore
- May be used as frame pointer
- Can mix & match

## ❖ `%rsp`

- Special form of **callee** save
- Restored to original value upon exit from procedure

**Callee-saved  
Temporaries**

**Special**



# x86-64 64-bit Registers: Usage Conventions


<code>%rax</code>	Return value - Caller saved	<code>%r8</code>	Argument #5 - Caller saved
<code>%rbx</code>	Callee saved	<code>%r9</code>	Argument #6 - Caller saved
<code>%rcx</code>	Argument #4 - Caller saved	<code>%r10</code>	Caller saved
<code>%rdx</code>	Argument #3 - Caller saved	<code>%r11</code>	Caller Saved
<code>%rsi</code>	Argument #2 - Caller saved	<code>%r12</code>	Callee saved
<code>%rdi</code>	Argument #1 - Caller saved	<code>%r13</code>	Callee saved
<code>%rsp</code>	Stack pointer	<code>%r14</code>	Callee saved
<code>%rbp</code>	Callee saved	<code>%r15</code>	Callee saved

# Callee-Saved Example (step 1)


```
long call_incr2(long x) {
    long v1 = 351;
    long v2 = increment(&v1, 100);
    return x + v2;
}
```

```
call_incr2:
    pushq    %rbx
    subq    $16, %rsp
    movq    %rdi, %rbx
    movq    $351, 8(%rsp)
    movl    $100, %esi
    leaq    8(%rsp), %rdi
    call    increment
    addq    %rbx, %rax
    addq    $16, %rsp
    popq    %rbx
    ret
```

## Initial Stack Structure



## Resulting Stack Structure




# Callee-Saved Example (step 2)


```
long call_incr2(long x) {
    long v1 = 351;
    long v2 = increment(&v1, 100);
    return x + v2;
}
```

```
call_incr2:
    pushq    %rbx
    subq    $16, %rsp
    movq    %rdi, %rbx
    movq    $351, 8(%rsp)
    movl    $100, %esi
    leaq    8(%rsp), %rdi
    call    increment
    addq    %rbx, %rax
    addq    $16, %rsp
    popq    %rbx
    ret
```

## Stack Structure



## Pre-return Stack Structure



# Why Caller *and* Callee Saved?

- ❖ We want *one* calling convention to simply separate implementation details between caller and callee
- ❖ In general, neither caller-save nor callee-save is “best”:
  - If caller isn’t using a register, caller-save is better
  - If callee doesn’t need a register, callee-save is better
  - If “do need to save”, callee-save generally makes smaller programs
    - Functions are called from multiple places
- ❖ So... “some of each” and compiler tries to “pick registers” that minimize amount of saving/restoring



# Register Conventions Summary

- ❖ **Caller**-saved register values need to be pushed onto the stack before making a procedure call *only if the Caller needs that value later*
  - **Callee** may change those register values
- ❖ **Callee**-saved register values need to be pushed onto the stack *only if the Callee intends to use those registers*
  - **Caller** expects unchanged values in those registers
- ❖ Don't forget to restore/pop the values later!

# Procedures

- ❖ Stack Structure
- ❖ Calling Conventions
  - Passing control
  - Passing data
  - Managing local data
- ❖ Register Saving Conventions
- ❖ **Illustration of Recursion**

# Recursive Function

```
/* Recursive popcount */  
long pcount_r(unsigned long x) {  
    if (x == 0)  
        return 0;  
    else  
        return (x & 1) + pcount_r(x >> 1);  
}
```

## Compiler Explorer:

<https://godbolt.org/z/xFCrsW>

- Compiled with `-O1` for brevity instead of `-Og`
- Try `-O2` instead!

```
pcount_r:  
    movl    $0, %eax  
    testq   %rdi, %rdi  
    jne     .L8  
    rep ret  
.L8:  
    pushq   %rbx  
    movq    %rdi, %rbx  
    shrq    %rdi  
    call    pcount_r  
    andl    $1, %ebx  
    addq    %rbx, %rax  
    popq    %rbx  
    ret
```

# Recursive Function: Base Case

```

/* Recursive popcount */
long pcount_r(unsigned long x) {
    if (x == 0)
        return 0;
    else
        return (x & 1) + pcount_r(x >> 1);
}

```

Register	Use(s)	Type
%rdi	x	Argument
%rax	Return value	Return value

Trick because some AMD hardware doesn't like jumping to `ret`

```

pcount_r:
    movl    $0, %eax
    testq   %rdi, %rdi
    jne     .L8
    rep ret
.L8:
    pushq   %rbx
    movq    %rdi, %rbx
    shrq    %rdi
    call    pcount_r
    andl    $1, %ebx
    addq    %rbx, %rax
    popq    %rbx
    ret

```

# Recursive Function: **Callee** Register Save

```


/* Recursive popcount */
long pcount_r(unsigned long x) {
    if (x == 0)
        return 0;
    else
        return (x & 1) + pcount_r(x >> 1);
}
    
```

Register	Use(s)	Type
%rdi	x	Argument

Need original value of *x* *after* recursive call to `pcount_r`.

“Save” by putting in `%rbx` (**callee** saved), but need to save old value of `%rbx` before you change it.

## The Stack



```

pcount_r:
    movl    $0, %eax
    testq   %rdi, %rdi
    jne    .L8
    rep    ret
.L8:
    pushq  %rbx
    movq   %rdi, %rbx
    shrq   %rdi
    call   pcount_r
    andl   $1, %ebx
    addq   %rbx, %rax
    popq   %rbx
    ret
    
```

# Recursive Function: Call Setup


```

/* Recursive popcount */
long pcount_r(unsigned long x) {
    if (x == 0)
        return 0;
    else
        return (x & 1) + pcount_r(x >> 1);
}

```

Register	Use(s)	Type
%rdi	x (new)	Argument
%rbx	x (old)	Callee saved

## The Stack



```

pcount_r:
    movl    $0, %eax
    testq   %rdi, %rdi
    jne    .L8
    rep ret
.L8:
    pushq   %rbx
    movq    %rdi, %rbx
    shrq   %rdi
    call   pcount_r
    andl   $1, %ebx
    addq   %rbx, %rax
    popq   %rbx
    ret

```


# Recursive Function: Call

```

/* Recursive popcount */
long pcount_r(unsigned long x) {
    if (x == 0)
        return 0;
    else
        return (x & 1) + pcount_r(x >> 1);
}
    
```

Register	Use(s)	Type
%rax	Recursive call return value	Return value
%rbx	x (old)	Callee saved

## The Stack



```

pcount_r:
    movl    $0, %eax
    testq   %rdi, %rdi
    jne    .L8
    rep ret
.L8:
    pushq   %rbx
    movq    %rdi, %rbx
    shrq   %rdi
    call   pcount_r
    andl   $1, %ebx
    addq   %rax, %rbx
    popq   %rbx
    ret
    
```


# Recursive Function: Result

```

/* Recursive popcount */
long pcount_r(unsigned long x) {
    if (x == 0)
        return 0;
    else
        return (x & 1) + pcount_r(x >> 1);
}
    
```

Register	Use(s)	Type
%rax	Return value	Return value
%rbx	x&1	Callee saved

## The Stack



```

pcount_r:
    movl    $0, %eax
    testq   %rdi, %rdi
    jne    .L8
    rep    ret
.L8:
    pushq   %rbx
    movq   %rdi, %rbx
    shrq   %rdi
    call   pcount_r
    andl   $1, %ebx
    addq   %rbx, %rax
    popq   %rbx
    ret
    
```




# Recursive Function: Completion

```

/* Recursive popcount */
long pcount_r(unsigned long x) {
    if (x == 0)
        return 0;
    else
        return (x & 1) + pcount_r(x >> 1);
}
    
```

Register	Use(s)	Type
%rax	Return value	Return value
%rbx	Previous %rbx value	Callee restored

## The Stack



```

pcount_r:
    movl    $0, %eax
    testq   %rdi, %rdi
    jne    .L8
    rep    ret
.L8:
    pushq   %rbx
    movq   %rdi, %rbx
    shrq   %rdi
    call   pcount_r
    andl   $1, %ebx
    addq   %rbx, %rax
    popq   %rbx
    ret
    
```

# Observations About Recursion

- ❖ Works without any special consideration
  - Stack frames mean that each function call has private storage
    - Saved registers & local variables
    - Saved return address
  - Register saving conventions prevent one function call from corrupting another's data
    - Unless the code explicitly does so (*e.g.* buffer overflow)
  - Stack discipline follows call / return pattern
    - If P calls Q, then Q returns before P
    - Last-In, First-Out (LIFO)
- ❖ Also works for mutual recursion (P calls Q; Q calls P)

# x86-64 Stack Frames

- ❖ Many x86-64 procedures have a minimal stack frame
  - Only return address is pushed onto the stack when procedure is called
- ❖ A procedure *needs* to grow its stack frame when it:
  - Has too many local variables to hold in **caller**-saved registers
  - Has local variables that are arrays or structs
  - Uses `&` to compute the address of a local variable
  - Calls another function that takes more than six arguments
  - Is using **caller**-saved registers and then calls a procedure
  - Modifies/uses **callee**-saved registers

# x86-64 Procedure Summary

- ❖ Important Points
  - Procedures are a **combination of *instructions and conventions***
    - Conventions prevent functions from disrupting each other
  - Stack is the right data structure for procedure call/return
    - If P calls Q, then Q returns before P
  - Recursion handled by normal calling conventions
- ❖ Heavy use of registers
  - Faster than using memory
  - Use limited by data size and conventions
- ❖ Minimize use of the Stack

