

Buffer Overflows

CSE 351 Autumn 2020

Instructor:

Justin Hsia

Teaching Assistants:

Aman Mohammed

Ami Oka

Callum Walker

Cosmo Wang

Hang Do

Jim Limprasert

Joy Dang

Julia Wang


Kaelin Laundry

Kyrie Dowling

Mariam Mayanja

Shawn Stanley

Yan Zhe Ong



Alt text: I looked at some of the data dumps from vulnerable sites, and it was ... bad. I saw emails, passwords, password hints. SSL keys and session cookies. Important servers brimming with visitor IPs. Attack ships on fire off the shoulder of Orion, c-beams glittering in the dark near the Tannhäuser Gate. I should probably patch OpenSSL.

<http://xkcd.com/1353/>

Administrivia

- ❖ hw13 due Wednesday (11/4)
- ❖ hw15 due Monday (11/9)

- ❖ Lab 3 released Wednesday, due next Friday (11/13)
 - You will have everything you need by the end of this lecture

- ❖ Midterm Group stage due tonight
 - Individual stage Thu-Fri (expect adjustments)
 - Rubric and grades will be found on Gradescope
 - We will grade as quickly as we can


Buffer Overflows

- ❖ Address space layout review
- ❖ Input buffers on the stack
- ❖ Overflowing buffers and injecting code
- ❖ Defenses against buffer overflows

not drawn to scale

Review: General Memory Layout

- ❖ Stack
 - Local variables (procedure context)
- ❖ Heap
 - Dynamically allocated as needed
 - `new`, `malloc()`, `calloc()`, ...
- ❖ Statically-allocated Data
 - Read/write: global variables (Static Data)
 - Read-only: string literals (Literals)
- ❖ Code/Instructions
 - Executable machine instructions
 - Read-only



not drawn to scale

Memory Allocation Example


```
char big_array[1L<<24]; /* 16 MB */

int global = 0;

int useless() { return 0; }

int main() {
    void *p1, *p2;
    int local = 0;
    p1 = malloc(1L << 28); /* 256 MB */
    p2 = malloc(1L << 8); /* 256 B */
    /* Some print statements ... */
}
```


Where does everything go?



not drawn to scale

Memory Allocation Example


```
char big_array[1L<<24]; /* 16 MB */  
  
int global = 0;  
  
int useless() { return 0; }  
  
int main() {  
    void *p1, *p2;  
    int local = 0;  
    p1 = malloc(1L << 28); /* 256 MB */  
    p2 = malloc(1L << 8); /* 256 B */  
    /* Some print statements ... */  
}
```



Where does everything go?


What Is a Buffer?

- ❖ A buffer is an array used to temporarily store data
- ❖ You've probably seen "video buffering..."
 - The video is being written into a buffer before being played
- ❖ Buffers can also store user input



Reminder: x86-64/Linux Stack Frame

- ❖ **Caller's Stack Frame**
 - Arguments (if > 6 args) for this call
- ❖ **Current/ Callee Stack Frame**
 - Return address
 - Pushed by `call` instruction
 - Old frame pointer (optional)
 - Caller-saved pushed before setting up arguments for a function call
 - Callee-saved pushed before using long-term registers
 - Local variables (if can't be kept in registers)
 - "Argument build" area (Need to call a function with >6 arguments? Put them here)



Buffer Overflow in a Nutshell

- ❖ C does not check array bounds
 - Many Unix/Linux/C functions don't check argument sizes
 - Allows overflowing (writing past the end) of buffers (arrays)
- ❖ “Buffer Overflow” = Writing past the end of an array
- ❖ Characteristics of the traditional Linux memory layout provide opportunities for malicious programs
 - Stack grows “backwards” in memory
 - Data and instructions both stored in the same memory


Buffer Overflow in a Nutshell

- ❖ Stack grows *down* towards lower addresses
- ❖ Buffer grows *up* towards higher addresses
- ❖ If we write past the end of the array, we overwrite data on the stack!

```
Enter input: hello
```


No overflow 😊

newline inserted when user presses [Enter]
later converted to a null terminator '\0'



Buffer Overflow in a Nutshell

- ❖ Stack grows *down* towards lower addresses
- ❖ Buffer grows *up* towards higher addresses
- ❖ If we write past the end of the array, we overwrite data on the stack!




Enter input: helloabcdef

uh-oh!

Buffer Overflow in a Nutshell

- ❖ Stack grows *down* towards lower addresses
- ❖ Buffer grows *up* towards higher addresses
- ❖ If we write past the end of the array, we overwrite data on the stack!



```
Enter input: helloabcdef
```

Buffer overflow! ☹️

Buffer Overflow in a Nutshell

- ❖ Buffer overflows on the stack can overwrite “interesting” data
 - Attackers just choose the right inputs
- ❖ Simplest form (sometimes called “stack smashing”)
 - Unchecked length on string input into bounded array causes overwriting of stack data
 - Try to change the return address of the current procedure
- ❖ Why is this a big deal?
 - It was the #1 *technical* cause of security vulnerabilities
 - #1 *overall* cause is social engineering / user ignorance

String Library Code

❖ Implementation of Unix function `gets()`

```
/* Get string from stdin */
char* gets(char* dest) {
    int c = getchar();
    char* p = dest;
    while (c != EOF && c != '\n') {
        *p++ = c;
        c = getchar();
    }
    *p = '\0';
    return dest;
}
```

end of file

newline

reads character from input stream

pointer to start of an array (don't know size!)

same as:

```
*p = c;
p++;
```

- What could go wrong in this code?

String Library Code

❖ Implementation of Unix function `gets()`

```
/* Get string from stdin */
char* gets(char* dest) {
    int c = getchar();
    char* p = dest;
    while (c != EOF && c != '\n') {
        *p++ = c;
        c = getchar();
    }
    *p = '\0';
    return dest;
}
```

- No way to specify **limit** on number of characters to read
↖ stop condition looking for special characters
- ❖ Similar problems with other Unix functions:
 - `strcpy`: Copies string of arbitrary length to a dst
 - `scanf`, `fscanf`, `sscanf`, when given `%s` specifier

Vulnerable Buffer Code

```
/* Echo Line */  
void echo() {  
    char buf[8]; /* Way too small! */  
    gets(buf);  
    puts(buf);  
}
```

input buffer (arrow pointing to buf[8])
read input into buffer (arrow pointing to gets(buf))
print output from buffer (arrow pointing to puts(buf))

```
void call_echo() {  
    echo();  
}
```

```
unix> ./buf-nsp  
Enter string: 123456789012345  
123456789012345
```

```
unix> ./buf-nsp  
Enter string: 1234567890123456  
Segmentation fault (core dumped)
```


Buffer Overflow Disassembly (buf-nsf)

echo:

0000000000401146	<echo>:	
401146:	48 83 ec 18	sub \$0x18,%rsp
...		... calls printf ...
401159:	48 8d 7c 24 08	lea 0x8(%rsp),%rdi
40115e:	b8 00 00 00 00	mov \$0x0,%eax
401163:	e8 e8 fe ff ff	callq 401050 <gets@plt>
401168:	48 8d 7c 24 08	lea 0x8(%rsp),%rdi
40116d:	e8 be fe ff ff	callq 401030 <puts@plt>
401172:	48 83 c4 18	add \$0x18,%rsp
401176:	c3	retq

Handwritten annotations:
 - Red arrow pointing to \$0x18 with "24"
 - Red circle around "sub \$0x18,%rsp" with "Compiler choice" pointing to it

call_echo:


0000000000401177	<call_echo>:	
401177:	48 83 ec 08	sub \$0x8,%rsp
40117b:	b8 00 00 00 00	mov \$0x0,%eax
401180:	e8 c1 ff ff ff	callq 401146 <echo>
<u>401185:</u>	48 83 c4 08	add \$0x8,%rsp
401189:	c3	retq

Handwritten annotations:
 - Red box around 401185:
 - Red arrow pointing from 401185 to the text "return address placed on stack"

return address placed on stack

Buffer Overflow Stack

Before call to gets




```

/* Echo Line */
void echo()
{
    char buf[8]; /* Way too small! */
    gets(buf);
    puts(buf);
}
    
```

```


echo:
    subq    $24, %rsp
    ...
    leaq   8(%rsp), %rdi
    mov    $0x0, %eax
    call   gets
    ...
    
```



Note: addresses increasing right-to-left, bottom-to-top

Buffer Overflow Example

Before call to gets



```
void echo()
{
    char buf[8];
    gets(buf);
    . . .
}
```


```
echo:
    subq $24, %rsp
    ...
    leaq 8(%rsp), %rdi
    mov $0x0, %eax
    call gets
    ...
```

call_echo:

```
. . .
401180: callq 401146 <echo>
401185: add $0x8, %rsp
. . .
```

Buffer Overflow Example #1

After call to gets



```
void echo()
{
    char buf[8];
    gets(buf);
    . . .
}
```

```
echo:
    subq $24, %rsp
    ...
    leaq 8(%rsp), %rdi
    mov $0x0, %eax
    call gets
    ...
```

```
call_echo:
    . . .
401180: callq 401146 <echo>
401185: add $0x8, %rsp
    . . .
```

Null terminator

buf

0x31 = '1'


Note: Digit "N" is just 0x3N in ASCII!

```
unix> ./buf-nsp
Enter string: 123456789012345
123456789012345
```

Overflowed buffer, but did not corrupt state

Buffer Overflow Example #2

After call to gets



```
void echo()
{
    char buf[8];
    gets(buf);
    . . .
}
```

```
echo:
    subq $24, %rsp
    ...
    leaq 8(%rsp), %rdi
    mov $0x0, %eax
    call gets
    ...
```


```
call_echo:
    . . .
401180: callq 401146 <echo>
401185: add $0x8, %rsp
    . . .
```

```
unix> ./buf-nsp
Enter string: 1234567890123456
Segmentation fault (core dumped)
```

Overflowed buffer and corrupted return pointer

Buffer Overflow Example #2 Explained

After return from echo



```

00000000004010d0 <register_tm_clones>:
4010d0: lea    0x2f61(%rip),%rdi
4010d7: lea    0x2f5a(%rip),%rsi
4010de: sub    %rdi,%rsi
4010e1: mov    %rsi,%rax
4010e4: shr    $0x3f,%rsi
4010e8: sar    $0x3,%rax
4010ec: add    %rax,%rsi
4010ef: sar    %rsi
4010f2: je     401108
4010f4: mov    0x2efd(%rip),%rax
4010fb: test   %rax,%rax
4010fe: je     401108
401100: jmpq   *%rax
401102: nopw  0x0(%rax,%rax,1)
401108: retq
    
```


“Returns” to a valid instruction, but bad indirect jump so program signals SIGSEGV, Segmentation fault

Malicious Use of Buffer Overflow: Code Injection Attacks

```
void foo() {
    bar();
    A: ... ← return address A
}
```

```
int bar() {
    char buf[64];
    gets(buf);
    ...
    return ...;
}
```

Stack after call to `gets()`




- ❖ Input string contains byte representation of executable code
- ❖ Overwrite return address A with address of buffer B
- ❖ When `bar()` executes `ret`, will jump to exploit code

Practice Question

- ❖ `smash_me` is vulnerable to stack smashing!
- ❖ What is the minimum number of characters that `gets` must read in order for us to change the return address to a stack address?

- For example: (0x00 00 7f ff ca fe f0 0d)

0x 00 00 7f ff ?? ?? ?? ??
 always 0's 6 bytes of data



```

smash_me:
  subq  $0x40, %rsp
  ...
  leaq  16(%rsp), %rdi
  call  gets
  ...
    
```

get to ret addr
 $64 \text{ bytes} - 16 + 6$
 overwrite ret addr

A. 27

B. 30

C. 51

D. 54

E. We're lost...

Exploits Based on Buffer Overflows

Buffer overflow bugs can allow attackers to execute arbitrary code on victim machines


- ❖ Distressingly common in real programs
 - Programmers keep making the same mistakes 😞
 - Recent measures make these attacks much more difficult
- ❖ Examples across the decades
 - Original “Internet worm” (1988)
 - Heartbleed (2014, affected 17% of servers)
 - Similar issue in Cloudbleed (2017)
 - Hacking embedded devices
 - Cars, Smart homes, Planes

Example: the original Internet worm (1988)


- ❖ Exploited a few vulnerabilities to spread
 - Early versions of the finger server (`fingerd`) used `gets()` to read the argument sent by the client:
 - `finger droh@cs.cmu.edu ..`
 - Worm attacked `fingerd` server with phony argument:
 - `finger "exploit-code padding new-return-addr"`
 - Exploit code: executed a root shell on the victim machine with a direct connection to the attacker
- ❖ Scanned for other machines to attack
 - Invaded ~6000 computers in hours (10% of the Internet)
 - see [June 1989 article](#) in *Comm. of the ACM*
 - The author of the worm (Robert Morris*) was prosecuted...

Example: Heartbleed (2014)



HOW THE HEARTBLEED BUG WORKS:



Example: Heartbleed (2014)



Example: Heartbleed (2014)




Heartbleed Details


- ❖ Buffer over-read in OpenSSL
 - Open source security library
 - Bug in a small range of versions
- ❖ “Heartbeat” packet
 - Specifies length of message
 - Server echoes it back
 - Library just “trusted” this length
 - Allowed attackers to read contents of memory anywhere they wanted
- ❖ Est. 17% of Internet affected
 - “Catastrophic”
 - Github, Yahoo, Stack Overflow, Amazon AWS, ...



Heartbeat – Normal usage



Heartbeat – Malicious usage



By FenixFeather - Own work, CC BY-SA 3.0,
<https://commons.wikimedia.org/w/index.php?curid=32276981>

Hacking Cars (2010)

- ❖ UW CSE research demonstrated wirelessly hacking a car using buffer overflow
 - <http://www.autosec.org/pubs/cars-oakland2010.pdf>
- ❖ Overwrote the onboard control system's code
 - Disable brakes, unlock doors, turn engine on/off



Hacking DNA Sequencing Tech (2017)

Computer Security and Privacy in DNA Sequencing

Paul G. Allen School of Computer Science & Engineering, University of Washington

- Potential for malicious code to be encoded in DNA!
- Attacker can gain control of DNA sequencing machine when malicious DNA is read
- Ney et al. (2017): <https://dnasec.cs.washington.edu/>

x86 in DNA!






Figure 1: Our synthesized DNA exploit

Dealing with buffer overflow attacks

- 1) Employ system-level protections
- 2) Avoid overflow vulnerabilities
- 3) Have compiler use “stack canaries”

1) System-Level Protections


- ❖ **Non-executable code segments**
- ❖ In traditional x86, can mark region of memory as either “read-only” or “writeable”
 - Can execute anything readable
- ❖ x86-64 added explicit “execute” permission
- ❖ **Stack marked as non-executable**
 - Do *NOT* execute code in Stack, Static Data, or Heap regions
 - Hardware support needed



Any attempt to execute this code will fail

1) System-Level Protections

- ❖ **Non-executable code segments**
 - Wait, doesn't this fix everything?
- ❖ Works well, but can't always use it
- ❖ Many embedded devices *do not* have this protection
 - *e.g.*, cars, smart homes, pacemakers
- ❖ Some exploits still work!
 - Return-oriented programming
 - Return to libc attack
 - JIT-spray attack



Any attempt to execute this code will fail

1) System-Level Protections


❖ Randomized stack offsets

- At start of program, allocate **random** amount of space on stack
- Shifts stack addresses for entire program
 - Addresses will vary from one run to another
- Makes it difficult for hacker to predict beginning of inserted code

❖ Example: Address of variable `local` for when Slide 5 code executed 3 times:

- `0x7ffd19d3f8ac`
- `0x7ffe8a462c2c`
- `0x7ffe927c905c`

- **Stack repositioned each time program executes**



2) Avoid Overflow Vulnerabilities in Code

```
/* Echo Line */
void echo ()
{
    char buf[8]; /* Way too small! */
    fgets(buf, 8, stdin);
    puts(buf);
}
```

character read limit

- ❖ Use library routines that limit string lengths
 - fgets instead of gets (2nd argument to fgets sets limit)
 - strncpy instead of strcpy
 - Don't use scanf with %s conversion specification
 - Use fgets to read the string
 - Or use %ns where n is a suitable integer

2) Avoid Overflow Vulnerabilities in Code

- ❖ Alternatively, don't use C - use a language that does array index bounds check
 - Buffer overflow is impossible in Java
 - `ArrayIndexOutOfBoundsException`
 - Rust language was designed with security in mind
 - Panics on index out of bounds, plus more protections

3) Stack Canaries

- ❖ Basic Idea: place special value (“canary”) on stack just beyond buffer
 - *Secret* value that is randomized before main()
 - Placed between buffer and return address
 - Check for corruption before exiting function
- ❖ GCC implementation
 - `-fstack-protector`

```
unix> ./buf
Enter string: 12345678
12345678
```

```
unix> ./buf
Enter string: 123456789
*** stack smashing detected ***
```

Protected Buffer Disassembly (buf)

This is extra
(non-testable)
material

echo:

try: diff buf-nsp.s buf.s

```


401156:  push    %rbx
401157:  sub     $0x10,%rsp
40115b:  mov     $0x28,%ebx
401160:  mov     %fs:(%rbx),%rax # read canary value
401164:  mov     %rax,0x8(%rsp) # store canary on stack
401169:  xor     %eax,%eax      # erase canary from register
...
... call printf ...
40117d:  callq  401060 <gets@plt>
401182:  mov     %rsp,%rdi
401185:  callq  401030 <puts@plt>
40118a:  mov     0x8(%rsp),%rax # read current canary on stack
40118f:  xor     %fs:(%rbx),%rax # compare against original value
401193:  jne    40119b <echo+0x45> # if unchanged, then return
401195:  add     $0x10,%rsp
401199:  pop     %rbx
40119a:  retq
40119b:  callq  401040 <__stack_chk_fail@plt> # stack smashing detected

```


Setting Up Canary

This is extra (non-testable) material

Before call to gets



```

/* Echo Line */
void echo()
{
    char buf[8]; /* Way too small! */
    gets(buf);
    puts(buf);
}
    
```

Segment register (don't worry about it)


```

echo:
    . . .
    movq    %fs:40, %rax    # Get canary
    movq    %rax, 8(%rsp)  # Place on stack
    xorl    %eax, %eax     # Erase canary
    . . .
    
```

Checking Canary

This is extra (non-testable) material

After call to gets



buf ← %rsp

```

/* Echo Line */
void echo()
{
    char buf[8]; /* Way too small! */
    gets(buf);
    puts(buf);
}
    
```

```

echo:
    . . .
    movq 8(%rsp), %rax    # retrieve from Stack
    xorq %fs:40, %rax    # compare to canary
    jne .L4              # if not same, FAIL
    . . .
.L4: call __stack_chk_fail
    
```

Input: 1234567

Summary of Prevention Measures

- 1) Employ system-level protections
 - Code on the Stack is not executable
 - Randomized Stack offsets

- 2) Avoid overflow vulnerabilities
 - Use library routines that limit string lengths
 - Use a language that makes them impossible

- 3) Have compiler use “stack canaries”

Think this is cool?

- ❖ You'll love Lab 3 😊
 - Released Wednesday, due next Friday (11/13)
 - Some parts *must* be run through GDB to disable certain security features
- ❖ Take CSE 484 (Security)
 - Several different kinds of buffer overflow exploits
 - Many ways to counter them
- ❖ Nintendo fun!
 - Using glitches to rewrite code:
<https://www.youtube.com/watch?v=TqK-2jUQBUY>
 - Flappy Bird in Mario:
<https://www.youtube.com/watch?v=hB6eY73sLV0>