Buffer Overflows

CSE 351 Autumn 2020

Instructor:


Justin Hsia

Teaching Assistants:

Aman Mohammed
Ami Oka
Callum Walker
Cosmo Wang
Hang Do
Jim Limprasert
Joy Dang
Julia Wang
Kaelin Laundry
Kyrie Dowling
Mariam Mayanja
Shawn Stanley
Yan Zhe Ong









Alt text: I looked at some of the data dumps from vulnerable sites, and it was ... bad. I saw emails, passwords, password hints. SSL keys and session cookies. Important servers brimming with visitor IPs. Attack ships on fire off the shoulder of Orion, c-beams glittering in the dark near the Tannhäuser Gate. I should probably patch OpenSSL.

http://xkcd.com/1353/

Administrivia

- hw13 due Wednesday (11/4)
- hw15 due Monday (11/9)
- Lab 3 released Wednesday, due next Friday (11/13)
 - You will have everything you need by the end of this lecture
- Midterm Group stage due tonight
 - Individual stage Thu-Fri (expect adjustments)
 - Rubric and grades will be found on Gradescope
 - We will grade as quickly as we can


Buffer Overflows

- Address space layout review
- Input buffers on the stack
- Overflowing buffers and injecting code
- Defenses against buffer overflows

not drawn to scale

Review: General Memory Layout

- Stack
 - Local variables (procedure context)
- Heap
 - Dynamically allocated as needed
 - new, malloc(), calloc(),...
- Statically-allocated Data
 - Read/write: global variables (Static Data)
 - Read-only: string literals (Literals)
- Code/Instructions
 - Executable machine instructions
 - Read-only




not drawn to scale

Memory Allocation Example

```
char big array[1L<<24]; /* 16 MB */
int global = 0;
int useless() { return 0; }
int main() {
 void *p1, *p2;
 int local = 0;
 p1 = malloc(1L << 28); /* 256 MB */
 p2 = malloc(1L << 8); /* 256 B */
 /* Some print statements ... */
```

Where does everything go?



What Is a Buffer?


- A buffer is an array used to temporarily store data
- You've probably seen "video buffering..."
 - The video is being written into a buffer before being played
- Buffers can also store user input





Reminder: x86-64/Linux Stack Frame

- Caller's Stack Frame
 - Arguments (if > 6 args) for this call
- Current/ Callee Stack Frame
 - Return address
 - Pushed by call instruction
 - Old frame pointer (optional)
 - Caller-saved pushed before setting up arguments for a function call
 - Callee-saved pushed before using long-term registers
 - Local variables (if can't be kept in registers)
 - "Argument build" area (Need to call a function with >6 arguments? Put them here)



- C does not check array bounds
 - Many Unix/Linux/C functions don't check argument sizes
 - Allows overflowing (writing past the end) of buffers (arrays)
- "Buffer Overflow" = Writing past the end of an array
- Characteristics of the traditional Linux memory layout provide opportunities for malicious programs
 - Stack grows "backwards" in memory
 - Data and instructions both stored in the same memory


Stack grows down towards lower addresses

 Buffer grows up towards higher addresses

If we write past the end of the array, we overwrite data on the stack!


Enter input: hello

No overflow ©



- Stack grows down towards lower addresses
- Buffer grows up towards higher addresses
- If we write past the end of the array, we overwrite data on the stack!

Enter input: helloabcdef




Stack grows down towards lower addresses

 Buffer grows up towards higher addresses

If we write past the end of the array, we overwrite data on the stack!

Enter input: helloabcdef

Buffer overflow! 🙁



- Buffer overflows on the stack can overwrite "interesting" data
 - Attackers just choose the right inputs
- Simplest form (sometimes called "stack smashing")
 - Unchecked length on string input into bounded array causes overwriting of stack data
 - Try to change the return address of the current procedure
- Why is this a big deal?
 - It was the #1 technical cause of security vulnerabilities
 - #1 overall cause is social engineering / user ignorance

String Library Code

Implementation of Unix function gets ()

```
/* Get string from stdin */
char* gets(char* dest) {
   int c = getchar();
   char* p = dest;
   while (c != EOF && c != '\n') {
        *p++ = c;
        c = getchar();
   }
   *p = '\0';
   return dest;
}
same as:
   *p = c;
   return dest;
}
```

What could go wrong in this code?

String Library Code

Implementation of Unix function gets ()

```
/* Get string from stdin */
char* gets(char* dest) {
   int c = getchar();
   char* p = dest;
   while (c != EOF && c != '\n') {
        *p++ = c;
        c = getchar();
   }
   *p = '\0';
   return dest;
}
```

- No way to specify limit on number of characters to read
- Similar problems with other Unix functions:
 - strcpy: Copies string of arbitrary length to a dst
 - scanf, fscanf, sscanf, when given %s specifier

CSE351, Autumn 2020

Vulnerable Buffer Code

```
/* Echo Line */
void echo() {
   char buf[8];  /* Way too small! */
   gets(buf);
   puts(buf);
}
```

```
void call_echo() {
   echo();
}
```

```
unix> ./buf-nsp
Enter string: 123456789012345
123456789012345
```

```
unix> ./buf-nsp
Enter string: 1234567890123456
Segmentation fault (core dumped)
```



Buffer Overflow Disassembly (buf-nsp)

echo:

```
0000000000401146 <echo>:
401146: 48 83 ec 18
                                      $0x18,%rsp
                              sub
                                ... calls printf ...
401159: 48 8d 7c 24 08
                              lea
                                      0x8(%rsp),%rdi
40115e: b8 00 00 00
                                      $0x0, %eax
                              mov
401163: e8 e8 fe ff ff
                              callq
                                      401050 <gets@plt>
401168: 48 8d 7c 24 08
                              lea
                                     0x8(%rsp),%rdi
                                     401030 <puts@plt>
40116d: e8 be fe ff ff
                              callq
401172: 48 83 c4 18
                              add
                                      $0x18,%rsp
401176: c3
                              retq
```

call_echo:

```
0000000000401177 <call echo>:
 401177: 48 83 ec 08
                               sub
                                      $0x8,%rsp
 40117b: b8
                                      $0x0, %eax
             00 00 00
                               mov
                                      401146 <echo>
 401180: e8 c1 ff ff
                               callq
 401185: 48 83 c4 08
                               add
                                      $0x8,%rsp
 401189:
                               retq
```

return address

Buffer Overflow Stack

buf

-%rsp

Before call to gets

Stack frame for call_echo

Return address (8 bytes)

8 bytes unused

```
    [7]
    [6]
    [5]
    [4]

    [3]
    [2]
    [1]
    [0]
```

8 bytes unused


```
/* Echo Line */
void echo()
{
   char buf[8];  /* Way too small! */
   gets(buf);
   puts(buf);
}
```

```
echo:
    subq $24, %rsp
    ...
    leaq 8(%rsp), %rdi
    mov $0x0, %eax
    call gets
    ...
```

Note: addresses increasing right-to-left, bottom-to-top

Buffer Overflow Example

Before call to gets



```
void echo()
{
    char buf[8];
    gets(buf);
    . . .
}
```

```
echo:
    subq $24, %rsp
    ...
    leaq 8(%rsp), %rdi
    mov $0x0, %eax
    call gets
    ...
```

call_echo:

```
...
401180: callq 401146 <echo>
401185: add $0x8,%rsp
...
```

-%rsp

Buffer Overflow Example #1

After call to gets

```
Stack frame for
 call echo
        00
             00
0.0
    00
    40
        11
            85
0.0
        34
            33
00
    35
32
        30
    31
            39
38
    37
        36
            35
        32
    33
            31
34
                buf
8 bytes unused
                  -%rsp
```

```
void echo()
{
    char buf[8];
    gets(buf);
    . . .
}
```

```
echo:

subq $24, %rsp

...

leaq 8(%rsp), %rdi

mov $0x0, %eax

call gets
...
```

call_echo:

```
...
401180: callq 401146 <echo>
401185: add $0x8,%rsp
...
```

```
Note: Digit "N" is just 0x3N in ASCII!
```

```
unix> ./buf-nsp
Enter string: 123456789012345
123456789012345
```

Overflowed buffer, but did not corrupt state

Buffer Overflow Example #2

After call to gets

```
Stack frame for
 call echo
    00
        00
             00
0.0
    40
        11
             00
0.0
        34
             33
36
    35
32
        30
    31
             39
38
    37
        36
             35
    33
        32
             31
34
                 buf
```

```
void echo()
{
    char buf[8];
    gets(buf);
    . . .
}
```

```
echo:
    subq $24, %rsp
    ...
    leaq 8(%rsp), %rdi
    mov $0x0, %eax
    call gets
    ...
```

call_echo:

```
...
401180: callq 401146 <echo>
401185: add $0x8,%rsp
...
```


```
8 bytes unused
```

```
-%rsp
```

```
unix> ./buf-nsp
Enter string: 1234567890123456
Segmentation fault (core dumped)
```

Overflowed buffer and corrupted return pointer

Buffer Overflow Example #2 Explained



[&]quot;Returns" to a valid instruction, but bad indirect jump so program signals SIGSEGV, Segmentation fault

Malicious Use of Buffer Overflow: Code Injection Attacks Stack after call to gets ()

High Addresses foo **void** foo(){ stack frame bar(); A:... return address A **V**E int bar() { data written pad bar char buf[64]; by gets () stack frame gets(buf); exploit code buf starts here >> F. --return ...; Low Addresses

- Input string contains byte representation of executable code
- Overwrite return address A with address of buffer B
- When bar () executes ret, will jump to exploit code

Practice Question

- smash_me is vulnerable to stack smashing!
- What is the minimum number of characters that gets must read in order for us to change the return address to a stack address?
 - For example: (0x00 00 7f ff ca fe f0 0d)

```
smash_me:
subq $0x40, %rsp
...
leaq 16(%rsp), %rdi
call gets
...
```

A. 27

B. 30

C. 51

D. 54

E. We're lost...

Exploits Based on Buffer Overflows

Buffer overflow bugs can allow attackers to execute arbitrary code on victim machines


- Distressingly common in real programs
 - Programmers keep making the same mistakes < < </p>
 - Recent measures make these attacks much more difficult
- Examples across the decades
 - Original "Internet worm" (1988)
 - Heartbleed (2014, affected 17% of servers)
 - Similar issue in Cloudbleed (2017)
 - Hacking embedded devices
 - Cars, Smart homes, Planes


Example: the original Internet worm (1988)

- Exploited a few vulnerabilities to spread
 - Early versions of the finger server (fingerd) used gets () to read the argument sent by the client:
 - finger droh@cs.cmu.edu
 - Worm attacked fingerd server with phony argument:
 - finger "exploit-code padding new-return-addr"
 - Exploit code: executed a root shell on the victim machine with a direct connection to the attacker
- Scanned for other machines to attack
 - Invaded ~6000 computers in hours (10% of the Internet)
 - see <u>June 1989 article</u> in Comm. of the ACM
 - The author of the worm (Robert Morris*) was prosecuted...


Example: Heartbleed (2014)


HOW THE HEARTBLEED BUG WORKS:






Example: Heartbleed (2014)






Example: Heartbleed (2014)





Heartbleed Details

- Buffer over-read in OpenSSL
 - Open source security library
 - Bug in a small range of versions
- "Heartbeat" packet
 - Specifies length of message
 - Server echoes it back
 - Library just "trusted" this length
 - Allowed attackers to read contents of memory anywhere they wanted
- Est. 17% of Internet affected
 - "Catastrophic"
 - Github, Yahoo, Stack Overflow, Amazon AWS, ...



By FenixFeather - Own work, CC BY-SA 3.0, https://commons.wikimedia.org/w/index.php?curid=32276981

Hacking Cars (2010)

- UW CSE research demonstrated wirelessly hacking a car using buffer overflow
 - http://www.autosec.org/pubs/cars-oakland2010.pdf
- Overwrote the onboard control system's code
 - Disable brakes, unlock doors, turn engine on/off




Hacking DNA Sequencing Tech (2017)

Computer Security and Privacy in DNA Sequencing

Paul G. Allen School of Computer Science & Engineering, University of Washington

- Potential for malicious code to be encoded in DNA!
- Attacker can gain control of DNA sequencing machine when malicious DNA is read
- Ney et al. (2017): https://dnasec.cs.washington.edu/






Figure 1: Our synthesized DNA exploit

Dealing with buffer overflow attacks


- 1) Employ system-level protections
- 2) Avoid overflow vulnerabilities
- 3) Have compiler use "stack canaries"

1) System-Level Protections

Non-executable code segments

In traditional x86, can mark region of memory as either "read-only" or "writeable"


- Can execute anything readable
- x86-64 added explicit "execute" permission
- Stack marked as non-executable
 - Do NOT execute code in Stack, Static
 Data, or Heap regions
 - Hardware support needed



Any attempt to execute this code will fail

1) System-Level Protections

- Non-executable code segments
 - Wait, doesn't this fix everything?
- Works well, but can't always use it
- Many embedded devices do not have this protection
 - e.g., cars, smart homes, pacemakers
- Some exploits still work!
 - Return-oriented programming
 - Return to libc attack
 - JIT-spray attack




Any attempt to execute this code will fail

1) System-Level Protections

Randomized stack offsets

- At start of program, allocate random amount of space on stack
- Shifts stack addresses for entire program
 - Addresses will vary from one run to another
- Makes it difficult for hacker to predict beginning of inserted code
- Example: Address of variable local for when Slide 5 code executed 3 times:
 - 0x7ffd19d3f8ac
 - 0x7ffe8a462c2c
 - 0x7ffe927c905c
 - Stack repositioned each time program executes




2) Avoid Overflow Vulnerabilities in Code

```
/* Echo Line */
void echo()
{
   char buf[8];  /* Way too small! */
   fgets(buf, 8, stdin);
   puts(buf);
}
```

- Use library routines that limit string lengths
 - fgets instead of gets (2nd argument to fgets sets limit)
 - strncpy instead of strcpy
 - Don't use scanf with %s conversion specification
 - Use fgets to read the string
 - Or use %ns where n is a suitable integer

2) Avoid Overflow Vulnerabilities in Code

- Alternatively, don't use C use a language that does array index bounds check
 - Buffer overflow is impossible in Java
 - ArrayIndexOutOfBoundsException
 - Rust language was designed with security in mind
 - Panics on index out of bounds, plus more protections



3) Stack Canaries

- Basic Idea: place special value ("canary") on stack just beyond buffer
 - Secret value that is randomized before main()
 - Placed between buffer and return address
 - Check for corruption before exiting function
- GCC implementation
 - -fstack-protector

```
unix>./buf
Enter string: 12345678
12345678
```

```
unix> ./buf
Enter string: 123456789
*** stack smashing detected ***
```

Protected Buffer Disassembly (buf)

This is extra (non-testable) material

echo:

```
401156:
        push
               %rhx
401157:
        sub
               $0x10,%rsp
40115b:
               $0x28, %ebx
        mov
401160:
       mov %fs:(%rbx),%rax
401164:
               %rax, 0x8 (%rsp)
       mov
401169: xor
               %eax, %eax
   ... call printf ...
       callq 401060 <gets@plt>
40117d:
401182:
            %rsp,%rdi
        mov
401185:
       callq 401030 <puts@plt>
               0x8(%rsp),%rax
40118a:
        mov
40118f:
       xor %fs:(%rbx),%rax
401193: jne 40119b <echo+0x45>
401195:
               $0x10,%rsp
        add
401199:
               %rbx
        pop
40119a:
        retq
40119b:
       callq 401040 < stack chk fail@plt>
```

Setting Up Canary

Before call to gets

This is extra (non-testable) material

```
Stack frame for
call echo
```

Return address (8 bytes)

> Canary (8 bytes)

```
[6][5][4]
[3][2][1][0]]_{buf} \leftarrow %rsp
```

```
/* Echo Line */
void echo()
    char buf[8]; /* Way too small! */
    gets (buf);
    puts (buf);
```

```
Segment register
          (don't worry about it)
echo:
            %fs:40, %rax # Get canary
   movq
            %rax, 8(%rsp) # Place on stack
   movq
   xorl %eax, %eax # Erase canary
```

Checking Canary

After call to gets

This is extra (non-testable) material

```
Stack frame for call_echo
```

Return address (8 bytes)

```
Canary
(8 bytes)
```

```
    00
    37
    36
    35

    34
    33
    32
    31
```

```
/* Echo Line */
void echo()
{
   char buf[8]; /* Way too small! */
   gets(buf);
   puts(buf);
}
```

Input: 1234567

Summary of Prevention Measures

- 1) Employ system-level protections
 - Code on the Stack is not executable
 - Randomized Stack offsets
- 2) Avoid overflow vulnerabilities
 - Use library routines that limit string lengths
 - Use a language that makes them impossible
- 3) Have compiler use "stack canaries"

Think this is cool?

- You'll love Lab 3 (5)
 - Released Wednesday, due next Friday (11/13)
 - Some parts must be run through GDB to disable certain security features
- Take CSE 484 (Security)
 - Several different kinds of buffer overflow exploits
 - Many ways to counter them
- Nintendo fun!
 - Using glitches to rewrite code:
 https://www.youtube.com/watch?v=TqK-2jUQBUY
 - Flappy Bird in Mario: https://www.youtube.com/watch?v=hB6eY73sLV0