

Java and C (part I)

CSE 351 Spring 2021

Instructor:

Ruth Anderson

Teaching Assistants:

Allen Aby

Joy Dang

Alena Dickmann

Catherine Guevara

Corinne Herzog

Ian Hsiao

Diya Joy

Jim Limprasert

Armin Magness

Aman Mohammed

Monty Nitschke


Allie Pflieger

Mara Kirdani-Ryan

Alex Saveau

Sanjana Sridhar

Amy Xu



<https://xkcd.com/801/>

Administrivia

- ❖ Unit Summary #3 – due TONIGHT Friday (5/28)
 - Submitted by Monday 5/31 – one day late
 - Submitted by Tuesday 6/01 – two days late
- ❖ hw25 – Do EARLY, will help with Lab 5 (due Tues 6/01)
- ❖ Lab 5 (on Mem Alloc) due the last day of class (6/04)
 - Light style grading
 - Can be submitted at most ONE day late. (Sun 6/06)
- ❖ **Questions Docs:** Use @uw google account to access!!
 - <https://tinyurl.com/CSE351-21sp-Questions>

Lab 5 Hints

- ❖ Struct pointers can be used to access field values, even if no struct instances have been created – just reinterpreting the data in memory
- ❖ **Pay attention to boundary tag data**
 - Size value + 2 tag bits – when do these need to be updated and do they have the correct values?
 - The `examine_heap` function follows the implicit free list searching algorithm – don't take its output as “truth”
- ❖ Learn to use and interpret the trace files for testing!!!
- ❖ A special heap block marks the end of the heap

Roadmap

C:

```
car *c = malloc(sizeof(car));
c->miles = 100;
c->gals = 17;
float mpg = get_mpg(c);
free(c);
```

Java:

```
Car c = new Car();
c.setMiles(100);
c.setGals(17);
float mpg =
    c.getMPG();
```

- Memory & data
- Integers & floats
- x86 assembly
- Procedures & stacks
- Executables
- Arrays & structs
- Memory & caches
- Processes
- Virtual memory
- Memory allocation


Assembly language:

```
get_mpg:
    pushq    %rbp
    movq    %rsp, %rbp
    ...
    popq    %rbp
    ret
```


Machine code:

```
0111010000011000
100011010000010000000010
1000100111000010
110000011111101000011111
```

OS:



Computer system:



Java vs. C

Java vs. C

- ❖ Reconnecting to Java (hello CSE143!)
 - But now you know a lot more about what really happens when we execute programs
- ❖ We've learned about the following items in C; now we'll see what they look like for Java:
 - Representation of data
 - Pointers / references
 - Casting
 - Function / method calls including dynamic dispatch

Worlds Colliding

- ❖ CSE351 has given you a “really different feeling” about what computers do and how programs execute
- ❖ We have occasionally contrasted to Java, but CSE143 may still feel like “a different world”
 - It’s not – it’s just a higher-level of abstraction
 - Connect these levels via how-one-could-implement-Java in 351 terms

Meta-point to this lecture

- ❖ None of the data representations we are going to talk about are guaranteed by Java
- ❖ In fact, the language simply provides an abstraction (Java language specification)
 - Tells us how code should behave for different language constructs, but we can't easily tell how things are really represented
 - But it is important to understand an implementation of the lower levels – useful in thinking about your program



Data in Java

- ❖ Integers, floats, doubles, pointers – same as C
 - “Pointers” are called “references” in Java, but are much more constrained than C’s general pointers
 - Java’s portability-guarantee fixes the sizes of all types
 - Example: `int` is 4 bytes in Java regardless of machine
 - No unsigned types to avoid conversion pitfalls
 - Added some useful methods in Java 8 (also use bigger signed types)
- ❖ `null` is typically represented as 0 but “you can’t tell”
- ❖ Much more interesting:
 - **Arrays**
 - **Characters and strings**
 - **Objects**

Data in Java: Characters & Strings

- ❖ Two-byte Unicode instead of ASCII
 - Represents most of the world's alphabets
- ❖ String not bounded by a ' \0 ' (null character)
 - Bounded by hidden length field at beginning of string
- ❖ All String objects read-only (vs. StringBuffer)

Example: the string "CSE351"



Data in Java: Objects


❖ Data structures (objects) are always stored by reference, never stored “inline”

- Include complex data types (arrays, other objects, etc.) using references

C:

```
struct rec {
    int i;
    int a[3];
    struct rec *p;
};
```


- a [] stored “inline” as part of struct



Java:

```
class Rec {
    int i;
    int[] a = new int[3];
    Rec p;
    ...
}
```

- a stored by reference in object



Pointer/reference fields and variables

- ❖ In C, we have “->” and “.” for field selection depending on whether we have a pointer to a struct or a struct
 - `(*r).a` is so common it becomes `r->a`
- ❖ In Java, *all non-primitive variables are references to objects*
 - We always use `r.a` notation
 - But really follow reference to `r` with offset to `a`, just like `r->a` in C
 - So no Java field needs more than 8 bytes

C:

```
struct rec *r = malloc(...);
struct rec r2;
r->i = val;
r->a[2] = val;
r->p = &r2;
```

Java:

```
r = new Rec();
r2 = new Rec();
r.i = val;
r.a[2] = val;
r.p = r2;
```


Pointers/References

- ❖ *Pointers* in C can point to any memory address
- ❖ *References* in Java can only point to [the starts of] objects
 - Can only be dereferenced to access a field or element of that object

C:

```


struct rec {
    int i;
    int a[3];
    struct rec *p;
};
struct rec* r = malloc(...);
some_fn(&(r->a[1])); // ptr
    
```



Java:

```

class Rec {
    int i;
    int[] a = new int[3];
    Rec p;
}
Rec r = new Rec();
some_fn(r.a, 1); // ref, index
    
```




Casting in C (example from Lab 5)

- ❖ Can cast any pointer into any other pointer
 - Changes dereference and arithmetic behavior

```
struct BlockInfo {  
    size_t sizeAndTags;  
    struct BlockInfo* next;  
    struct BlockInfo* prev;  
};  
typedef struct BlockInfo BlockInfo;  
...  
int x;  
BlockInfo *b;  
BlockInfo *newBlock;  
...  
newBlock = (BlockInfo *) ( (char *) b + x );  
...
```


Cast b into char * to do unscaled addition

Cast back into BlockInfo * to use as BlockInfo struct



Type-safe casting in Java

- ❖ Can only cast compatible object references
 - Based on class hierarchy



```
Vehicle v = new Vehicle(); // super class of Boat and Car  
Boat b1 = new Boat(); // |--> sibling  
Car c1 = new Car(); // |--> sibling
```

```
Vehicle v1 = new Car();  
Vehicle v2 = v1;  
Car c2 = new Boat();
```

```
Car c3 = new Vehicle();
```

```
Boat b2 = (Boat) v;
```


```
Car c4 = (Car) v2;
```

```
Car c5 = (Car) b1;
```


Type-safe casting in Java

❖ Can only cast compatible object references

■ Based on class hierarchy



```

Vehicle v = new Vehicle(); // super class of Boat and Car
Boat    b1 = new Boat();   // |--> sibling
Car    c1 = new Car();     // |--> sibling
  
```

```

Vehicle v1 = new Car();    ← ✓ Everything needed for Vehicle also in Car
Vehicle v2 = v1;          ← ✓ v1 is declared as type Vehicle
Car    c2 = new Boat();   ← ✗ Compiler error: Incompatible type – elements in
                               Car that are not in Boat (siblings)
  
```

```

Car    c3 = new Vehicle();
  
```

```

Boat   b2 = (Boat) v;
  
```

```

Car    c4 = (Car) v2;
  
```

```

Car    c5 = (Car) b1;
  
```

Java Object Definitions

```
class Point {  
    double x;  
    double y;  
  
    Point() {  
        x = 0;  
        y = 0;  
    }  
  
    boolean samePlace(Point p) {  
        return (x == p.x) && (y == p.y);  
    }  
}  
...  
Point p = new Point();  
...
```


fields

constructor

method(s)

creation

Java Objects and Method Dispatch



- ❖ *Virtual method table (vtable)*
 - Like a jump table for instance (“virtual”) methods plus other class info
 - One table per class
 - Each object instance contains a *virtual pointer (vptr)*
- ❖ *Object header* : GC info, hashing info, lock info, etc.

Java Constructors


- ❖ **When we call `new`:** allocate space for object (data fields and references), initialize to zero/null, and run constructor method

Java:

```
Point p = new Point();
```

C pseudo-translation:

```
Point* p = calloc(1, sizeof(Point));
p->header = ...;
p->vptr = &Point_vtable;
p->vptr[0](p);
```



Java Methods


- ❖ Static methods are just like functions
- ❖ Instance methods:
 - Can refer to *this*;
 - Have an implicit first parameter for *this*; and
 - Can be overridden in subclasses
- ❖ The code to run when calling an instance method is chosen *at runtime* by lookup in the vtable

Java:

```
p.samePlace(q);
```

C pseudo-translation:

```
p->vptr[1](p, q);
```



Subclassing

```
class ThreeDPoint extends Point {
    double z;
    boolean samePlace(Point p2) {
        return false;
    }
    void sayHi() {
        System.out.println("hello");
    }
}
```

- ❖ Where does “z” go? At end of fields of `Point`
 - `Point` fields are always in the same place, so `Point` code can run on `ThreeDPoint` objects without modification
- ❖ Where does pointer to code for two new methods go?
 - No constructor, so use default `Point` constructor
 - To override “`samePlace`”, use same vtable position
 - Add new pointer at end of vtable for new method “`sayHi`”

Subclassing


```

class ThreeDPoint extends Point {
    double z;
    boolean samePlace(Point p2) {
        return false;
    }
    void sayHi() {
        System.out.println("hello");
    }
}
    
```


ThreeDPoint object



vtable for ThreeDPoint:
(not Point)



Dynamic Dispatch



Java:

```
Point p = ???;
return p.samePlace(q);
```

C pseudo-translation:

```
// works regardless of what p is
return p->vtr[1](p, q);
```


Ta-da!

- ❖ In CSE143, it may have seemed “magic” that an *inherited* method could call an *overridden* method

- ❖ The “trick” in the implementation is this part:

`p->vptr[i](p, q)`

- In the body of the pointed-to code, any calls to (other) methods of `this` will use `p->vptr`
- Dispatch determined by `p`, not the class that defined a method