

Java and C (condensed)

CSE 351 Winter 2021

Instructor:

Mark Wyse

Teaching Assistants:

Kyrie Dowling

Catherine Guevara

Ian Hsiao


Jim Limprasert

Armin Magness

Allie Pfleger

Cosmo Wang

Ronald Widjaja



Administrivia

- ❖ hw22 due Friday
- ❖ hw23 due Monday 3/15
- ❖ Study Guide 2 due Wednesday 3/17
 - no late submissions!
- ❖ Lab 5 due Wednesday 3/17
 - no late submissions!
- ❖ Course evaluations now open
 - See Ed Discussion post for link

Roadmap

C:

```
car *c = malloc(sizeof(car));  
c->miles = 100;  
c->gals = 17;  
float mpg = get_mpg(c);  
free(c);
```

Java:

```
Car c = new Car();  
c.setMiles(100);  
c.setGals(17);  
float mpg =  
    c.getMPG();
```


Assembly
language:

```
get_mpg:  
    pushq    %rbp  
    movq     %rsp, %rbp  
    ...  
    popq     %rbp  
    ret
```

Machine
code:

```
0111010000011000  
100011010000010000000010  
1000100111000010  
110000011111101000011111
```


Computer
system:



Memory & data
Integers & floats
x86 assembly
Procedures & stacks
Executables
Arrays & structs
Memory & caches
Processes
Virtual memory
Memory allocation

Java vs. C

OS:



Java vs. C

- ❖ Reconnecting to Java (hello CSE143!)
 - But now you know a lot more about what really happens when we execute programs

- ❖ We've learned about the following items in C; now we'll see what they look like for Java:
 - Representation of data
 - Pointers / references
 - Casting
 - Function / method calls including dynamic dispatch

Worlds Colliding

- ❖ CSE351 has given you a “really different feeling” about what computers do and how programs execute
- ❖ We have occasionally contrasted to Java, but CSE143 may still feel like “a different world”
 - It’s not – it’s just a higher-level of abstraction
 - Connect these levels via how-one-could-implement-Java in 351 terms

Meta-point to this lecture

- ❖ None of the data representations we are going to talk about are guaranteed by Java
- ❖ In fact, the language simply provides an abstraction (Java language specification)
 - Tells us how code should behave for different language constructs, but we can't easily tell how things are really represented
 - But it is important to understand an implementation of the lower levels – useful in thinking about your program

Data in Java


- ❖ Integers, floats, doubles, pointers – same as C
 - “Pointers” are called “references” in Java, but are much more constrained than C’s general pointers
 - Java’s portability-guarantee fixes the sizes of all types
 - Example: `int` is 4 bytes in Java regardless of machine
 - No unsigned types to avoid conversion pitfalls
 - Added some useful methods in Java 8 (also use bigger signed types)
- ❖ `null` is typically represented as 0 but “you can’t tell”
- ❖ Much more interesting:
 - **Arrays**
 - **Characters and strings**
 - **Objects**

Data in Java: Arrays

- ❖ Every element initialized to 0 or `null`
- ❖ Length specified in immutable field at start of array (`int`: 4B)
 - `array.length` returns value of this field
- ❖ *Since it has this info, what can it do?*


C:

```
int array[5];
```



Java:

```
int[] array = new int[5];
```




Data in Java: Arrays

- ❖ Every element initialized to 0 or `null`
- ❖ Length specified in immutable field at start of array (`int`: 4B)
 - `array.length` returns value of this field
- ❖ Every access triggers a bounds-check
 - Code is added to ensure the index is within bounds
 - Exception if out-of-bounds


C:

`int array[5];`



Java:

`int[] array = new int[5];`



To speed up bounds-checking:


- Length field is likely in cache
- Compiler may store length field in register for loops
- Compiler may prove that some checks are redundant

Data in Java: Characters & Strings


- ❖ Two-byte Unicode instead of ASCII
 - Represents most of the world's alphabets
- ❖ String not bounded by a ' \0 ' (null character)
 - Bounded by hidden length field at beginning of string
- ❖ All String objects read-only (vs. StringBuffer)

Example: the string “CSE351”

C:
(ASCII)



Java:
(Unicode)



Data in Java: Objects


- ❖ Data structures (objects) are always stored by reference, never stored “inline”

- Include complex data types (arrays, other objects, etc.) using references

C:

```
struct rec {
    int i;
    int a[3];
    struct rec *p;
};
```


- a[] stored “inline” as part of struct



Java:

```
class Rec {
    int i;
    int[] a = new int[3];
    Rec p;
    ...
}
```

- a stored by reference in object



Pointer/reference fields and variables

- ❖ In C, we have “->” and “.” for field selection depending on whether we have a pointer to a struct or a struct
 - $(*r) . a$ is so common it becomes $r \rightarrow a$
- ❖ In Java, *all non-primitive variables are references to objects*
 - We always use $r . a$ notation
 - But really follow reference to r with offset to a , just like $r \rightarrow a$ in C
 - So no Java field needs more than 8 bytes

C:

```
struct rec *r = malloc(...);
struct rec r2;
r->i = val;
r->a[2] = val;
r->p = &r2;
```

Java:


```
r = new Rec();
r2 = new Rec();
r.i = val;
r.a[2] = val;
r.p = r2;
```

Pointers/References

- ❖ *Pointers* in C can point to any memory address
- ❖ *References* in Java can only point to [the starts of] objects
 - Can only be dereferenced to access a field or element of that object


C:

```
struct rec {
    int i;
    int a[3];
    struct rec *p;
};
struct rec* r = malloc(...);
some_fn(&(r->a[1])); // ptr
```



Java:

```
class Rec {
    int i;
    int[] a = new int[3];
    Rec p;
}
Rec r = new Rec();
some_fn(r.a, 1); // ref, index
```




Casting in C (example from Lab 5)

- ❖ Can cast any pointer into any other pointer
 - Changes dereference and arithmetic behavior

```
struct BlockInfo {  
    size_t sizeAndTags;  
    struct BlockInfo* next;  
    struct BlockInfo* prev;  
};  
typedef struct BlockInfo BlockInfo;  
...  
int x;  
BlockInfo* b;  
BlockInfo* newBlock;  
...  
newBlock = (BlockInfo*) ( (char*) b + x );  
...
```

Cast b into char* to
do unscaled addition


Cast back into
BlockInfo* to use
as BlockInfo struct



Type-safe casting in Java

❖ Can only cast compatible object references

■ Based on class hierarchy



```
Vehicle v = new Vehicle(); // super class of Boat and Car
Boat    b1 = new Boat();   // |--> sibling
Car     c1 = new Car();     // |--> sibling
```

```
Vehicle v1 = new Car();
Vehicle v2 = v1;
Car     c2 = new Boat();
```

```
Car      c3 = new Vehicle();
```

```
Boat     b2 = (Boat) v;
```


```
Car      c4 = (Car) v2;
```

```
Car      c5 = (Car) b1;
```

Type-safe casting in Java

❖ Can only cast compatible object references

■ Based on class hierarchy



```

Vehicle v = new Vehicle(); // super class of Boat and Car
Boat b1 = new Boat(); // |--> sibling
Car c1 = new Car(); // |--> sibling
  
```

```

Vehicle v1 = new Car(); // ✓ Everything needed for Vehicle also in Car
Vehicle v2 = v1; // ✓ v1 is declared as type Vehicle
Car c2 = new Boat(); // ✗ Compiler error: Incompatible type – elements in
                        // Car that are not in Boat (siblings)
Car c3 = new Vehicle(); // ✗ Compiler error: Wrong direction – elements Car
                        // not in Vehicle (wheels)
Boat b2 = (Boat) v; // ✗ Runtime error: Vehicle does not contain all
                        // elements in Boat (propellers)
Car c4 = (Car) v2; // ✓ v2 refers to a Car at runtime
Car c5 = (Car) b1; // ✗ Compiler error: Unconvertable types – b1 is
                        // declared as type Boat
  
```


Java Object Definitions

```
class Point {  
    double x;  
    double y;  
  
    Point() {  
        x = 0;  
        y = 0;  
    }  
  
    boolean samePlace(Point p) {  
        return (x == p.x) && (y == p.y);  
    }  
}  
...  
Point p = new Point();  
...
```


fields

constructor

method(s)

creation

Java Objects and Method Dispatch



- ❖ **Virtual method table (vtable)**
 - Like a jump table for instance (“virtual”) methods plus other class info
 - One table per class
 - Each object instance contains a **virtual pointer (vptr)**
- ❖ **Object header** : GC info, hashing info, lock info, etc.

Java Constructors


- ❖ When we call **new**: allocate space for object (data fields and references), initialize to zero/null, and run constructor method

Java:

```
Point p = new Point();
```

C pseudo-translation:

```
Point* p = calloc(1, sizeof(Point));  
p->header = ...;  
p->vptr = &Point_vtable;  
p->vptr[0](p);
```



Java Methods


- ❖ Static methods are just like functions
- ❖ Instance methods:
 - Can refer to *this*;
 - Have an implicit first parameter for *this*; and
 - Can be overridden in subclasses
- ❖ The code to run when calling an instance method is chosen *at runtime* by lookup in the vtable

Java:

```
p.samePlace(q);
```

C pseudo-translation:

```
p->vptr[1](p, q);
```



Subclassing

```
class ThreeDPoint extends Point {  
    double z;  
    boolean samePlace(Point p2) {  
        return false;  
    }  
    void sayHi() {  
        System.out.println("hello");  
    }  
}
```


- ❖ Where does “z” go? At end of fields of `Point`
 - `Point` fields are always in the same place, so `Point` code can run on `ThreeDPoint` objects without modification
- ❖ Where does pointer to code for two new methods go?
 - No constructor, so use default `Point` constructor
 - To override “`samePlace`”, use same vtable position
 - Add new pointer at end of vtable for new method “`sayHi`”

Subclassing

```
class ThreeDPoint extends Point {  
    double z;  
    boolean samePlace(Point p2) {  
        return false;  
    }  
    void sayHi() {  
        System.out.println("hello");  
    }  
}
```

ThreeDPoint object


z tacked on at end



sayHi tacked on at end

Code for
sayHi


vtable for ThreeDPoint:
(not Point)



Old code for
constructor

New code for
samePlace

Dynamic Dispatch



Java:

```
Point p = ???;
return p.samePlace(q);
```

C pseudo-translation:


```
// works regardless of what p is
return p->vptr[1](p, q);
```

Ta-da!

- ❖ In CSE143, it may have seemed “magic” that an *inherited* method could call an *overridden* method
 - You were tested on this endlessly
- ❖ The “trick” in the implementation is this part:
`p->vptr[i](p,q)`
 - In the body of the pointed-to code, any calls to (other) methods of `this` will use `p->vptr`
 - Dispatch determined by `p`, not the class that defined a method


Implementing Programming Languages

- ❖ Many choices in programming model implementation
 - We've previously discussed compilation
 - One can also *interpret*
- ❖ **Interpreters** have a long history and are still in use
 - e.g., Lisp, an early programming language, was interpreted
 - e.g., Python, Javascript, Ruby, Matlab, PHP, Perl, ...



Interpreters

- ❖ Execute (something close to) the *source code* directly, meaning there is less translation required
 - This makes it a simpler program than a compiler and often provides more transparent error messages
- ❖ Easier to run on different architectures – runs in a simulated environment that exists only inside the *interpreter* process
 - Just port the interpreter (program), and then interpreting the source code is the same
- ❖ Interpreted programs tend to be slower to execute and harder to optimize



Interpreters vs. Compilers

- ❖ Programs that are designed for use with particular language implementations
 - You can choose to execute code written in a particular language via either a compiler or an interpreter, if they exist
- ❖ “Compiled languages” vs. “interpreted languages” a misuse of terminology
 - But very common to hear this
 - And has *some* validation in the real world (*e.g.*, JavaScript vs. C)
- ❖ Some modern language implementations are a mix
 - *e.g.*, Java compiles to bytecode that is then interpreted
 - Doing just-in-time (JIT) compilation of parts to assembly for performance

Compiling and Running Java


1. Save your Java code in a `.java` file
2. To run the Java compiler:
 - `javac Foo.java`
 - The Java compiler converts Java into *Java bytecodes*
 - Stored in a `.class` file
3. To execute the program stored in the bytecodes, these can be interpreted by the Java Virtual Machine (JVM)
 - Running the virtual machine: `java Foo`
 - Loads `Foo.class` and interprets the bytecodes

“The JVM”

Note: The JVM is different than the CSE VM running on VMWare. Yet *another* use of the word “virtual”!


- ❖ Java programs are usually run by a
Java *virtual machine* (JVM)
 - JVMs interpret an intermediate language called *Java bytecode*
 - Many JVMs compile bytecode to native machine code
 - **Just-in-time (JIT) compilation**
 - http://en.wikipedia.org/wiki/Just-in-time_compilation
 - Java is sometimes compiled ahead of time (AOT) like C

Virtual Machine Model




Java Bytecode

- ❖ Like assembly code for JVM, but works on *all* JVMs
 - Hardware-independent!
- ❖ Typed (unlike x86 assembly)
- ❖ Strong JVM protections



JVM Operand Stack



'i' = integer,
'a' = reference,
'b' for byte,
'c' for char,
'd' for double, ...

Bytecode:

```

iload 1    // push 1st argument from table onto stack
iload 2    // push 2nd argument from table onto stack
iadd      // pop top 2 elements from stack, add together, and
            // push result back onto stack
istore 3   // pop result and put it into third slot in table
  
```

No registers or stack locations!
All operations use operand stack

Compiled to (IA32) x86:

```

mov 8(%ebp), %eax
mov 12(%ebp), %edx
add %edx, %eax
mov %eax, -8(%ebp)
  
```


A Simple Java Method

```
Method java.lang.String getEmployeeName()
```

```
0 aload 0          // "this" object is stored at 0 in the var table

1 getfield #5 <Field java.lang.String name>
    // getfield instruction has a 3-byte encoding
    // Pop an element from top of stack, retrieve its
    //   specified instance field and push it onto stack
    // "name" field is the fifth field of the object

4 areturn          // Returns object at top of stack
```

Byte number: 0

1

4

aload_0	getfield	00	05	areturn
---------	----------	----	----	---------

As stored in the .class file:

2A	B4	00	05	B0
----	----	----	----	----

http://en.wikipedia.org/wiki/Java_bytecode_instruction_listings

Class File Format

- ❖ Every class in Java source code is compiled to its own class file
- ❖ 10 sections in the Java class file structure:
 - **Magic number:** 0xCAFEBAE (legible hex from James Gosling – Java’s inventor)
 - **Version of class file format:** The minor and major versions of the class file
 - **Constant pool:** Set of constant values for the class
 - **Access flags:** For example whether the class is abstract, static, final, etc.
 - **This class:** The name of the current class
 - **Super class:** The name of the super class
 - **Interfaces:** Any interfaces in the class
 - **Fields:** Any fields in the class
 - **Methods:** Any methods in the class
 - **Attributes:** Any attributes of the class (for example, name of source file, etc.)
- ❖ A `.jar` file collects together all of the class files needed for the program, plus any additional resources (*e.g.*, images)

Disassembled Java Bytecode

```
> javac Employee.java
> javap -c Employee
```

http://en.wikipedia.org/wiki/Java_bytecode_instruction_listings

```
Compiled from Employee.java
class Employee extends java.lang.Object {
    public Employee(java.lang.String,int);
    public java.lang.String getEmployeeName();
    public int getEmployeeNumber();
}
```

```
Method Employee(java.lang.String,int)
0  aload_0
1  invokespecial #3 <Method java.lang.Object()>
4  aload_0
5  aload_1
6  putfield #5 <Field java.lang.String name>
9  aload_0
10 iload_2
11 putfield #4 <Field int idNumber>
14 aload_0
15 aload_1
16 iload_2
17 invokespecial #6 <Method void
    storeData(java.lang.String, int)>
20 return
```

```
Method java.lang.String getEmployeeName()
0  aload_0
1  getfield #5 <Field java.lang.String name>
4  areturn
```

```
Method int getEmployeeNumber()
0  aload_0
1  getfield #4 <Field int idNumber>
4  ireturn
```

```
Method void storeData(java.lang.String, int)
...
```


Other languages for JVMs

- ❖ JVMs run on so many computers that compilers have been built to translate many other languages to Java bytecode:
 - **AspectJ**, an aspect-oriented extension of Java
 - **ColdFusion**, a scripting language compiled to Java
 - **Clojure**, a functional Lisp dialect
 - **Groovy**, a scripting language
 - **JavaFX Script**, a scripting language for web apps
 - **JRuby**, an implementation of Ruby
 - **Jython**, an implementation of Python
 - **Rhino**, an implementation of JavaScript
 - **Scala**, an object-oriented and functional programming language
 - And many others, even including C!
- ❖ Originally, JVMs were designed and built for Java (still the major use) but JVMs are also viewed as a safe, GC'ed platform

Microsoft's C# and .NET Framework

❖ C# has similar motivations as Java

- Virtual machine is called the *Common Language Runtime*
- *Common Intermediate Language* is the bytecode for C# and other languages in the .NET framework



We made it! 🤪 😎 🤪

C:

```
car *c = malloc(sizeof(car));
c->miles = 100;
c->gals = 17;
float mpg = get_mpg(c);
free(c);
```

Java:

```
Car c = new Car();
c.setMiles(100);
c.setGals(17);
float mpg =
    c.getMPG();
```


Assembly
language:

```
get_mpg:
    pushq    %rbp
    movq     %rsp, %rbp
    ...
    popq     %rbp
    ret
```

Machine
code:

```
0111010000011000
100011010000010000000010
1000100111000010
110000011111101000011111
```

Computer
system:



Memory & data
Integers & floats
x86 assembly
Procedures & stacks
Executables
Arrays & structs
Memory & caches
Processes
Virtual memory
Memory allocation
Java vs. C

OS:

