

Memory Allocation II

CSE 351 Spring 2024

Instructor:

Elba Garza

Teaching Assistants:

Ellis Haker

Adithi Raghavan

Aman Mohammed

Brenden Page

Celestine Buendia

Chloe Fong

Claire Wang

Hamsa Shankar

Maggie Jiang

Malak Zaki


Naama Amiel

Nikolas McNamee

Shananda Dokka

Stephen Ying

Will Robertson



Playlist: [CSE 351 24Sp Lecture Tunes!](#)

Announcements, Reminders

- ❖ HW17/18 due tonight!
 - HW19 due Monday (13 May)
 - HW20 due Tuesday (15 May)
 - HW21 due Friday (17 May)
- ❖ Lab 4 due May 17th
 - Lab 5 will release same day!
 - Given Lab 5 is due May 31st, use any late days left on Lab 4!
- ❖ Looking ahead: Guest lectures on May 15th and 17th

Reading Review


- ❖ Terminology:
 - Allocation strategies: first fit, next fit, best fit
 - Allocating a block: splitting, minimum block size
 - Freeing a block: coalescing
 - Boundary tags: header and footer
 - Explicit free list

Header Questions

- ❖ How many “flags” can we fit in our header if our allocator uses 16-byte alignment?
- ❖ If we placed a new “flag” in the second least significant bit, write out a C expression that will extract this new flag from the `header`!

Implicit Free List Example

- ❖ Each block begins with header containing size in bytes and allocated bit
- ❖ Sequence of blocks in heap (*size|allocated*): 16|0, 32|1, 64|0, 32|1



- ❖ 16-byte alignment for payload
 - Address of payload must be a multiple of the alignment
 - May require initial padding (internal fragmentation)
 - Note *size*: padding is considered part of *previous* block
- ❖ Special one-word marker (0|1) marks end of list
 - Zero *size* is distinguishable from all other blocks (external fragmentation)

Implicit List: Finding a Free Block

(**p*) gets the block header
 (**p & 1*) extracts the allocated bit
 (**p & -2*) extracts the size


❖ First fit

- Search list from beginning, choose first free block that fits:

```
p = heap_start;
while ((p < end) && // not past end of heap
      ((*p & 1) || // checked allocated bit & it's taken :(
       (*p <= len))) { // block is too small :(
    p = p + (*p & -2); // Thus, go to next block (UNSCALED +)
} // p points to selected block or end
```

- Can take time linear in total number of blocks
- In practice can cause “splinters” at beginning of list

p = heap_start



Implicit List: Finding a Free Block

❖ Next fit

- Like first-fit, but **search list starting where previous search finished**
- Should often be faster than first-fit: avoids re-scanning unhelpful blocks
- Some research suggests that fragmentation is worse

❖ Best fit

- Search the list & choose the best free block: large enough and with fewest bytes left over
- Keeps fragments small—usually helps fragmentation
- Usually worse throughput, because being picky means timing is worse

Polling Question

- ❖ Which allocation strategy and requests remove external fragmentation in this Heap? Note, B3 was the last fulfilled request.

(A) Best-fit:

`malloc(50), malloc(50)`

(B) First-fit:


`malloc(50), malloc(30)`

(C) Next-fit:

`malloc(30), malloc(50)`

(D) Next-fit:

`malloc(50), malloc(30)`




Implicit List: Allocating in a Free Block

Assume `ptr` points to a free block and has unscaled pointer arithmetic

- ❖ Allocating in a free block: **splitting**
 - Since allocated space might be smaller than free space, we might want to split the block


```
void split(ptr b, int bytes) { // bytes = desired block size
    int newsize = ((bytes+15) >> 4) << 4; // round up to multiple of 16
    int oldsize = *b; // why not mask out low bit?
    *b = newsize; // initially unallocated
    if (newsize < oldsize)
        *(b+newsize) = oldsize - newsize; // set length in remaining
} // part of block (UNSCALED +)
```

```
malloc(24):
    ptr b = find(24+8)
    split(b, 24+8)
    allocate(b)
```



Implicit List: Freeing a Block

- ❖ Simplest implementation just clears “allocated” flag & be done
 - `void free(ptr p) { *(p-WORD) &= -2; }`
 - But this can lead to “false fragmentation”...




`malloc(40)`

Oops! There's enough free space, but the allocator won't be able to find it!

Implicit List: Coalescing with Next

- ❖ Join (*i.e. coalesce*) with the next block if it's also free





```

void free(ptr p) { // p points to payload
    ptr b = p - WORD; // b points to block header
    *b &= -2; // clear allocated bit
    ptr next = b + *b; // find next block (UNSCALED +)
    if ((*next & 1) == 0) // if next block is not allocated,
        *b += *next; // add its size to this block
}
    
```

- ❖ How do we coalesce with a preceding block, though?

Implicit List: Bidirectional Coalescing


- ❖ *Boundary tags* [Knuth73]
 - Replicate header at “bottom” (end) of free blocks
 - Allows us to traverse backwards, but requires extra space
 - Important and general technique!



Constant Time Coalescing




Implicit Free List Review Questions




- ❖ What is the block header? What do we store and how?
- ❖ What are boundary tags and why do we need them?
- ❖ When we coalesce free blocks, how many neighboring blocks do we need to check on either side? Why is this?
- ❖ If I want to check the size of the n -th block forward from the current block, how many memory accesses do I make?

Keeping Track of Free Blocks



1) *Implicit free list* using length – links all blocks using math

- No actual pointers, and must check each block if allocated or free



2) *Explicit free list* among only the free blocks, using pointers



3) *Segregated free list*


- Different free lists for different size “classes”

4) *Blocks sorted by size*

- Can use a balanced binary tree (e.g., red-black tree) with pointers within each free block, and the length used as a key


Explicit Free Lists

Allocated block:



(same as implicit free list)

Free block:




- ❖ Use list(s) of *free* blocks, rather than implicit list of all blocks
 - The “next” free block could be anywhere in the heap
 - So we need to store next/previous pointers, not just sizes
 - Since we only track with pointers when a block is free, we can use the payload “space” for pointers
 - In Lab 5, it’ll be a bit different. All info: size, allocated bit, pointers are stored in a `struct`
 - Still need boundary tags (header/footer) for coalescing

Doubly-Linked Lists


❖ Linear

- Needs head/root pointer
- First node prev pointer is `NULL`
- Last node next pointer is `NULL`
- Good for first-fit, best-fit



❖ Circular

- Still have pointer to tell you which node to start with
- No `NULL` pointers (term condition is back at starting point)
- Good for next-fit, best-fit




Explicit Free Lists

- ❖ **Logically:** doubly-linked list




- ❖ **Physically:** blocks can be in any order



Allocating From Explicit Free Lists

Splitting Version


Note: These diagrams are not very specific about where inside a block a pointer points. In reality we would always point to one place (e.g., start/header of a block).



Allocating From Explicit Free Lists

Full Allocation Version


Note: These diagrams are not very specific about where inside a block a pointer points. In reality we would always point to one place (e.g., start/header of a block).



Freeing With Explicit Free Lists

- ❖ **Insertion policy:** Where in the free list do you put the newly freed block?
 - **LIFO (last-in-first-out) policy**
 - Insert freed block at the beginning (head) of the free list
 - Pro: simple and constant time
 - Con: studies suggest fragmentation is worse than the alternative
 - **Address-ordered policy**
 - Insert freed blocks so that free list blocks are always in address order:
 $address(previous) < address(current) < address(next)$
 - Pro: studies suggest fragmentation is better than the alternative
 - Con: requires linear-time search


Coalescing in Explicit Free Lists




- ❖ Neighboring free blocks are already part of the free list
 - 1) Remove old block from free list
 - 2) Create new, larger coalesced block
 - 3) Add new block to free list (insertion policy)
- ❖ How do we tell if a neighboring block is free?

Freeing with LIFO Policy (Case 1)

Boundary tags not shown, but don't forget about them!




- ❖ Insert the freed block at the root of the list




Freeing with LIFO Policy (Case 2)

Boundary tags not shown, but don't forget about them!




- ❖ Splice following block out of list, coalesce both memory blocks, and insert the new block at the root of the list




Freeing with LIFO Policy (Case 3)

Boundary tags not shown, but don't forget about them!




- ❖ Splice preceding block out of list, coalesce both memory blocks, and insert the new block at the root of the list




Freeing with LIFO Policy (Case 4)

Boundary tags not shown, but don't forget about them!




- ❖ Splice preceding and following blocks out of list, coalesce all 3 memory blocks, and insert the new block at the root of the list



Do we always need the boundary tags?

Allocated block:



(same as implicit free list)

Free block:



- ❖ Lab 5 suggests no...

Explicit List Summary

- ❖ Comparison with implicit list:
 - Block allocation is linear time in number of *free* blocks instead of *all* blocks
 - *Much faster* when most of the memory is full
 - Slightly more complicated allocate and free since we need to splice blocks in and out of the list
 - Some extra space for the links (2 extra pointers needed for each free block)
 - Increases minimum block size, leading to more internal fragmentation
- ❖ Most common use of explicit lists is in conjunction with *segregated free lists*
 - Keep multiple linked lists of different size classes, or possibly for different types of objects