

Lists

CSE 373
Data Structures
Lecture 3

Readings

- Reading
 - › Sections 3.1 - 3.2

10/4/02

Lists - Lecture 3

2

List ADT

- What is a List?
 - › Ordered sequence of elements A_1, A_2, \dots, A_N
- Elements may be of arbitrary type, but all are the same type
- Common List operations are
 - › Insert, Find, Delete, IsEmpty, IsLast, FindPrevious, First, Kth, Last

10/4/02

Lists - Lecture 3

3

Simple Examples of List Use

- Polynomials
 - › $25 + 4x^2 + 75x^{85}$
- Unbounded Integers
 - › 4576809099383658390187457649494578
- Text
 - › "This is an example of text"

10/4/02

Lists - Lecture 3

4

List Implementations

- Two types of implementation:
 - › Array-Based
 - › Pointer-Based

10/4/02

Lists - Lecture 3

5

List: Array Implementation

- Basic Idea:
 - › Pre-allocate a big array of size MAX_SIZE
 - › Keep track of current size using a variable `count`
 - › Shift elements when you have to insert or delete


0	1	2	3	...	count-1	MAX_SIZE-1
A_1	A_2	A_3	A_4	...	A_N	

10/4/02

Lists - Lecture 3

6

List: Array Implementation



10/4/02

Lists - Lecture 3

7

Array List Insert Running Time

- Running time for N elements?
- On average, must move half the elements to make room – assuming insertions at positions are equally likely
- Worst case is insert at position 0. Must move all N items one position before the insert
- This is $O(N)$ running time. Probably too slow.


10/4/02

Lists - Lecture 3

8

List: Pointer Implementation

- Basic Idea:
 - › Allocate little blocks of memory (nodes) as elements are added to the list
 - › Keep track of list by linking the nodes together
 - › Change links when you want to insert or delete




10/4/02

Lists - Lecture 3

9

Pointer-Based Linked List




10/4/02

Lists - Lecture 3

10

Pointer-based Insert



Insert the value E after P

10/4/02

Lists - Lecture 3

11

Insertion After

```


InsertAfter(p : node pointer, v : thing): {
  x : node pointer;
  x := new node;
  x.value := v;
  x.next := p.next;
  p.next := x;
}
    
```

10/4/02

Lists - Lecture 3

12

Linked List with Header Node



Advantage: "insert after" and "delete after" can be done at the beginning of the list.

10/4/02

Lists - Lecture 3

13

Pointer Implementation Issues

- Whenever you break a list, your code should fix the list up as soon as possible
 - › Draw pictures of the list to visualize what needs to be done
- Pay special attention to boundary conditions:
 - › Empty list
 - › Single item – same item is both first and last
 - › Two items – first, last, but no middle items
 - › Three or more items – first, last, and middle items

10/4/02

Lists - Lecture 3

14

Pointer List Insert Running Time


- Running time for N elements?
- Insert takes constant time ($O(1)$)
- Does not depend on input size
- Compare to array based list which is $O(N)$

10/4/02

Lists - Lecture 3

15

Linked List Delete



To delete the node pointed to by P, need a pointer to the previous node


10/4/02

Lists - Lecture 3

16

Doubly Linked Lists

- FindPrev (and hence Delete) is slow because we cannot go directly to previous node
- Solution: Keep a "previous" pointer at each node



10/4/02

Lists - Lecture 3

17

Double Link Pros and Cons


- Advantage
 - › Delete (not DeleteAfter) and FindPrev are fast
- Disadvantages:
 - › More space used up (double the number of pointers at each node)
 - › More book-keeping for updating the two pointers at each node

10/4/02

Lists - Lecture 3

18

Unbounded Integers Base 10




10/4/02

Lists - Lecture 3

19

Zero




10/4/02

Lists - Lecture 3

20

Recursive Addition

- Positive numbers (or negative numbers)




10/4/02

Lists - Lecture 3

21

Recursive Addition

- Mixed numbers




10/4/02

Lists - Lecture 3

22

Example

- Mixed numbers



10/4/02

Lists - Lecture 3

23