

Trees

CSE 373
Data Structures
Lecture 7

Readings and References

- Reading
 - › Chapter 4.1-4.3,

10/14/02

Trees - Lecture 7

2

Why Do We Need Trees?

- Lists, Stacks, and Queues are linear relationships
- Information often contains hierarchical relationships
 - › File directories or folders on your computer
 - › Moves in a game
 - › Employee hierarchies in organizations
- Can build a tree to support fast searching


10/14/02

Trees - Lecture 7

3

Tree Jargon

- root
- nodes and edges
- leaves
- parent, children, siblings
- ancestors, descendants
- subtrees
- path, path length
- height, depth




10/14/02

Trees - Lecture 7

4

More Tree Jargon

- **Length** of a path = number of edges
- **Depth** of a node N = length of path from root to N
- **Height** of node N = length of longest path from N to a leaf
- **Depth of tree** = depth of deepest node
- **Height of tree** = height of root



10/14/02

Trees - Lecture 7

5

Definition and Tree Trivia

- A tree is a set of nodes
 - that is an empty set of nodes, or
 - has one node called the root from which zero or more trees (subtrees) descend
- A tree with N nodes always has N-1 edges
- Two nodes in a tree have at most one path between them

10/14/02

Trees - Lecture 7

6

Paths

- Can a non-zero path from node N reach node N again?
 - No. Trees can never have cycles (loops)
- Does depth of nodes in a non-zero path increase or decrease?
 - › Depth always increases in a non-zero path

10/14/02

Trees - Lecture 7

7

Implementation of Trees


- One possible pointer-based Implementation
 - › tree nodes with value and a pointer to each child
 - › but how many pointers should we allocate space for?
- A more flexible pointer-based implementation
 - › 1st Child / Next Sibling List Representation
 - › Each node has 2 pointers: one to its first child and one to next sibling
 - › Can handle arbitrary number of children

10/14/02

Trees - Lecture 7

8

Arbitrary Branching



10/14/02

Trees - Lecture 7

9

Application: Arithmetic Expression Trees

Example Arithmetic Expression:

$$A + (B * (C / D))$$

How would you express this as a tree?

10/14/02

Trees - Lecture 7

10


Application: Arithmetic Expression Trees

Example Arithmetic Expression:

$$A + (B * (C / D))$$

Tree for the above expression:

- Used in most compilers
- No parenthesis need – use tree structure
- Can speed up calculations e.g. replace / node with C/D if C and D are known
- Calculate by traversing tree (how?)



10/14/02

Trees - Lecture 7

11

Traversing Trees

- Preorder: Node, then Children recursively


$$+ A * B / C D$$

- Inorder: Left child recursively, Node, Right child recursively (Binary Trees)

$$A + B * C / D$$

- Postorder: Children recursively, then Node

$$A B C D / * +$$



10/14/02

Trees - Lecture 7

12

Binary Trees

- Every node has at most two children
 - › Most popular tree in computer science
 - › Easy to implement, fast in operation
- Given N nodes, what is the minimum depth of a binary tree?
 - › At depth d, you can have $N = 2^d$ to $2^{d+1}-1$ nodes

$$2^d \leq N \leq 2^{d+1} - 1 \text{ implies } d = \lfloor \log_2 N \rfloor$$

10/14/02

Trees - Lecture 7


13

Minimum depth vs node count

- At depth d, you can have $N = 2^d$ to $2^{d+1}-1$ nodes
- minimum depth d is $\Theta(\log N)^*$

$T(n) = \Theta(f(n))$ means
 $T(n) = O(f(n))$ and $f(n) = O(T(n))$

d=2
 $N=2^2$ to 2^3-1 (ie, 4 to 7 nodes)



10/14/02

Trees - Lecture 7

14

Maximum depth vs node count

- What is the maximum depth of a binary tree?
 - › Degenerate case: Tree is a linked list!
 - › Maximum depth = $N-1$
- Goal: Would like to keep depth at around $\log N$ to get better performance than linked list for operations like Find


10/14/02

Trees - Lecture 7

15

A degenerate tree

A linked list with high overhead and few redeeming characteristics




10/14/02

Trees - Lecture 7

16

Binary Search Trees

- Binary search trees are binary trees in which
 - › all values in the node's **left** subtree are less than node value
 - › all values in the node's **right** subtree are greater than node value
- Operations:
 - › Find, FindMin, FindMax, Insert, Delete




10/14/02

Trees - Lecture 7

17

Operations on Binary Search Trees

- How would you implement these?
 - › Recursive definition of binary search trees allows recursive routines
 - › Call by reference helps too
- FindMin
- FindMax
- Find
- Insert
- Delete




10/14/02

Trees - Lecture 7

18

Binary SearchTree



10/14/02

Trees - Lecture 7

19

Find

```
Find(T : tree pointer, x : element): tree pointer {
  case {
    T = null : return null;
    T.data = x : return T;
    T.data > x : return Find(T.left,x);
    T.data < x : return Find(T.right,x)
  }
}
```

10/14/02

Trees - Lecture 7

20

FindMin

- Class Participation
- Design recursive FindMin operation that returns the smallest element in a binary search tree.

```
> FindMin(T : tree pointer) : tree pointer {
  // precondition: T is not null //
  ???
}
```


10/14/02

Trees - Lecture 7

21

Insert Operation

- **Insert(T: tree, X: element)**
 - › Do a "Find" operation for X
 - › If X is found à update duplicates counter
 - › Else, "Find" stops at a NULL pointer
 - › Insert Node with X there
- Example: Insert 95




10/14/02

Trees - Lecture 7

22

Insert 95



10/14/02

Trees - Lecture 7

23

Insert Done Very Elegantly

```
Insert(T : reference tree pointer, x : element) : integer {
  if T = null then
    T := new tree; T.data := x; return 1
  case {
    T.data = x : return 0;
    T.data > x : return Insert(T.left, x);
    T.data < x : return Insert(T.right, x);
  }
}
```

Advantage of reference parameter is that the call has the original pointer not a copy.

10/14/02

Trees - Lecture 7

24

Call by Value vs Call by Reference

- Call by value
 - › Copy of parameter is used




- Call by reference
 - › Actual parameter is used

10/14/02 Trees - Lecture 7 25

Delete Operation


- Delete is a bit trickier...Why?
- Suppose you want to delete 10
- Strategy:
 - › Find 10
 - › Delete the node containing 10
- Problem: When you delete a node, what do you replace it by?



10/14/02 Trees - Lecture 7 26

Delete Operation


- Problem: When you delete a node, what do you replace it by?
- Solution:
 - › If it has no children, by NULL
 - › If it has 1 child, by that child
 - › If it has 2 children, by the node with the smallest value in its right subtree (the successor of the node)



10/14/02 Trees - Lecture 7 27

Delete "5" - No children

Find 5 node




Then **Free** the 5 node and **NULL** the pointer to it

10/14/02 Trees - Lecture 7 28

Delete "24" - One child

Find 24 node




Then **Free** the 24 node and **replace** the pointer to it with a pointer to its child

10/14/02 Trees - Lecture 7 29

Delete "10" - two children


Find 10, Copy the smallest value in right subtree into the node



Then **recursively Delete** node with smallest value in right subtree
Note: it does not have two children

10/14/02 Trees - Lecture 7 30

Delete "11" - One child



FindMin Solution

```
FindMin(T : tree pointer) : tree pointer {  
  // precondition: T is not null //  
  if T.left = null return T  
  else return FindMin(T.left)  
}
```

10/14/02

Trees - Lecture 7

32