

Splay Trees and B-Trees

CSE 373

Data Structures

Lecture 9

Readings and References

- Reading
 - › Sections 4.5-4.7

Self adjustment for better living





- Ordinary binary search trees have no balance conditions
 - › what you get from insertion order is it
- Balanced trees like AVL trees enforce a balance condition when nodes change
 - › tree is always balanced after an insert or delete
- Self-adjusting trees get reorganized over time as nodes are accessed

Splay Trees

- Splay trees are tree structures that:
 - › Are not perfectly balanced all the time
 - › Data most recently accessed is near the root.
- The procedure:
 - › After node X is accessed, perform “splaying” operations to bring X to the root of the tree.
 - › Do this in a way that leaves the tree more balanced as a whole

Splay Tree Terminology


- Let X be a non-root node with ≥ 2 ancestors.
 - P is its parent node.
 - G is its grandparent node.




Zig-Zig and Zig-Zag

Parent and grandparent
in same direction.

Zig-zig




Parent and grandparent
in different directions.



Splay Tree Operations

1. Helpful if nodes contain a **parent** pointer.




2. When X is accessed, apply one of **six** rotation routines.

- Single Rotations (X has a P (the root) but no G)
ZigFromLeft, ZigFromRight
- Double Rotations (X has both a P and a G)
ZigZigFromLeft, ZigZigFromRight
ZigZagFromLeft, ZigZagFromRight

Zig at depth 1


- “Zig” is just a **single rotation**, as in an AVL tree
- Let R be the node that was accessed (e.g. using Find)




- ZigFromLeft moves R to the top → faster access next time

Zig at depth 1

- Suppose Q is now accessed using Find




ZigFromRight



- ZigFromRight moves Q back to the top


Zig-Zag operation

- “Zig-Zag” consists of **two rotations of the opposite direction** (assume R is the node that was accessed)




Zig-Zig operation


- “Zig-Zig” consists of two single rotations of the same direction (R is the node that was accessed)




Decreasing depth - "autobalance"




(a)



(b)




(c)



(d)

Find(T)



Find(R)




Splay Tree Insert and Delete




- Insert x
 - › Insert x as normal then splay x to root.
- Delete
 - › Splay x to root and remove it. Two trees remain, right subtree and left subtree.
 - › Splay the max in the left subtree to the root
 - › Attach the right subtree to the new root of the left subtree.

Example Insert


- Inserting in order 1,2,3,...,8
- Without self-adjustment



With Self-Adjustment




With Self-Adjustment



$O(n)$ time!!

Example Deletion




Analysis of Splay Trees

- Splay trees tend to be balanced
 - › M operations takes time $O(M \log N)$ for $M \geq N$ operations on N items.
 - › Amortized $O(\log n)$ time.
- Splay trees have good “locality” properties
 - › Recently accessed items are near the root of the tree.
 - › Items near an accessed are pulled toward the root.

Beyond Binary Search Trees: Multi-Way Trees

- B-tree of order 3 has 2 or 3 children per node



- Search for 8

B-Trees

B-Trees are **multi-way search trees** commonly used in database systems or other applications where data is stored externally on disks and keeping the tree shallow is important.

A B-Tree of order **M** has the following properties:


1. The root is either a leaf or has **between 2 and M children**.
2. All nonleaf nodes (except the root) have **between $\lceil M/2 \rceil$ and M children**.
3. All leaves are at the same depth.

All data records are stored at the leaves.
Leaves store between $\lceil M/2 \rceil$ and M data records.

B-Tree Details

Each (non-leaf) internal node of a B-tree has:


- › Between $\lceil M/2 \rceil$ and M children.
- › up to $M-1$ keys $k_1 < k_2 < \dots < k_{M-1}$



Keys are ordered so that:

$$k_1 < k_2 < \dots < k_{M-1}$$

Properties of B-Trees



Children of each internal node are "between" the items in that node.
Suppose subtree T_i is the i th child of the node:

all keys in T_i must be between keys k_{i-1} and k_i

i.e. $k_{i-1} \leq T_i < k_i$


k_{i-1} is the smallest key in T_i

All keys in first subtree $T_1 < k_1$

All keys in last subtree $T_M \geq k_{M-1}$

Example: Searching in B-trees


- B-tree of order 3: also known as 2-3 tree (2 to 3 children)



- Examples: Search for 9, 14, 12
- Note: If leaf nodes are connected as a Linked List, B-tree is called a B+ tree – Allows sorted list to be accessed easily


Inserting into B-Trees

- Insert X: Do a Find on X and find appropriate leaf node
 - › If leaf node is not full, fill in empty slot with X
 - E.g. Insert 5
 - › If leaf node is full, **split** leaf node and adjust parents up to root node
 - E.g. Insert 9



Deleting From B-Trees

- Delete X : Do a find and remove from leaf
 - › Leaf underflows – borrow from a neighbor
 - E.g. 11
 - › Leaf underflows and can't borrow – merge nodes, delete parent
 - E.g. 17



Run Time Analysis of B-Tree Operations

- For a B-Tree of order M
 - › Each internal node has up to $M-1$ keys to search
 - › Each internal node has between $\lceil M/2 \rceil$ and M children
 - › **Depth** of B-Tree storing N items is $O(\log_{\lceil M/2 \rceil} N)$
- Find: Run time is:
 - › $O(\log M)$ to binary search which branch to take at each node
 - › Total time to find an item is $O(\text{depth} * \log M) = O(\log N)$

Summary of Search Trees

- Problem with Search Trees: Must keep tree balanced to allow
 - › fast access to stored items
- AVL trees: Insert/Delete operations keep tree balanced
- Splay trees: Repeated Find operations produce balanced trees
- Multi-way search trees (e.g. B-Trees): More than two children
 - › per node allows shallow trees; all leaves are at the same depth
 - › keeping tree balanced at all times