

# Binary Heaps

CSE 373

Data Structures

Lecture 11

# Readings and References

---

- Reading
  - › Sections 6.1-6.4

# A New Problem...

---

- Application: Find the smallest ( or highest priority) item quickly
  - › Operating system needs to schedule jobs according to priority
  - › Doctors in ER take patients according to severity of injuries
  - › Event simulation (bank customers arriving and departing, ordered according to when the event happened)

# Priority Queue ADT

---

- Priority Queue can efficiently do:
  - › FindMin (and DeleteMin)
  - › Insert
- What if we use...
  - › Lists: If sorted, what is the run time for Insert and FindMin? Unsorted?
  - › Binary Search Trees: What is the run time for Insert and FindMin?

# Less flexibility → More speed

---

- Lists
  - › If sorted: FindMin is  $O(1)$  but Insert is  $O(N)$
  - › If not sorted: Insert is  $O(1)$  but FindMin is  $O(N)$
- Balanced Binary Search Trees (BSTs)
  - › Insert is  $O(\log N)$  and FindMin is  $O(\log N)$
- BSTs look good but...
  - › BSTs are efficient for all Finds, not just FindMin
  - › We only need FindMin

# Better than a speeding BST

---

- We can do better than Balanced Binary Search Trees?
  - › Very limited requirements: Insert, FindMin, DeleteMin
  - › FindMin is  $O(1)$
  - › Insert is  $O(\log N)$
  - › DeleteMin is  $O(\log N)$




# Binary Heaps

---

- A binary heap is a binary tree that is:
  - › Complete: the tree is completely filled except possibly the bottom level, which is filled from left to right
  - › Satisfies the heap order property
    - every node is less than or equal to its children
    - or every node is greater than or equal to its children
- The root node is always the smallest node
  - › or the largest, depending on the heap order

# Heap order property

- A heap provides limited ordering information
- Each *path* is sorted, but the subtrees are not sorted relative to each other
  - › A binary heap is NOT a binary search tree




These are all valid binary heaps (minimum)




# Binary Heap vs Binary Search Tree

Binary Heap



Parent is less than both left and right children

Binary Search Tree



Parent is greater than left child, less than right child


# Structure property

---


- A binary heap is a complete tree
  - › All nodes are in use except for possibly the right end of the bottom row




# Examples




complete tree,  
heap order is "max"



complete tree,  
heap order is "min"





complete tree, but min  
heap order is broken



not complete

# Array Implementation of Heaps (Implicit Pointers)

- Root node =  $A[1]$
- Children of  $A[i] = A[2i], A[2i + 1]$
- Keep track of current size  $N$  (number of nodes)




# FindMin and DeleteMin

---

- FindMin: Easy!

- › Return root value  $A[1]$
- › Run time = ?




- DeleteMin:

- › Delete (and return) value at root node

# DeleteMin



---

- Delete (and return) value at root node



# Maintain the Structure Property


- We now have a “Hole” at the root
  - › Need to fill the hole with another value
- When we get done, the tree will have one less node and must still be complete



# Maintain the Heap Property


---

- The last value has lost its node
  - › we need to find a new place for it
- We can do a simple insertion sort operation to find the correct place for it in the tree





# DeleteMin: Percolate Down



- Keep comparing with children  $A[2i]$  and  $A[2i + 1]$
- Copy smaller child up and go down one level
- Done if both children are  $\geq$  item or reached a leaf node
- What is the run time?

# Percolate Down

---

```
PercDown(i:integer, x :integer): {  
  // N is the number of entries in queue//  
  j : integer;  
  Case{  
    2i > N : A[i] := x; //at bottom//  
    2i = N : if A[2i] < x then  
              A[i] := A[2i]; A[2i] := x;  
            else A[i] := x;  
    2i < N : if A[2i] < A[2i+1] then j := 2i;  
            else j := 2i+1;  
            if A[j] < x then  
              A[i] := A[j]; PercDown(j,x);  
            else A[i] := x;  
  }  
}
```

# DeleteMin: Run Time Analysis


---

- Run time is  $O(\text{depth of heap})$
- A heap is a complete binary tree
- Depth of a complete binary tree of  $N$  nodes?
  - ›  $\text{depth} = \lfloor \log_2(N) \rfloor$
- Run time of DeleteMin is  $O(\log N)$

# Insert

---


- Add a value to the tree
- Structure and heap order properties must still be correct when we are done



# Maintain the Structure Property

---


- The only valid place for a new node in a complete tree is at the end of the array
- We need to decide on the correct value for the new node, and adjust the heap accordingly




# Maintain the Heap Property

---

- The new value goes where?
- We can do a simple insertion sort operation to find the correct place for it in the tree




# Insert: Percolate Up



- Start at last node and keep comparing with parent  $A[i/2]$
- If parent larger, copy parent down and go up one level
- Done if parent  $\leq$  item or reached top node  $A[1]$
- Run time?

# Insert: Done

---



- Run time?



# PercUp


---

- Class participation
- Define PercUp which percolates new entry to correct spot.
- Note: the parent of  $i$  is  $i/2$

```
PercUp(i : integer, x : integer): {  
  ????  
}
```

# Sentinel Values

- Every iteration of Insert needs to test:
  - › if it has reached the top node  $A[1]$
  - › if  $\text{parent} \leq \text{item}$
- Can avoid first test if  $A[0]$  contains a very large negative value
  - › sentinel  $-\infty < \text{item}$ , for all items
- Second test alone always stops at top



value	$-\infty$	2	3	8	7	4	10	9	11	9	6	5		
index	0	1	2	3	4	5	6	7	8	9	10	11	12	13

# Binary Heap Analysis


---

- Space needed for heap of  $N$  nodes:  $O(\text{MaxN})$ 
  - › An array of size  $\text{MaxN}$ , plus a variable to store the size  $N$ , plus an array slot to hold the sentinel
- Time
  - › FindMin:  $O(1)$
  - › DeleteMin and Insert:  $O(\log N)$
  - › BuildHeap from  $N$  inputs :  $O(N)$

# Build Heap


```
BuildHeap {  
  for i = N/2 to 1 by -1 PercDown(i,A[i])  
}
```

N=11




# Build Heap

---



# Build Heap

---



# Analysis of Build Heap

---

- Assume  $N = 2^k - 1$ 
  - › Level 1:  $k - 1$  steps for 1 item
  - › Level 2:  $k - 2$  steps of 2 items
  - › Level 3:  $k - 3$  steps for 4 items
  - › Level  $i$  :  $k - i$  steps for  $2^{i-1}$  items

$$\begin{aligned}\text{Total Steps} &= \sum_{i=1}^{k-1} (k - i) 2^{i-1} = 2^k - k - 1 \\ &= O(N)\end{aligned}$$

# Other Heap Operations

---

- Find( $X, H$ ): Find the element  $X$  in heap  $H$  of  $N$  elements
  - › What is the running time?  $O(N)$
- FindMax( $H$ ): Find the maximum element in  $H$ 
  - › What is the running time?  $O(N)$
- We sacrificed performance of these operations in order to get  $O(1)$  performance for FindMin



# Other Heap Operations

---

- **DecreaseKey( $P, \Delta, H$ ):** Decrease the key value of node at position  $P$  by a positive amount  $\Delta$ . eg, to increase priority
  - › First, subtract  $\Delta$  from current value at  $P$
  - › Heap order property may be violated
  - › so percolate up to fix
  - › Running Time:  $O(\log N)$

# Other Heap Operations

---

- **IncreaseKey( $P, \Delta, H$ ):** Increase the key value of node at position  $P$  by a positive amount  $\Delta$ . eg, to decrease priority
  - › First, add  $\Delta$  to current value at  $P$
  - › Heap order property may be violated
  - › so percolate down to fix
  - › Running Time:  $O(\log N)$

# Other Heap Operations

---

- Delete(P,H): E.g. Delete a job waiting in queue that has been preemptively terminated by user
  - › Use DecreaseKey(P, $\infty$ ,H) followed by DeleteMin
  - › Running Time:  $O(\log N)$

# Other Heap Operations

---

- Merge(H1,H2): Merge two heaps H1 and H2 of size  $O(N)$ . H1 and H2 are stored in two arrays.
  - › Can do  $O(N)$  Insert operations:  $O(N \log N)$  time
  - › Better: Copy H2 at the end of H1 and use BuildHeap. Running Time:  $O(N)$

# PercUp Solution

---

```
PercUp(i : integer, x : integer): {  
  if i = 1 then A[1] := x  
  else if A[i/2] < x then  
    A[i] := x;  
  else  
    A[i] := A[i/2];  
    Percup(i/2, x);  
}
```