#### CSE 373 Data Structures and Algorithms

Lecture 1: Introduction; ADTs; Stacks; Eclipse

### Course objectives

#### Learn basic data structures and algorithms

- data structures how data is organized
- algorithms unambiguous sequence of steps to compute something
- algorithm analysis determining how long an algorithm will take to solve a problem

#### Become a better software developer

- Data Structures + Algorithms = Programs"
  - -- Niklaus Wirth, author of Pascal language

### Abstract Data Types

- abstract data type (ADT): A specification of a collection of data and the operations that can be performed on it.
  - Describes what a collection does, not how it does it
  - Described in Java with interfaces (e.g., List, Map, Set)
  - Separate from implementation
- ADTs can be implemented in multiple ways by classes:
  - ArrayList and LinkedList
  - HashSet and TreeSet
  - LinkedList,ArrayDeque,etc.
  - > Java messed up on Stack—there's no Stack interface, just a class.

implement List

implement Queue

implement Set

## List ADT

- An ordered collection the form A<sub>0</sub>, A<sub>1</sub>, ..., A<sub>N-1</sub>, where N is the size of the list
- Operations described in Java's List interface (subset):

add( <b>elt, index</b> )	inserts the element at the specified position in the list
remove( <b>index</b> )	removes the element at the specified position
get( <b>index</b> )	returns the element at the specified position
<pre>set(index, elt)</pre>	replaces the element at the specified position with the specified element
contains( <b>elt</b> )	returns true if the list contains the element
size()	returns the number of elements in the list

ArrayList and LinkedList are implementations

### Stack ADT

- stack: a list with the restriction that insertions/deletions can only be performed at the top/end of the list
  - Last-In, First-Out ("LIFO")
  - The elements are stored in order of insertion, but we do not think of them as having indexes.
  - The client can only add/remove/examine the last element added (the "top").



- basic stack operations:
  - **push**: Add an element to the top.
  - **pop**: Remove the top element.
  - **peek**: Examine the top element.



# **Applications of Stacks**

- Programming languages:
  - method calls are placed onto a stack (call=push, return=pop)

- Matching up related pairs of things:
  - find out whether a string is a palindrome
  - examine a file to see if its braces { } and other operators match
- Sophisticated algorithms:
  - searching through a maze with "backtracking"
  - many programs use an "undo stack" of previous operations



#### Class Stack

Stack < E > ()	constructs a new stack with elements of type ${\bf E}$
push( <b>value</b> )	places given value on top of stack
pop()	<pre>removes top value from stack and returns it; throws EmptyStackException if stack is empty</pre>
peek()	returns top value from stack without removing it; throws EmptyStackException if stack is empty
size()	returns number of elements in stack
isEmpty()	returns true if stack has no elements

```
Stack<Integer> s = new Stack<Integer>();
s.push(42);
s.push(-3);
s.push(17); // bottom [42, -3, 17] top
```

System.out.println(s.pop()); // 17

## Stack limitations/idioms

Remember: You can't loop over a stack like you do a list.

Stack<Integer> s = new Stack<Integer>();

- Instead, you pull contents out of the stack to view them.
  - Idiom: Remove each element until the stack is empty.

```
while (!s.isEmpty()) {
    do something with s.pop();
}
```

...

#### Exercise

- Write a method symbolsBalanced that accepts a String as a parameter and returns whether or not the parentheses and the curly brackets in that String are balanced as they would have to be in a valid Java program.
  - Use a Stack to solve this problem.

Eclipse concepts

#### workspace: a collection of projects

- stored as a directory
- project: a Java program
  - must have your files in a project in order to be able to compile, debug and run them
  - by default stored in a directory in your workspace
- perspective: a view of your current project using a set of pre-laid-out windows and menus
  - Java perspective
  - debugging perspective