



CSE373: Data Structures & Algorithms


Lecture 17: Minimum Spanning Trees

Dan Grossman

Fall 2013

Spanning Trees

- A simple problem: Given a *connected* undirected graph $\mathbf{G}=(\mathbf{V},\mathbf{E})$, find a minimal subset of edges such that \mathbf{G} is still connected
 - A graph $\mathbf{G2}=(\mathbf{V},\mathbf{E2})$ such that $\mathbf{G2}$ is connected and removing any edge from $\mathbf{E2}$ makes $\mathbf{G2}$ disconnected



Observations

1. Any solution to this problem is a tree
 - Recall a tree does not need a root; just means acyclic
 - For any cycle, could remove an edge and still be connected
2. Solution not unique unless original graph was already a tree
3. Problem ill-defined if original graph not connected
 - So $|E| \geq |V|-1$
4. A tree with $|V|$ nodes has $|V|-1$ edges
 - So every solution to the spanning tree problem has $|V|-1$ edges

Motivation

A **spanning tree** connects all the nodes with as few edges as possible

- Example: A “phone tree” so everybody gets the message and no unnecessary calls get made
 - Bad example since would prefer a balanced tree

In most compelling uses, we have a *weighted* undirected graph and we want a tree of least total cost

- Example: Electrical wiring for a house or clock wires on a chip
- Example: A road network if you cared about asphalt cost rather than travel time

This is the **minimum spanning tree** problem

- Will do that next, after intuition from the simpler case

Two Approaches

Different algorithmic approaches to the spanning-tree problem:

1. Do a graph traversal (e.g., depth-first search, but any traversal will do), keeping track of edges that form a tree
2. Iterate through edges; add to output any edge that does not create a cycle

Spanning tree via DFS


```
spanning_tree(Graph G) {
    for each node i: i.marked = false
    for some node i: f(i)
}
f(Node i) {
    i.marked = true
    for each j adjacent to i:
        if(!j.marked) {
            add(i,j) to output
            f(j) // DFS
        }
}
```

Correctness: DFS reaches each node. We add one edge to connect it to the already visited nodes. Order affects result, not correctness.

Time: $O(|E|)$

Example

Stack
f(1)




Output:

Example

Stack

f(1)

f(2)



Output: (1,2)


Example

Stack

f(1)

f(2)

f(7)



Output: (1,2), (2,7)

Example


Stack

f(1)

f(2)

f(7)

f(5)



Output: (1,2), (2,7), (7,5)

Example

Stack


f(1)

f(2)

f(7)

f(5)

f(4)



Output: (1,2), (2,7), (7,5), (5,4)

Example

Stack

f(1)


f(2)

f(7)

f(5)

f(4)

f(3)




Output: (1,2), (2,7), (7,5), (5,4),(4,3)

Example

Stack

f(1)
f(2)
f(7)
f(5)
f(4) f(6)
f(3)




Output: (1,2), (2,7), (7,5), (5,4), (4,3), (5,6)

Example

Stack

f(1)
f(2)
f(7)
f(5)
f(4) f(6)
f(3)



Output: (1,2), (2,7), (7,5), (5,4), (4,3), (5,6)

Second Approach

Iterate through edges; output any edge that does not create a cycle

Correctness (hand-wavy):

- Goal is to build an acyclic connected graph
- When we add an edge, it adds a vertex to the tree
 - Else it would have created a cycle
- The graph is connected, so we reach all vertices


Efficiency:

- Depends on how quickly you can detect cycles
- Reconsider after the example

Example

Edges in some arbitrary order:

(1,2), (3,4), (5,6), (5,7), (1,5), (1,6), (2,7), (2,3), (4,5), (4,7)




Output:

Example

Edges in some arbitrary order:

(1,2), (3,4), (5,6), (5,7), (1,5), (1,6), (2,7), (2,3), (4,5), (4,7)




Output: (1,2)

Example

Edges in some arbitrary order:

(1,2), (3,4), (5,6), (5,7), (1,5), (1,6), (2,7), (2,3), (4,5), (4,7)




Output: (1,2), (3,4)

Example

Edges in some arbitrary order:

(1,2), (3,4), (5,6), (5,7), (1,5), (1,6), (2,7), (2,3), (4,5), (4,7)




Output: (1,2), (3,4), (5,6),

Example

Edges in some arbitrary order:

(1,2), (3,4), (5,6), (5,7), (1,5), (1,6), (2,7), (2,3), (4,5), (4,7)




Output: (1,2), (3,4), (5,6), (5,7)

Example

Edges in some arbitrary order:

(1,2), (3,4), (5,6), (5,7), (1,5), (1,6), (2,7), (2,3), (4,5), (4,7)




Output: (1,2), (3,4), (5,6), (5,7), (1,5)

Example

Edges in some arbitrary order:

(1,2), (3,4), (5,6), (5,7), (1,5), (1,6), (2,7), (2,3), (4,5), (4,7)




Output: (1,2), (3,4), (5,6), (5,7), (1,5)

Example

Edges in some arbitrary order:

(1,2), (3,4), (5,6), (5,7), (1,5), (1,6), (2,7), (2,3), (4,5), (4,7)




Output: (1,2), (3,4), (5,6), (5,7), (1,5)

Example

Edges in some arbitrary order:

(1,2), (3,4), (5,6), (5,7), (1,5), (1,6), (2,7), (2,3), (4,5), (4,7)



Can stop once we have $|V|-1$ edges

Output: (1,2), (3,4), (5,6), (5,7), (1,5), (2,3)

Cycle Detection

- To decide if an edge could form a cycle is $O(|V|)$ because we may need to traverse all edges already in the output
- So overall algorithm would be $O(|V||E|)$
- But there is a faster way we know: use union-find!
 - Initially, each item is in its own 1-element set
 - Union sets when we add an edge that connects them
 - Stop when we have one set

Using Disjoint-Set

Can use a disjoint-set implementation in our spanning-tree algorithm to detect cycles:

Invariant: u and v are connected in output-so-far
iff
 u and v in the same set

- Initially, each node is in its own set
- When processing edge (u, v) :
 - If $\text{find}(u)$ equals $\text{find}(v)$, then do not add the edge
 - Else add the edge and $\text{union}(\text{find}(u), \text{find}(v))$
 - $O(|E|)$ operations that are almost $O(1)$ amortized

Summary So Far

The **spanning-tree problem**

- Add nodes to partial tree approach is $O(|E|)$
- Add acyclic edges approach is *almost* $O(|E|)$
 - Using union-find “as a black box”

But really want to solve the **minimum-spanning-tree problem**

- Given a weighted undirected graph, give a spanning tree of minimum weight
- Same two approaches will work with minor modifications
- Both will be $O(|E| \log |V|)$

Getting to the Point

Algorithm #1

Shortest-path is to Dijkstra's Algorithm

as

Minimum Spanning Tree is to [Prim's Algorithm](#)

(Both based on expanding cloud of known vertices, basically using a priority queue instead of a DFS stack)

Algorithm #2

[Kruskal's Algorithm](#) for Minimum Spanning Tree

is

Exactly our 2nd approach to spanning tree

but process edges in cost order

Prim's Algorithm Idea

Idea: Grow a tree by adding an edge from the “known” vertices to the “unknown” vertices. *Pick the edge with the smallest weight that connects “known” to “unknown.”*

Recall Dijkstra “picked edge with closest known distance to source”


- That is not what we want here
- Otherwise identical (!)

The Algorithm

1. For each node v , set $v.cost = \infty$ and $v.known = false$
2. Choose any node v
 - a) Mark v as known
 - b) For each edge (v, u) with weight w , set $u.cost = w$ and $u.prev = v$
3. While there are unknown nodes in the graph
 - a) Select the unknown node v with lowest cost
 - b) Mark v as known and add $(v, v.prev)$ to output
 - c) For each edge (v, u) with weight w ,


```
        if(w < u.cost) {
            u.cost = w;
            u.prev = v;
        }
```

Example




vertex	known?	cost	prev
A		??	
B		??	
C		??	
D		??	
E		??	
F		??	
G		??	

Example




vertex	known?	cost	prev
A	Y	0	
B		2	A
C		2	A
D		1	A
E		??	
F		??	
G		??	

Example




vertex	known?	cost	prev
A	Y	0	
B		2	A
C		1	D
D	Y	1	A
E		1	D
F		6	D
G		5	D

Example




vertex	known?	cost	prev
A	Y	0	
B		2	A
C	Y	1	D
D	Y	1	A
E		1	D
F		2	C
G		5	D

Example




vertex	known?	cost	prev
A	Y	0	
B		1	E
C	Y	1	D
D	Y	1	A
E	Y	1	D
F		2	C
G		3	E

Example




vertex	known?	cost	prev
A	Y	0	
B	Y	1	E
C	Y	1	D
D	Y	1	A
E	Y	1	D
F		2	C
G		3	E

Example



vertex	known?	cost	prev
A	Y	0	
B	Y	1	E
C	Y	1	D
D	Y	1	A
E	Y	1	D
F	Y	2	C
G		3	E

Example



vertex	known?	cost	prev
A	Y	0	
B	Y	1	E
C	Y	1	D
D	Y	1	A
E	Y	1	D
F	Y	2	C
G	Y	3	E

Analysis

- Correctness ??
 - A bit tricky
 - Intuitively similar to Dijkstra

- Run-time
 - Same as Dijkstra
 - $O(|E| \log |V|)$ using a priority queue
 - Costs/priorities are just edge-costs, not path-costs

Kruskal's Algorithm

Idea: Grow a forest out of edges that do not grow a cycle, just like for the spanning tree problem.

- But now consider the edges in order by weight

So:

- Sort edges: $O(|E| \log |E|)$ (next course topic)
- Iterate through edges using union-find for cycle detection almost $O(|E|)$

Somewhat better:

- Floyd's algorithm to build min-heap with edges $O(|E|)$
- Iterate through edges using union-find for cycle detection and **deleteMin** to get next edge $O(|E| \log |E|)$
- Not better *worst-case* asymptotically, but often stop long before considering all edges


Pseudocode

1. Sort edges by weight (better: put in min-heap)
2. Each node in its own set
3. While output size $< |V|-1$
 - Consider next smallest edge (u, v)
 - if `find(u, v)` indicates u and v are in different sets
 - output (u, v)
 - `union(find(u), find(v))`

Recall invariant:

u and v in same set if and only if connected in output-so-far

Example



Edges in sorted order:

1: (A,D), (C,D), (B,E), (D,E)

2: (A,B), (C,F), (A,C)

3: (E,G)

5: (D,G), (B,D)


6: (D,F)

10: (F,G)

Output:

Note: At each step, the union/find sets are the trees in the forest

Example



Edges in sorted order:

1: (A,D), (C,D), (B,E), (D,E)

2: (A,B), (C,F), (A,C)

3: (E,G)

5: (D,G), (B,D)


6: (D,F)

10: (F,G)

Output: (A,D)

Note: At each step, the union/find sets are the trees in the forest

Example



Edges in sorted order:

1: (A,D), (C,D), (B,E), (D,E)

2: (A,B), (C,F), (A,C)

3: (E,G)

5: (D,G), (B,D)


6: (D,F)

10: (F,G)

Output: (A,D), (C,D)

Note: At each step, the union/find sets are the trees in the forest

Example



Edges in sorted order:

1: (A,D), (C,D), (B,E), (D,E)

2: (A,B), (C,F), (A,C)

3: (E,G)

5: (D,G), (B,D)


6: (D,F)

10: (F,G)

Output: (A,D), (C,D), (B,E)

Note: At each step, the union/find sets are the trees in the forest

Example



Edges in sorted order:

1: (A,D), (C,D), (B,E), (D,E)

2: (A,B), (C,F), (A,C)

3: (E,G)

5: (D,G), (B,D)


6: (D,F)

10: (F,G)

Output: (A,D), (C,D), (B,E), (D,E)

Note: At each step, the union/find sets are the trees in the forest

Example



Edges in sorted order:

1: (A,D), (C,D), (B,E), (D,E)

2: (A,B), (C,F), (A,C)

3: (E,G)

5: (D,G), (B,D)


6: (D,F)

10: (F,G)

Output: (A,D), (C,D), (B,E), (D,E)

Note: At each step, the union/find sets are the trees in the forest

Example



Edges in sorted order:

1: (A,D), (C,D), (B,E), (D,E)

2: (A,B), (C,F), (A,C)

3: (E,G)

5: (D,G), (B,D)


6: (D,F)

10: (F,G)

Output: (A,D), (C,D), (B,E), (D,E), (C,F)

Note: At each step, the union/find sets are the trees in the forest

Example



Edges in sorted order:

1: (A,D), (C,D), (B,E), (D,E)

2: (A,B), (C,F), (A,C)

3: (E,G)

5: (D,G), (B,D)


6: (D,F)

10: (F,G)

Output: (A,D), (C,D), (B,E), (D,E), (C,F)

Note: At each step, the union/find sets are the trees in the forest

Example



Edges in sorted order:

1: (A,D), (C,D), (B,E), (D,E)

2: (A,B), (C,F), (A,C)

3: (E,G)

5: (D,G), (B,D)

6: (D,F)

10: (F,G)

Output: (A,D), (C,D), (B,E), (D,E), (C,F), (E,G)

Note: At each step, the union/find sets are the trees in the forest

Correctness

Kruskal's algorithm is clever, simple, and efficient

- But does it generate a minimum spanning tree?
- How can we prove it?

First: it generates a spanning tree

- Intuition: Graph started connected and we added every edge that did not create a cycle
- Proof by contradiction: Suppose u and v are disconnected in Kruskal's result. Then there's a path from u to v in the initial graph with an edge we could add without creating a cycle. But Kruskal would have added that edge. Contradiction.

Second: There is no spanning tree with lower total cost...

The inductive proof set-up

Let \mathbf{F} (stands for “forest”) be the set of edges Kruskal has added at some point during its execution.

Claim: \mathbf{F} is a subset of *one or more* MSTs for the graph
– Therefore, once $|\mathbf{F}|=|V|-1$, we have an MST

Proof: By induction on $|\mathbf{F}|$


Base case: $|\mathbf{F}|=0$: The empty set is a subset of all MSTs

Inductive case: $|\mathbf{F}|=k+1$: By induction, before adding the $(k+1)^{\text{th}}$ edge (call it \mathbf{e}), there was some MST \mathbf{T} such that $\mathbf{F}-\{\mathbf{e}\} \subseteq \mathbf{T} \dots$

Staying a subset of **some** MST

Claim: **F** is a subset of *one or more* MSTs for the graph

So far: **F**-{**e**} \subseteq **T**:




Two disjoint cases:

- If **{e}** \subseteq **T**: Then **F** \subseteq **T** and we're done
- Else **e** forms a cycle with some simple path (call it **p**) in **T**
 - Must be since **T** is a spanning tree

Staying a subset of **some** MST

Claim: **F** is a subset of *one or more* MSTs for the graph

So far: $\mathbf{F} - \{\mathbf{e}\} \subseteq \mathbf{T}$ and
 \mathbf{e} forms a cycle with $\mathbf{p} \subseteq \mathbf{T}$



- There must be an edge **e2** on **p** such that **e2** is not in **F**
 - Else Kruskal would not have added **e**
- Claim: **e2.weight == e.weight**


Staying a subset of **some** MST

Claim: **F** is a subset of *one or more* MSTs for the graph

So far: **F** - {**e**} \subseteq **T**

e forms a cycle with **p** \subseteq **T**

e2 on **p** is not in **F**



- Claim: **e2.weight == e.weight**
 - If **e2.weight > e.weight**, then **T** is not an MST because **T** - {**e2**} + {**e**} is a spanning tree with lower cost: contradiction
 - If **e2.weight < e.weight**, then Kruskal would have already considered **e2**. It would have added it since **T** has no cycles and **F** - {**e**} \subseteq **T**. But **e2** is not in **F**: contradiction

Staying a subset of **some** MST


Claim: **F** is a subset of *one or more* MSTs for the graph

So far: **F** - {**e**} \subseteq **T**

e forms a cycle with **p** \subseteq **T**

e2 on **p** is not in **F**

e2.weight == **e.weight**



- Claim: **T** - {**e2**} + {**e**} is an MST
 - It is a spanning tree because **p** - {**e2**} + {**e**} connects the same nodes as **p**
 - It is minimal because its cost equals cost of **T**, an MST
- Since **F** \subseteq **T** - {**e2**} + {**e**}, **F** is a subset of one or more MSTs

Done