





CSE373: Data Structures & Algorithms

Lecture 7: Binary Heaps, Continued

Dan Grossman


Fall 2013

Review



- Priority Queue ADT: **insert** comparable object, **deleteMin**
- Binary heap data structure: Complete binary tree where each node has priority value greater than its parent
- $O(\text{height-of-tree}) = O(\log n)$ **insert** and **deleteMin** operations
 - **insert**: put at new last position in tree and percolate-up
 - **deleteMin**: remove root, put last element at root and percolate-down
- But: tracking the “last position” is painful and we can do better

Array Representation of Binary Trees



From node i :

left child: $i*2$


right child: $i*2+1$

parent: $i/2$

(wasting index 0 is convenient for the index arithmetic)

implicit (array) implementation:

	A	B	C	D	E	F	G	H	I	J	K	L	
0	1	2	3	4	5	6	7	8	9	10	11	12	13



<http://xkcd.com/163>

Judging the array implementation

Plusses:

- Non-data space: just index 0 and unused space on right
 - In conventional tree representation, one edge per node (except for root), so $n-1$ wasted space (like linked lists)
 - Array would waste more space if tree were not complete
- Multiplying and dividing by 2 is very fast (shift operations in hardware)
- Last used position is just index **size**

Minuses:

- Same might-by-empty or might-get-full problems we saw with stacks and queues (resize by doubling as necessary)


Plusses outweigh minuses: “this is how people do it”

Pseudocode: insert

```
void insert(int val) {  
    if(size==arr.length-1)  
        resize();  
    size++;  
    i=percolateUp(size, val);  
    arr[i] = val;  
}
```

This pseudocode uses ints. In real use, you will have data nodes with priorities.

```
int percolateUp(int hole,  
               int val) {  
    while(hole > 1 &&  
          val < arr[hole/2])  
        arr[hole] = arr[hole/2];  
        hole = hole / 2;  
    }  
    return hole;  
}
```




	10	20	80	40	60	85	99	700	50				
0	1	2	3	4	5	6	7	8	9	10	11	12	13

Pseudocode: deleteMin

This pseudocode uses ints. In real use, you will have data nodes with priorities.

```
int deleteMin() {  
    if(isEmpty()) throw...  
    ans = arr[1];  
    hole = percolateDown  
        (1, arr[size]);  
    arr[hole] = arr[size];  
    size--;  
    return ans;  
}
```



```
int percolateDown(int hole,  
                 int val) {  
    while(2*hole <= size) {  
        left = 2*hole;  
        right = left + 1;  
        if(arr[left] < arr[right]  
            || right > size)  
            target = left;  
        else  
            target = right;  
        if(arr[target] < val) {  
            arr[hole] = arr[target];  
            hole = target;  
        } else  
            break;  
    }  
    return hole;  
}
```



	10	20	80	40	60	85	99	700	50				
0	1	2	3	4	5	6	7	8	9	10	11	12	13

Example

1. insert: 16, 32, 4, 69, 105, 43, 2
2. deleteMin



Other operations

- **decreaseKey**: given pointer to object in priority queue (e.g., its array index), lower its priority value by p
 - Change priority and percolate up
- **increaseKey**: given pointer to object in priority queue (e.g., its array index), raise its priority value by p
 - Change priority and percolate down
- **remove**: given pointer to object in priority queue (e.g., its array index), remove it from the queue
 - **decreaseKey** with $p = \infty$, then **deleteMin**

Running time for all these operations?

Build Heap

- Suppose you have n items to put in a new (empty) priority queue
 - Call this operation **buildHeap**
- n **inserts** works
 - Only choice if ADT doesn't provide **buildHeap** explicitly
 - $O(n \log n)$
- Why would an ADT provide this unnecessary operation?
 - Convenience
 - Efficiency: an $O(n)$ algorithm called Floyd's Method
 - Common issue in ADT design: how many specialized operations


Floyd's Method

1. Use n items to make any complete tree you want
 - That is, put them in array indices $1, \dots, n$
2. Treat it as a heap and fix the heap-order property
 - Bottom-up: leaves are already in heap order, work up toward the root one level at a time


```
void buildHeap() {
    for(i = size/2; i>0; i--) {
        val = arr[i];
        hole = percolateDown(i, val);
        arr[hole] = val;
    }
}
```

Example

- In tree form for readability
 - Purple for node not less than descendants
 - heap-order problem
 - Notice no leaves are purple
 - Check/fix each non-leaf bottom-up (6 steps here)




Example




- Happens to already be less than children (er, child)

Example




- Percolate down (notice that moves 1 up)

Example




- Another nothing-to-do step

Example




- Percolate down as necessary (steps 4a and 4b)

Example



Example



But is it right?

- “Seems to work”
 - Let’s *prove* it restores the heap property (correctness)
 - Then let’s *prove* its running time (efficiency)

```
void buildHeap() {
    for(i = size/2; i>0; i--) {
        val = arr[i];
        hole = percolateDown(i, val);
        arr[hole] = val;
    }
}
```

Correctness

```
void buildHeap() {
    for(i = size/2; i>0; i--) {
        val = arr[i];
        hole = percolateDown(i, val);
        arr[hole] = val;
    }
}
```

Loop Invariant: For all $j > i$, `arr[j]` is less than its children

- True initially: If $j > \text{size}/2$, then j is a leaf
 - Otherwise its left child would be at position $> \text{size}$
- True after one more iteration: loop body and `percolateDown` make `arr[i]` less than children without breaking the property for any descendants

So after the loop finishes, all nodes are less than their children

Efficiency

```
void buildHeap() {
    for(i = size/2; i>0; i--) {
        val = arr[i];
        hole = percolateDown(i, val);
        arr[hole] = val;
    }
}
```

Easy argument: `buildHeap` is $O(n \log n)$ where n is `size`

- `size/2` loop iterations
- Each iteration does one `percolateDown`, each is $O(\log n)$

This is correct, but there is a more precise (“tighter”) analysis of the algorithm...

Efficiency

```
void buildHeap() {
    for(i = size/2; i>0; i--) {
        val = arr[i];
        hole = percolateDown(i, val);
        arr[hole] = val;
    }
}
```

Better argument: `buildHeap` is $O(n)$ where n is `size`

- `size/2` total loop iterations: $O(n)$
- 1/2 the loop iterations percolate at most 1 step
- 1/4 the loop iterations percolate at most 2 steps
- 1/8 the loop iterations percolate at most 3 steps
- ...
- $((1/2) + (2/4) + (3/8) + (4/16) + (5/32) + \dots) < 2$ (page 4 of Weiss)
 - So at most $2(\text{size}/2)$ total percolate steps: $O(n)$

Lessons from `buildHeap`

- Without `buildHeap`, our ADT already let clients implement their own in $O(n \log n)$ worst case
 - Worst case is inserting lower priority values later
- By providing a specialized operation internal to the data structure (with access to the internal data), we can do $O(n)$ worst case
 - Intuition: Most data is near a leaf, so better to percolate down
- Can analyze this algorithm for:
 - Correctness:
 - Non-trivial inductive proof using loop invariant
 - Efficiency:
 - First analysis easily proved it was $O(n \log n)$
 - Tighter analysis shows same algorithm is $O(n)$

Other branching factors

- d -heaps: have d children instead of 2
 - Makes heaps shallower, useful for heaps too big for memory (or cache)
- Homework: Implement a 3-heap
 - Just have three children instead of 2
 - Still use an array with all positions from $1 \dots \text{heap-size}$ used

Index	Children Indices
1	2,3,4
2	5,6,7
3	8,9,10
4	11,12,13
5	14,15,16
...	...

What we are skipping

- **merge**: given two priority queues, make one priority queue
 - How might you merge binary heaps:
 - If one heap is much smaller than the other?
 - If both are about the same size?
 - Different pointer-based data structures for priority queues support logarithmic time **merge** operation (impossible with binary heaps)
 - Leftist heaps, skew heaps, binomial queues
 - Worse constant factors
 - Trade-offs!