

# Section 02: Solutions

---

## Section Problems

### 1. Comparing growth rates

- (a) Simplify each of the following functions to a tight big- $\mathcal{O}$  bound in terms of  $n$ . Then order them from fastest to slowest in terms of asymptotic growth. (By “fastest”, we mean which function increases the most rapidly as  $n$  increases.)

- $\log_4(n) + \log_2(n)$
- $\frac{n}{2} + 4$
- $2^n + 3$
- 750,000,000
- $8n + 4n^2$

**Solution:**

- (i)  $2^n + 3 = \mathcal{O}(2^n)$
- (ii)  $8n + 4n^2 = \mathcal{O}(n^2)$
- (iii)  $\frac{n}{2} + 4 = \mathcal{O}(n)$
- (iv)  $\log_4(n) + \log_2(n) = \mathcal{O}(\log(n))$
- (v)  $750,000,000 = \mathcal{O}(1)$

- (b) Order each of these more esoteric functions from fastest to slowest in terms of asymptotic growth. (By “fastest”, we mean which function increases the most rapidly as  $n$  increases.) Also state a simplified tight  $\mathcal{O}$  bound for each.

- $2^{n/2}$
- $3^n$
- $2^n$

**Solution:**

- $3^n$ , which is in  $\mathcal{O}(3^n)$
- $2^n$ , which is in  $\mathcal{O}(2^n)$
- $2^{n/2}$ , which is in  $\mathcal{O}(\sqrt{2}^n)$  (or  $\mathcal{O}(2^{n/2})$ ).

Constant multipliers don't matter in big-O notation, but a constant factor in the exponent **does** matter, since it corresponds to multiplying by some constant to the  $n^{\text{th}}$  power. Saying  $2^{n/2}$  is in  $\mathcal{O}(2^n)$  would be true, but it would not be a tight bound.

### 2. True or false?

- (a) In the worst case, finding an element in a sorted array using binary search is  $\mathcal{O}(n)$ .
- (b) In the worst case, finding an element in a sorted array using binary search is  $\Omega(n)$ .
- (c) If a function is in  $\Omega(n)$ , then it could also be in  $\mathcal{O}(n^2)$ .
- (d) If a function is in  $\Theta(n)$ , then it could also be in  $\mathcal{O}(n^2)$ .
- (e) If a function is in  $\Omega(n)$ , then it is always in  $\mathcal{O}(n)$ .

**Solution:**

- (a) True
- (b) False
- (c) True
- (d) True
- (e) False

As a reminder, we can think about  $\mathcal{O}$  informally as an upper bound. If a function  $f(n)$  is in  $\mathcal{O}(g(n))$ , then  $g(n)$  is a function that *dominates*  $f(n)$ , and this domination can be really overshooting the mark. Every (correct) piece of code we write in this class will have a running time that is  $\mathcal{O}(n!^{n!})$ . Conversely, we can think about  $\Omega$  informally as a lower bound. If a function  $f(n)$  is in  $\Omega(g(n))$ , then  $f(n)$  is a function that *dominates*  $g(n)$ , and this domination can be really overshooting the mark also. The running time of any piece of code is always in  $\Omega(1)$ . And finally,  $\Theta$  is a much stricter definition.  $f(n)$  is in  $\Theta(g(n))$  (if and only if)  $f(n)$  is in  $\mathcal{O}(g(n))$  and in  $\Omega(g(n))$ . Usually when people say  $\mathcal{O}$ , they mean  $\Theta$ .

For questions a and b: note that binary search takes  $\log(n)$  time to complete.  $\log(n)$  is upper-bounded by  $n$ , so  $\log(n) \in \mathcal{O}(n)$ . However,  $\log(n)$  is not lower-bounded by  $n$ , which means  $\log(n) \in \Omega(n)$  is false.

### 3. Code to summation

For each of the following code blocks, give a summation that represents the worst-case runtime in terms of  $n$ .

(a)

```
int x = 0;
for (int i = 0; i < n; i++) {
    for (int j = 0; j < i; j++)
        x++;
}
```

**Solution:**

One possible solution is

$$T(n) = 1 + \sum_{i=0}^{n-1} \sum_{k=0}^{i-1} 1$$

(b)

```
int x = 0;
for (int i = n; i >= 1; i /= 2)
    x += i;
}
```

**Solution:**

One possible solution is

$$T(n) = 1 + \sum_{i=1}^{\log(n)} 1$$

### 4. Code modeling

For each of the following code blocks, construct a mathematical function modeling the worst-case runtime of the code in terms of  $n$ . Then, give a tight big- $\mathcal{O}$  bound of your model.

(a)

```
int x = 0;
for (int i = 0; i < n; i++) {
    for (int j = 0; j < n * n / 3; j++) {
        x += j;
    }
}
```

**Solution:**

One possible answer is  $T(n) = \frac{n^3}{3}$ . The inner loop performs approximately  $\frac{n^2}{3}$  iterations; the outer loop repeats that  $n$  times, and each inner iteration does a constant amount of work.

So the tight worst-case runtime is  $\mathcal{O}(n^3)$ .

The exact constant you get doesn't matter here, since we'll ignore the constant when we put it into  $\mathcal{O}$  notation anyway. For example, saying we do 3 operations per inner-loop iteration (checking the loop condition, updating  $j$ , and updating  $x$ ) and getting  $n^3$  instead of  $n^3/3$  is also completely reasonable.

(b)

```
int x = 0;
for (int i = n; i >= 0; i -= 1) {
    if (i % 3 == 0) {
        break;
    } else {
        x += n;
    }
}
```

**Solution:**

The tightest possible big- $\mathcal{O}$  bound is  $\mathcal{O}(1)$  because exactly one of  $n$ ,  $n - 1$ , or  $n - 2$  will be divisible by three for all possible values of  $n$ . So, the loop runs at most 3 times.

```
(c)
int x = 0;
for (int i = 0; i < n; i++) {
    if (i % 5 == 0) {
        for (int j = 0; j < n; j++) {
            if (i == j) {
                x += i * j;
            }
        }
    }
}
}
```

**Solution:**

While the inner-most if statement executes only once per loop, we must check if  $i == j$  is true once per each iteration. This will take some non-zero constant amount of time, so the inner-most loop will perform approximately  $n$  work (setting the constant factors equal to 1, is conventional, since constant factors can depend on things like system architecture, what else the computer is doing, the temperature of the room, etc.).

The outer-most loop and if statement will perform  $n$  work during only 1/5th of the iterations and will perform a constant amount of work the remaining 4/5ths of the time. So, the total amount work done is approximately  $\frac{n}{5} \cdot n + \frac{4n}{5} \cdot 1$ . If we simplify, this means we can ultimately model the runtime as approximately  $T(n) = \frac{n^2}{5} + \frac{4n}{5}$ .

Therefore, the tightest worst-case asymptotic runtime will be  $\mathcal{O}(n^2)$ .

```
(d)
int x = 0;
for (int i = 0; i < n; i++) {
    if (n < 100000) {
        for (int j = 0; j < n; j++) {
            x += 1;
        }
    } else {
        x += 1;
    }
}
}
```

**Solution:**

Recall that when computing the asymptotic complexity, we only care about the behavior for large inputs. Once  $n$  is large enough, we will only execute the second branch of the if statement, which means the runtime of the code can be modeled as just  $T(n) = n$ . So, the tightest worst-case runtime is  $\mathcal{O}(n)$ .

(e)

```

int x = 0;
if (n % 2 == 0) {
    for (int i = 0; i < n * n * n * n; i++) {
        x++;
    }
} else {
    for (int i = 0; i < n * n * n; i++) {
        x++;
    }
}

```

**Solution:**

We can model the runtime of this function in the **general** case as:

$$T_g(n) = \begin{cases} n^4 & \text{when } n \text{ is even} \\ n^3 & \text{when } n \text{ is odd} \end{cases}$$

Note that when we talk about worst-case analysis, the “cases” are different ways the code could run *even after* we know the value of  $n$ . For this piece of code, once we know  $n$ , there is only one way for the code to execute. So worst-case and best-case are identical for this function, it’s exactly  $T_g(n)$ .

Something interesting to note is that the model has differing tight big- $\mathcal{O}$  and tight big- $\Omega$  bounds and so therefore has no big- $\Theta$  bound.

That is, the best big- $\mathcal{O}$  bound we can give for  $T_g(n)$  is  $T_g(n) \in \mathcal{O}(n^4)$ ; the best big- $\Omega$  bound we can give is  $T_g(n) \in \Omega(n^3)$ . These two bounds ( $n^4$  and  $n^3$ ) are different so there is no big- $\Theta$  for  $T_g$ .

## 5. Applying definitions

For each of the following, choose a  $c$  and  $n_0$  which show  $f(n) \in \mathcal{O}(g(n))$ . Explain why your values of  $c$  and  $n_0$  work.

**Solution:**

These solutions are divided into “scratch work” which is algebra you have to do before you start writing the proof and the “proof” itself. The scratch work technically doesn’t belong in a final answer, but the proofs are difficult to understand without them.

For these, the proof will just be the scratch work algebra, possibly done in a different order, with some connecting words.

(a)  $f(n) = 3n + 4, g(n) = 5n^2$

**Solution:**

**scratch work:** Our goal is to bound  $f$  by a function with  $n^2$  terms so comparing to  $g$  is easier.

$$\begin{aligned} 3n &\leq 3n^2 = \frac{3}{5} \cdot 5n^2 && \text{if } n \geq 1 \\ 4 &\leq 4n^2 = \frac{4}{5} \cdot 5n^2 && \text{if } n \geq 1 \end{aligned}$$

We add together the inequalities to get:

$$f(n) = 3n + 4 \leq \left(\frac{3}{5} + \frac{4}{5}\right) 5n^2 = \frac{7}{5}g(n)$$

**proof:** One possible solution is  $c = \frac{7}{5}$  and  $n_0 = 1$ .

We note that  $3n \leq 3n^2$  and  $4 \leq 4n^2$  as long as  $n \geq n_0$ . Adding these two inequalities, we have  $f(n) = 3n + 4 \leq 7n^2 = \frac{7}{5}g(n)$  is true for all  $n \geq 1$ .

Therefore, we know that  $3n + 4 \leq c \cdot 5n^2$  is true for our chosen values of  $c$  and for all  $n \geq n_0$ .

(b)  $f(n) = 33n^3 + \sqrt{n} - 6, g(n) = 17n^4$

**Solution:**

**scratch work:** Since  $g$ 's dominating term is  $n^4$ , we will try to bound  $f$  by a function with only  $n^4$  terms. Going term by term of  $f$ :

$33n^3 \leq 33n^4$  as long as multiplying by  $n$  increases the function (i.e. as long as  $n \geq 1$ ).

$\sqrt{n} \leq n^4$  as long as  $n \geq 1$ .

$-6 \leq 0n^4$  (always).

Combining these we want to get:  $33n^3 + \sqrt{n} - 6 \leq 33n^4 + n^4 \leq 34n^4 \leq c \cdot 17n^4$   $c$  being 2 is enough.

**proof:** One possible solution is  $c = 2$  and  $n_0 = 1$ .

We note that  $33n^3 \leq 33n^4$ ,  $\sqrt{n} \leq n^4$ , and  $-6 \leq 0n^4$  all hold for  $n \geq n_0 = 1$ .

Next, note that  $34n^4 \leq c \cdot 17n^4$  is true for all values of  $n$  and when  $c = 2$ .

Therefore, we know that  $33n^3 + \sqrt{n} - 6 \leq c \cdot 17n^4$  is true for our chosen value of  $c$  and for all  $n \geq n_0$ .

(c)  $f(n) = 17 \log(n), g(n) = 32n + 2n \log(n)$

**Solution:**

**scratch work:** There are a lot of ways to do this one. Normally we would compare to the highest order term in  $g$ , but because the constant is larger on the  $n$  term, it will be easier to compare to that.

$17 \log(n) \leq 17n$  as long as  $\log(n) < n$ .  $\log(n) < n$  whenever  $n > 2$ . Then we can compare immediately to  $g$ :  $17 \log(n) \leq 17n \leq 32n \leq 32n + 2n \log(n) \leq c(32n + 2n \log(n))$  where it's good enough to set  $c$  to 1

**proof:** One possible solution is  $c = 1$  and  $n_0 = 2$ .

We can convince ourselves this is true by examining our inequalities:  $17 \log(n) \leq 17n \leq 1 \cdot 32n$  for  $n \geq n_0$ . Since  $2n \log(n)$  is always positive, we have So, since  $17 \log(n) \leq c \cdot (32 + 2n \log(n))$  is true for our chosen values of  $c$  and  $n_0$ , we know that  $f(n) \in \mathcal{O}(2n \log(n))$ .

## 6. Using our definitions

Most of the time in the real world, we don't write formal big- $\mathcal{O}$  proofs. The point of having these definitions is not to use them every single time we think about big- $\mathcal{O}$ . Instead, we use the formal definitions when a question is particularly tricky, or we want to make a very general statement.

Here are some particularly tricky or general statements that are easier to justify with the formal definitions than with just your intuition.

- (a) We almost never say a function is  $\mathcal{O}(5n)$ , we always say it is  $\mathcal{O}(n)$  instead. Show that this transformation is ok, i.e. that if  $f(n)$  is  $\mathcal{O}(5n)$  then it is  $\mathcal{O}(n)$  as well.

**Solution:**

Let  $f(n)$  be the running time of the function. Since  $f(n)$  is  $\mathcal{O}(5n)$ , there exist positive constants  $c, n_0$  such that  $f(n) \leq c \cdot 5n$  for all  $n \geq n_0$ . We need to find positive constants  $c', n'_0$  such that  $f(n) \leq c' \cdot n$  for all  $n \geq n'_0$ . If we look at the inequality we have, it seems like a good idea to take  $c' = 5c$  and  $n'_0 = n_0$ . Then plugging in we have:  $f(n) \leq c \cdot 5n = c' \cdot n$  for all  $n \geq n_0 = n'_0$ , which is what we needed to show  $f(n)$  is  $\mathcal{O}(n)$ .

- (b) When we decide on the big- $\mathcal{O}$  running time of a function, we like to say that whatever happens on small  $n$  doesn't matter. Let's see why with an actual proof. You write two functions to solve the same problem: method1 and method2. method1 takes  $\mathcal{O}(n^2)$  time and method2 takes  $\mathcal{O}(n)$  time. What is the big- $\mathcal{O}$  running time of the following function:

```
public void combined(n){
    if(n < 10000)
        method1(n);
    else
        method2(n);
}
```

**Solution:**

Let's denote the number of operations needed to run method2 by  $g(n)$ . What does it mean that method2 runs in  $\mathcal{O}(n)$  time? It means that there exist numbers  $c, n_0$  such that for all  $n \geq n_0$ ,  $g(n) \leq cn$ . Let's try to argue about combined. When  $n \geq 10000$  how many operations does it do? Something like  $2 + g(n)$ . But we already know that  $g(n) \leq cn$  whenever  $n \geq n_0$ . Now let's try to find a  $c', n'_0$  for combined.

If  $n < 10000$  we won't be using method2, so we want to take  $n \geq 10,000$ . We also want to take  $n \geq n_0$ , so that we will be able to bound  $g(n)$ . So set  $n'_0 = \max\{10000, n_0\}$ .

For  $n \geq n'_0$ , the number of operations is  $2 + g(n)$ . We have  $2 + g(n) \leq 2g(n) \leq 2cn$  for all  $n \geq n'_0$ . So if we take  $c' = 2c$ , we have exactly the definition of  $\mathcal{O}(n)$ , so the running time of combined is  $\mathcal{O}(n)$ .

## 7. Memory analysis

For each of the following functions, construct a mathematical function modeling the amount of memory used by the algorithm in terms of  $n$ . Then, give a **tight** big- $\mathcal{O}$  bound of your model.

- (a)
- ```
List<Integer> list = new LinkedList<Integer>();
for (int i = 0; i < n * n; i++) {
    list.insert(i);
}
Iterator<Integer> it = list.iterator();
while (it.hasNext()) {
    System.out.println(it.next());
}
```

**Solution:**

We insert  $n^2$  items into our linked list. Each inserted item will create a new node, which uses up a constant amount of memory. The iterator itself will only *view* the underlying data, without making a copy.

So, the overall memory usage can be modeled as:

$$M(n) = \sum_{i=0}^{n^2-1} c$$

...where  $c$  is the amount of memory used per each node.

This is in  $\mathcal{O}(n^2)$ .



(b) 

```
int[] arr = {0, 0, 0};
for (int i = 0; i < n; i++) {
    arr[0]++;
}
```

**Solution:**

While we iterate  $n$  times, this algorithm only uses up a constant amount of memory. So, the overall memory usage can be modeled as roughly  $M(n) = 3c$ , where  $c$  is the amount of memory used by each int in the array.

This is in  $\mathcal{O}(1)$ .

```
(c)
ArrayDictionary<Integer, String> dict = new ArrayDictionary<>();
for (int i = 0; i < n; i++) {
    String curr = "";
    for (int j = 0; j < i; j++) {
        for (int k = 0; k < j; k++) {
            curr += "?";
        }
    }
    dict.put(i, curr);
}
```

**Note 1:** For simplicity, assume the dictionary has an internal capacity of exactly  $n$ .

**Note 2:** The amount of memory used by a *single* character ( $c$ ) and the amount of memory used by a single int ( $x$ ) are both constant.

**Note 3:** An ArrayDictionary stores its key-value pairs contiguously, and performs scans through (potentially) the entire data structure when performing an insert() or a find().

**Solution:**

This problem is best solved intuitively first, then rigorously after we know what to look for.

We know that the loops run (from outer-most to inner-most) from  $i = 0, n$ ,  $j = 0, i$ , and  $k = 0, j$ . If we consider just  $i$  and  $j$ , we can imagine a sort of “triangle” of values, where  $i$  always iterates to  $n$  overall but  $j$  iterates to 0, then 1, then 2, on and on until  $j$  iterates to  $n$ . This approximates to  $M(n) = \frac{1}{2}n^2$ , but because we don’t care about constants so much, this really approximates  $\mathcal{O}(n^2)$ . The same logic follows if we include  $k$ , such that overall, this section of code approximates  $\mathcal{O}(n^3)$ . Now that we know what to expect, the rigorous derivation comes next.

Note that the two nested loops ultimately construct a string of length  $\sum_{j=0}^{i-1} \sum_{k=0}^{j-1} c$ , where  $c$  is the amount of memory used per character.

The code will then insert each string along with the int into the internal array. If we let  $x$  represent the amount of memory used per int, we can model the overall memory usage as:

$$M(n) = \sum_{i=0}^{n-1} \left( x + \sum_{j=0}^{i-1} \sum_{k=0}^{j-1} c \right)$$

If we apply summation rules, we can simplify this into:

$$\begin{aligned} \sum_i i = 0^{n-1} \left( x + \sum_{j=0}^{i-1} \sum_{k=0}^{j-1} c \right) &= \sum_{i=0}^{n-1} \left( x + c \sum_{j=0}^{i-1} j \right) \\ &= \sum_{i=0}^{n-1} \left( x + c \frac{i(i-1)}{2} \right) \\ &= xn + c \frac{1}{6} (n-2)(n-1)n \end{aligned}$$

This is in  $\mathcal{O}(n^3)$ .

## 8. Case and Asymptotic Analysis

- (a) What is the BEST case runtime of the following code? What is the case in which it happens?

```
void foo(int n) {
    int result = 0;
    if (n % 2 == 0) {
        for (int i = 0; i < n; i++) {
            for (int j = 0; j < i; j++) {
                result++;
            }
        }
    } else {
        for (int i = 1; i < n; i*=2) {
            result++;
        }
    }
    return result;
}
```

**Solution:**

There are no cases in this problem. Recall that a case is a input state with a specific condition other than the input size  $n$ . There is only one case in this code since there isn't anything else that affects its runtime other than in the input size  $n$ .

- (b) What is the Big-Theta runtime of the code above? (Hint: What are the Big-O and Big-Omega runtimes?)

**Solution:**

There is no Big- $\Theta$  runtime for the code above, because its tight Big-O and Big- $\Omega$  runtimes are not the same. The runtime function is upper bounded by  $\mathcal{O}(n^2)$  but lower bounded by  $\Omega(\log(n))$ . Since both of these bounds are tight but different, Big- $\Theta$  doesn't exist.

(c) What is the WORST case runtime for the following function? In what case?

```
public class ArrayIntList {
    private int size;
    private int arr;

    public void foo(int val) {
        size++;
        if (size >= arr.length) {
            temp = new int[arr.length * 2];
            for (int i = 0; i < size; i++) {
                temp[i] = arr[i];
            }
            temp[size] = val;
            this.arr = temp;
        } else {
            arr[size] = val;
        }
    }
}
```

**Solution:**

The worst case runtime occurs when the size is currently the length of the internal array, in which case a resize happens. In this case, the runtime is  $\Theta(n)$ .

(d) What is the WORST case Big-O runtime? Give only the TIGHTEST Big-O bound possible.

```
// assume 0 <= n < arr.length
int foo(int n, int[] arr) {
    if (n < 1000) {
        for (int i = 0; i < n * n; i += 4) {
            arr[i] = n;
        }
    } else if (n > 50000) {
        arr[n] = 65;
    } else {
        int x = 1000000
        while (x > 50) {
            x /= 2;
        }
    }
    return arr[n];
}
```

**Solution:**

Remember that you use bounds for *asymptotic analysis*. That means we only care about different cases when it's possible to have different cases AS  $n$  goes to infinity. In this case, only the middle branch will be called as  $n$  goes to infinity. So in other words, the worst case is the same as every other case, as there is only one case in total.

The middle branch runs in constant time, meaning the answer is

$\mathcal{O}(1)$

(e) What is the BEST case runtime for this problem? What is the WORST case?

```
// n == arr.length
boolean find(int[] arr, int n, int k) {
    for(int i=0; i < n; ++i)
        if(arr[i] == k) return true;
    return false;
}
```

**Solution:**

The best case runtime is  $\mathcal{O}(1)$  and the worst case runtime is  $\mathcal{O}(n)$