

CSE 373: Graphs

(Shortest Paths, Minimum Spanning Trees)

Chapter 9



Weighted Shortest Paths



- Breadth-first search is no longer sufficient:



- New strategy?

Dijkstra's Algorithm

Dijkstra's Algorithm:

- Classic algorithm for solving shortest path problems for weighted graphs
- A *greedy* algorithm (makes decisions without thinking about the future consequences)
- Intuition:
  - shortest path from source vertex to itself is 0
  - cost of going to its adjacent nodes equals edge weights
  - cheapest edge weight is shortest path to that node
  - continue recursively picking cheapest reachable node

Implementing Dijkstra's Algorithm



More precisely:

- keep track of the cost of the shortest path found so far from s to each vertex…
  - initialize this cost to ∞ for all vertices
  - except s for which it is initialized to 0
- take the vertex with the shortest path found so far, v, and mark it as "done"
- for each node w adjacent to v, consider whether moving to w after taking the short path from s to v would be better than the best seen so far
- repeat until all vertices are "done"

Dijkstra's Algorithm: Example



Running Time?

done	A	B	C	D	E	F	G	H

Minimum Spanning Trees

spanning tree: a subset of edges from a connected graph that…

…touch all vertices (*span* the graph)

…form a tree (are connected and form no cycles)



minimum spanning tree: the spanning tree with the smallest total cost

Prim's Algorithm

Prim's Algorithm: (another greedy algorithm)

- a way of finding minimum spanning trees:
  - start with an arbitrary vertex
  - pick the smallest edge adjacent to this vertex
  - continue picking the smallest edge that connects a new vertex to a vertex that's already been linked in



Prim's Algorithm Implementation

More precisely:

- for each vertex, keep track of the cheapest edge that could attach it to the growing tree
  - initialize all nodes to ∞
- pick an arbitrary vertex as the initial tree
  - mark its cost as 0
- update its adjacent vertices' cheapest edge cost
- pick the cheapest edge that attaches a new vertex
- see if any of its edges improve the cheapest edges of its adjacent vertices

Prim's Algorithm Example



done
A
B
C
D
E
F
G
H

Kruskal's Algorithm

Kruskal's Algorithm:

- Another way to find minimum spanning trees
- Another greedy algorithm:
  - continually add the cheapest edge that would not cause a cycle to form



Implementing Kruskal's Algorithm

- How to pick shortest edges?

- How to ensure an edge won't cause a cycle?
  - use a union/find algorithm (described in Chapter 8, which we skipped…)

Graph Summary

- More theoretical than much of what we've studied
- Yet, plenty of practical applications:
  - cheapest flights from one place to another (*shortest path problem*)
  - length of wire required to connect several terminals (*minimum spanning tree problem*)
  - fastest communication path between two computers (*shortest path problem*)