

---

## CSE 374 Programming Concepts & Tools

Laura Campbell  
(thanks to Hal Perkins)  
Winter 2014  
Lecture 2a – A Unix Command Sampler  
(Courtesy of David Notkin, CSE 303)

---

## Command line arguments

---

- Most options are given after the command name using a dash followed by a letter: `-c`, `-h`, `-S`, ...
- Some options are longer words preceded by two dashes:  
`--count`, `--help`
- Parameters can be combined: `ls -l -a -r` can be `ls -lar`
- Many programs accept a `-help` parameter; others provide help if run with no arguments
- Many commands accept a file name parameter: if it is omitted, the program will read from standard input

2

## Directory commands

---

command	description
<code>ls</code>	list files in a directory
<code>pwd</code>	output the current working directory
<code>cd</code>	change the working directory
<code>mkdir</code>	create a new directory
<code>rmdir</code>	delete a directory (must be empty)

3

## Relative naming

---

directory	description
<code>.</code>	the directory you are in ("working directory")
<code>..</code>	the parent of the working directory ( <code>./..</code> is grandparent, etc.)
<code>~</code>	your home directory (on many systems, this is <code>/home/username</code> )
<code>~username</code>	<code>username</code> 's home directory
<code>~/Desktop</code>	your desktop (assumes this directory exists)

4

## Shell/system commands

---

command	description
<code>man</code> or <code>info</code>	get help on a command
<code>apropos (man -k)</code>	search for commands by keyword
<code>clear</code>	clears out the output from the console
<code>exit</code>	exits and logs out of the shell

command	description
<code>date</code>	output the system date/time
<code>cal</code>	output a text calendar
<code>uname</code>	print information about the current system

- "man pages" are a very important way to learn new commands

5

## File commands

---

command	description
<code>cp</code>	copy a file
<code>mv</code>	move or rename a file
<code>rm</code>	delete a file
<code>touch</code>	update a file's last-modified time stamp (or create a new empty file)

- **CAUTION:** the above commands do not prompt for confirmation, so it's easy to overwrite/delete a file
- This setting can be overridden (how?)

6

## File examination

command	description
<b>cat</b>	output a file's contents on the console
<b>more, less</b>	output a file's contents, one page at a time
<b>head, tail</b>	output the first or last few lines of a file
<b>wc</b>	count words, characters, and lines in a file
<b>du</b>	report disk space used by a file(s)
<b>diff</b>	compare two files and report differences

- Suppose you are writing a paper, and the teacher says it can be anything as long as it is at least 200 words long and mentions chocolate...

7

## Searching and sorting

command	description
<b>grep</b>	search a file for a given string
<b>sort</b>	convert an input into a sorted output by lines
<b>uniq</b>	strip duplicate lines
<b>find</b>	search for files within a given directory
<b>locate</b>	search for files on the entire system
<b>which</b>	shows the complete path of a command

- **grep** is a very powerful search tool; more later...
- **Exercise** : Given a text file `students.txt`, display the students arranged by the reverse alphabetical order of their last names.
  - Can we display them sorted by first name?

8

## Keyboard shortcuts

<sup>^</sup>KEY means hold Ctrl and press KEY

key	description
Up arrow	repeat previous commands
Home/End or ^A/^E	move to start/end of current line
"	quotes surround multi-word arguments and arguments containing special characters
*	"wildcard", matches any files; can be used as a prefix, suffix, or partial name
Tab	auto-completes a partially typed file/command name
^C or ^\	terminates the currently running process
^D	end of input; used when a program is reading input from your keyboard and you are finished typing
^Z	suspends (pauses) the currently running process
^S	don't use this; hides all output until ^G is pressed

9

## File system

directory	description
/	root directory that contains all others (drives do not have letters in Unix)
/bin	programs
/dev	hardware devices
/etc	system configuration files <ul style="list-style-type: none"> <li>▪ /etc/passwd stores user info</li> <li>▪ /etc/shadow stores passwords</li> </ul>
/home	users' home directories
/media, /mnt, ...	drives and removable disks that have been "mounted" for use on this computer
/proc	currently running processes (programs)
/tmp, /var	temporary files
/usr	user-installed programs

10

## Process commands

command	description
<b>ps</b>	list processes being run by a user; each process has a unique integer id (PID)
<b>top</b>	show which processes are using CPU/memory; also shows stats about the computer <i>Keeps executing until killed!</i>
<b>kill</b>	terminate a process by PID
<b>killall</b>	terminate processes by name

- use **kill** or **killall** to stop a runaway process (infinite loop)
- similar to ^C hotkey

11

## Background processes

command	description
<b>&amp;</b>	(special character) when placed at the end of a command, runs that command in the background
<b>^Z</b>	(hotkey) suspends the currently running process
<b>fg</b> <b>bg</b>	resumes the currently suspended process in either the foreground or background

- You would like some processes to continue while you are doing other things – maybe your editor, maybe a browser, etc.
- You can do this by running some processes "in the background", so the shell doesn't have to wait until those processes finish; for example:
 

```
$ emacs &
```

  - If you forget to use **&**, suspend your process with **^Z**, then run **bg**

12