
378: Machine Organization and Assembly Language

Autumn 2008



Ruth Anderson

Slides adapted from: Larry Snyder, Luis Ceze, (Josep Torrellas, Craig 1 Zilles, and Howard Huang)

What is computer architecture about?

- Computer architecture is the study of building computer systems.
- · CSE378 is roughly split into three parts.
 - The first third discusses instruction set architectures—the bridge between hardware and software.
 - Next, we introduce more advanced processor implementations. The focus is on pipelining, which is one of the most important ways to improve performance.
 - Finally, we talk about memory systems, I/O, and how to connect it all together.

2

Why should you care?

- It is interesting.
 - You will learn how a processor actually works!
- It will help you be a better programmer.
 - Understanding how your program is translated to assembly code lets you reason about correctness and performance.
 - $-\,$ Demystify the seemingly arbitrary (e.g., bus errors, segmentation faults)
- Many cool jobs require an understanding of computer architecture.
 - The cutting edge is often pushing computers to their limits.
 - Supercomputing, games, portable devices, etc.
- Computer architecture illustrates many fundamental ideas in computer science
 - Abstraction, caching, and indirection are CS staples

3

CSE 370 vs. CSE 378

- This class expands upon the computer architecture material from the last few weeks of CSE370, and we rely on many other ideas from CS370.
 - Understanding binary, hexadecimal and two's-complement numbers is still important.
 - Devices like multiplexers, registers and ALUs appear frequently. You should know what they do, but not necessarily how they work.
 Finite state machines and sequential circuits will appear again.
- We do not spend time with logic design topics like Karnaugh maps, Boolean algebra, latches and flip-flops.



4

Who we are

Instructor:

Ruth Anderson, rea@cs, Office: CSE 360

Teaching Assistants:


Jacob Nelson nelson@cs
Allan Carroll allanca@cs
Guy Bordelon bordelon@cs


5


Administrivia


- The textbook provides the most comprehensive coverage
 - Computer Organization and Design, Patterson and Hennessy, 3rd
- Lectures will present course material
- Sections will clarify course material and homeworks
- Grading:
 - lab assignments: 30%
 - homeworks: 20%midterm: 20%
 - final: 25%
 - participation: 5%
- Getting in touch with us: cse378-tas@cs
- Course webpage:


http://www.cs.washington.edu/education/courses/378/08au/ 6














What you will need to learn soon

You must become "fluent" in MIPS assembly:

Example problem: Write a recursive function

- Translate from C to MIPS and MIPS to C

Here is a function pow that takes two arguments (n and m, both 32-bit numbers) and returns n^m (i.e., n raised to the m^{th} power).

```
int
pow(int n, int m) {
    if (m == 1)
        return n;
    return n * pow(n, m-1);
}
```

Translate this into a MIPS assembly language function.

13

MIPS: register-to-register, three address


- MIPS is a register-to-register, or load/store, architecture.
 - The destination and sources must all be registers.
 - Special instructions, which we'll see soon, are needed to access main memory.
- MIPS uses three-address instructions for data manipulation.
 - Each ALU instruction contains a destination and two sources.
 - For example, an addition instruction (a = b + c) has the form:



14

MIPS register file

- MIPS processors have 32 registers, each of which holds a 32-bit value.
 - Register addresses are 5 bits long.
 - The data inputs and outputs are 32-bits wide.
- More registers might seem better, but there is a limit to the goodness.
- It's more expensive, because of both the registers themselves as well as the decoders and muxes needed to select individual registers.
- Instruction lengths may be affected, as we'll see in the future.



15

MIPS register names

- MIPS register names begin with a \$. There are two naming conventions:
 - By number:

\$0 \$1 \$2 ... \$31

- By (mostly) two-character names, such as:

- Not all of the registers are equivalent:
 - E.g., register \$0 or \$zero always contains the value 0
 - (go ahead, try to change it)
- Other registers have special uses, by convention:
 - E.g., register \$sp is used to hold the "stack pointer"
- You have to be a little careful in picking registers for your programs.

16

Basic arithmetic and logic operations

The basic integer arithmetic operations include the following:

And here are a few logical operations:

• Remember that these all require three register operands; for example:

17

Larger expressions

 More complex arithmetic expressions may require multiple operations at the instruction and level

$$t0 = (t1 + t2) \times (t3 - t4)$$

add \$t0, \$t1, \$t2 # \$t0 contains \$t1 + \$t2 sub \$s0, \$t3, \$t4 # Temporary value \$s0 = \$t3 - \$t4 mul \$t0, \$t0, \$s0 # \$t0 contains the final product

- Temporary registers may be necessary, since each MIPS instructions can access only two source registers and one destination.
 - In this example, we could re-use \$t3 instead of introducing \$s0.
 - But be careful not to modify registers that are needed again later.

18

Immediate operands

- The ALU instructions we've seen so far expect register operands. How do you get data into registers in the first place?
 - Some MIPS instructions allow you to specify a signed constant, or "immediate" value, for the second source instead of a register. For example, here is the immediate add instruction, addi:

addi \$t0, \$t1, 4

 Immediate operands can be used in conjunction with the \$zero register to write constants into registers:

> addi \$t0, \$0, 4 # \$t0 = 4

 MIPS is still considered a load/store architecture, because arithmetic operands cannot be from arbitrary memory locations. They must either be registers or constants that are embedded in the instruction.

19

We need more space!

- Registers are fast and convenient, but we have only 32 of them, and each one is just 32-bits wide.
 - That's not enough to hold data structures like large arrays.
 - We also can't access data elements that are wider than 32 bits.
- We need to add some main memory to the system!
 - $-\,$ RAM is cheaper and denser than registers, so we can add lots of it.
 - But memory is also significantly slower, so registers should be used whenever possible.
- In the past, using registers wisely was the programmer's job.
 - For example, C has a keyword "register" that marks commonly-used variables which should be kept in the register file if possible.
 - However, modern compilers do a pretty good job of using registers intelligently and minimizing RAM accesses.

20

How to Succeed in CSE 378

- Remember the big picture.
- What are we trying to accomplish, and why?
- Read the textbook.
 - It's clear, well-organized, and well-written. The diagrams can be complex, but are worth studying. Work through the examples and try some exercises on your own. Read the "Real Stuff" and "Historical Perspective" sections.

Talk to each other.
You can learn a lot from other CSE378 students, both by asking and answering questions. Find some good partners for the homeworks/labs (but make sure you all understand what's going on).

Help us help you.

Come to lectures, sections and office hours. Send email or post on the mailing list/Wiki. Ask lots of questions! Check out the web page.

21