

# CSE 390a Lecture 5

Intro to shell scripting

slides created by Marty Stepp, modified by Jessica Miller & Ruth Anderson  
<http://www.cs.washington.edu/390a/>

## Lecture summary

- basic script syntax and running scripts
- shell variables and types
- control statements: the for loop

## Shell scripts

- **script**: A short program meant to perform a targeted task.
  - a series of commands combined into one executable file
- **shell script**: A script that is executed by a command-line shell.
  - bash (like most shells) has syntax for writing script programs
  - if your script becomes > ~100-150 lines, switch to a real language
- To write a bash script (in brief):
  - type one or more commands into a file; save it
  - type a special header in the file to identify it as a script (next slide)
  - enable execute permission on the file
  - run it!

## Basic script syntax

- **#!/interpreter**
  - written as the first line of an executable script; causes a file to be treated as a script to be run by the given interpreter
    - (we will use /bin/bash as our interpreter)
- Example: A script that removes some files and then lists all files:
 

```
#!/bin/bash
rm output*.txt
ls -l
```

## Running a shell script

- by making it executable (most common; recommended):
 

```
chmod +x myscript.sh
./myscript.sh
```
- by launching a new shell:
 

```
bash myscript.sh
```
- by running it within the current shell:
 

```
source myscript.sh
```

  - advantage: any variables defined by the script remain in this shell (seen later)

## echo

command	description
echo	produces its parameter(s) as output (the <code>println</code> of shell scripting) -n flag to remove newline ( <code>print</code> vs <code>println</code> )

- Example: A script that prints your home directory.
 

```
#!/bin/bash
echo "This is my amazing script!"
echo "Your home dir is: `pwd`"
```
- **Exercise**: Write a script that when run on `attu` does the following:
  - clears the screen
  - displays the date/time: Today's date is Tue Apr 24 10:44:18 PDT 2012
  - shows me an ASCII cow welcoming my user name

## Script example

```
#!/bin/bash
clear
echo "Today's date is `date`"
echo
~stepp/cowsay `whoami`

echo "These users are currently connected:"
w -h | sort
echo

echo "This is `uname -s` on a `uname -m` processor."
echo

echo "This is the uptime information:"
uptime
echo
echo "That's all folks!"
```

## Comments

### # *comment text*

- bash has only single-line comments; there is no /\* ... \*/ equivalent

### • Example:

```
#!/bin/bash
# Leonard's first script ever
# by Leonard Linux
echo "This is my amazing script!"
echo "The time is: `date`"

# This is the part where I print my home directory
echo "Home dir is: `pwd`"
```

## Shell variables

- ***name=value*** *(declaration)*
  - must be written **EXACTLY** as shown; no spaces allowed
  - often given all-uppercase names by convention
  - once set, the variable is in scope until unset (within the current shell)

```
NUMFRIENDS=2445
NAME="Guess who"
```

- ***\$name*** *(usage)*

```
echo "$NAME has $NUMFRIENDS FB friends"
Guess who has 2445 FB friends
```

## Common errors

- if you misspell a variable's name, a new variable is created

```
NAME=Ruth
...
Name=Rob           # oops; meant to change NAME
```

- if you use an undeclared variable, an empty value is used

```
echo "Welcome, $name" # Welcome,
```

- when storing a multi-word string, must use quotes

```
NAME=Ruth Anderson # $NAME is Ruth
NAME="Ruth Anderson" # $NAME is Ruth Anderson
```

## More Errors...

- Using \$ during assignment or reassignment

```
mystring="Hi there" # error

mystring2="Hello"
...
mystring2="Goodbye" # error
```

- Forgetting echo to display a variable

```
$name
echo $name
```

## Capture command output

***variable= `command`***

- captures the output of ***command*** into the given variable

- Example:

```
FILE=`ls -l *.txt | sort | tail -1`
echo "Your last text file is: $FILE"
```

- What if we leave off the last backtick?
- What if we use quotes instead?

## Types and integers

- most variables are stored as strings
  - operations on variables are done as string operations, not numeric
- to instead perform integer operations:
 

```
x=42
y=15
let z="$x + $y"      # 57
```
- integer operators: + - \* / %
  - bc command can do more complex expressions
- if a non-numeric variable is used in numeric context, you'll get 0

## Bash vs. Java

Java	Bash
String s = "hello";	s=hello
System.out.println("s");	echo s
System.out.println(s);	echo \$s
s = s + "s"; // "hellos"	s=\${s}s
String s2 = "25";	s2=25
String s3 = "42";	s3=42
String s4 = s2 + s3; // "2542"	s4=\$s2\$s3
int n = Integer.parseInt(s2)	let n="\$s2 + \$s3"
+ Integer.parseInt(s3); // 67	

- x=3
- x vs. \$x vs. "\$x" vs. '\$x' vs. \"\$x\" vs. '\$x\'

## Special variables

variable	description
\$DISPLAY	where to display graphical X-windows output
\$HOSTNAME	name of computer you are using
\$HOME	your home directory
\$PATH	list of directories holding commands to execute
\$PS1	the shell's command prompt string
\$PWD	your current directory
\$SHELL	full path to your shell program
\$USER	your user name

- these are automatically defined for you in every bash session
- Exercise: Change your at tu prompt to look like this:
 

```
jimmy@mylaptop: $
```

  - See man bash for more details on setting your prompt

## \$PATH

- When you run a command, the shell looks for that program in all the directories defined in \$PATH
- Useful to add commonly used programs to the \$PATH
- Exercise: modify the \$PATH so that we can directly run our shell script from anywhere
  - echo \$PATH
  - PATH=\$PATH:/homes/iws/rea
- What happens if we clear the \$PATH variable?

## set, unset, and export

shell command	description
set	sets the value of a variable (not usually needed; can just use x=3 syntax)
unset	deletes a variable and its value
export	sets a variable and makes it visible to any programs launched by this shell
readonly	sets a variable to be read-only (so that programs launched by this shell cannot change its value)

- typing set or export with no parameters lists all variables
- Exercise: set a local variable, and launch a new bash shell
  - Can the new shell see the variable?
  - Now go back and export. Result?

## Console I/O

shell command	description
read	reads value from console and stores it into a variable
echo	prints output to console
printf	prints complex formatted output to console

- variables read from console are stored as strings
- Example:
 

```
#!/bin/bash
read -p "What is your name? " name
read -p "How old are you? " age
printf "%10s is %4s years old" $name $age
```

## Command-line arguments

variable	description
\$0	name of this script
\$1, \$2, \$3, ...	command-line arguments
\$#	number of arguments
\$@	array of all arguments

- Example.sh:
 

```
#!/bin/bash
echo "Name of script is $0"
echo "Command line argument 1 is $1"
echo "there are $# command line arguments: $@"
```
- Example.sh argument1 argument2 argument3

19

## for loops

```
for name in value1 value2 ... valueN; do
  commands
done
```

- Note the semi-colon after the values!
- the pattern after in can be:
  - a hard-coded set of values you write in the script
  - a set of file names produced as output from some command
  - command line arguments: \$@
- *Exercise:* create a script that loops over every .txt file in the directory, renaming the file to .txt2
 

```
for file in *.txt; do
  mv $file ${file}2
done
```

20

## Exercise

- Write a script createhw.sh that creates directories named hw1, hw2, ... up to a maximum passed as a command-line argument.

```
$ ./createhw.sh 8
```

- Copy criteria.txt into each assignment *i* as criteria(2\*i).txt
- Copy script.sh into each, and run it.
  - output: Script running on hw3 with criteria6.txt ...
- The following command may be helpful:

command	description
seq	outputs a sequence of numbers

21

## Exercise solution

```
#!/bin/bash
# Creates directories for a given number of assignments.

for num in `seq $1`; do
  let CNUM="2 * $num"
  mkdir "hw$num"
  cp script.sh "hw$num/"
  cp criteria.txt "hw$num/criteria$CNUM.txt"
  echo "Created hw$num."
  cd "hw$num/"
  bash ./script.sh
  cd ..
done
```

22