

CSE 390Z: Mathematics for Computation Workshop

Week 7 Workshop

0. Structural Induction: Divisible by 4

Define a set \mathfrak{B} of numbers by:

- 4 and 12 are in \mathfrak{B}
- If $x \in \mathfrak{B}$ and $y \in \mathfrak{B}$, then $x + y \in \mathfrak{B}$ and $x - y \in \mathfrak{B}$

Prove by induction that every number in \mathfrak{B} is divisible by 4.

Complete the proof below:

Let $P(n)$ be defined as _____. We will prove $P(n)$ is true for all _____ by structural induction.

Base Cases:

So the base cases holds.

Inductive Hypothesis: Suppose _____.

Inductive Step:

Goal: Show _____.

Conclusion: So by induction, $P(n)$ is true for all _____.

1. Structural Induction: a's and b's

Define a set \mathcal{S} of character strings over the alphabet $\{a, b\}$ by:

- a and ab are in \mathcal{S}
- If $x \in \mathcal{S}$ and $y \in \mathcal{S}$, then $axb \in \mathcal{S}$ and $xy \in \mathcal{S}$

Prove by induction that every string in \mathcal{S} has at least as many a 's as it does b 's.

2. Structural Induction: CharTrees

Recursive Definition of CharTrees:

- Basis Step: Null is a **CharTree**
- Recursive Step: If L, R are **CharTrees** and $c \in \Sigma$, then $\text{CharTree}(L, c, R)$ is also a **CharTree**

Intuitively, a **CharTree** is a tree where the non-null nodes store a char data element.

Recursive functions on CharTrees:

- The preorder function returns the preorder traversal of all elements in a **CharTree**.

$$\begin{aligned}\text{preorder}(\text{Null}) &= \varepsilon \\ \text{preorder}(\text{CharTree}(L, c, R)) &= c \cdot \text{preorder}(L) \cdot \text{preorder}(R)\end{aligned}$$

- The postorder function returns the postorder traversal of all elements in a **CharTree**.

$$\begin{aligned}\text{postorder}(\text{Null}) &= \varepsilon \\ \text{postorder}(\text{CharTree}(L, c, R)) &= \text{postorder}(L) \cdot \text{postorder}(R) \cdot c\end{aligned}$$

- The mirror function produces the mirror image of a **CharTree**.

$$\begin{aligned}\text{mirror}(\text{Null}) &= \text{Null} \\ \text{mirror}(\text{CharTree}(L, c, R)) &= \text{CharTree}(\text{mirror}(R), c, \text{mirror}(L))\end{aligned}$$

- Finally, for all strings x , let the “reversal” of x (in symbols x^R) produce the string in reverse order.

Additional Facts:

You may use the following facts:


- For any strings x_1, \dots, x_k : $(x_1 \cdot \dots \cdot x_k)^R = x_k^R \cdot \dots \cdot x_1^R$
- For any character c , $c^R = c$

Statement to Prove:

Show that for every **CharTree** T , the reversal of the preorder traversal of T is the same as the postorder traversal of the mirror of T . In notation, you should prove that for every **CharTree**, T : $[\text{preorder}(T)]^R = \text{postorder}(\text{mirror}(T))$.

There is an example and space to work on the next page.

Example for Intuition:




Let T_i be the tree above.

$(T_i) = \text{"abcd"}$.

T_i is built as (null, a, U)

Where U is (V, b, W) ,

$V = (\text{null}, c, \text{null}), W = (\text{null}, d, \text{null})$.



This tree is (T_i) .

$((T_i)) = \text{"dcba"}$,

"dcba" is the reversal of "abcd" so

$[\text{preorder}(T_i)]^R = \text{postorder}(\text{mirror}(T_i))$ holds for T_i