CSE 390Z: Mathematics for Computation Workshop

Practice 311 Final

Name: _____

UW ID: _____

Instructions:

- This is a **simulated practice final**. You will **not** be graded on your performance on this exam.
- Nevertheless, please treat this as if it is a real exam. That means that you may not discuss with your neighbors, reference outside material, or use your devices during the next 60 minute period.
- If you get stuck on a problem, consider moving on and coming back later. In the actual exam, there will likely be opportunity for partial credit.
- There are 5 problems on this exam, totaling 100 points.

1. Language Representation (20 points)

Let the language L consist of all binary strings that do not contain 111.

(a) [5 points] Write a regular expression that represents L.

(b) [5 points] Write a CFG that generates all strings in L.

(c) [5 points] Draw a DFA that accepts exactly the strings in L.

(d) [5 points] Convert the following regular expression to a CFG:

 $10(0^* \cup 1^*)01$

2. Sets (20 points)

(a) [12 points] Prove using the Meta Theorem that for any sets A and B,

$$A \setminus \overline{B} = (A \cup \emptyset) \cap B$$

Hint 1: The empty set, \emptyset , is the set that contains no elements. i.e. $\emptyset ::= \{x : F\}$. Hint 2: If you get stuck, try working backwards!

Determine if the following claims are true or false. Then explain your reasoning in 1-3 sentences. You may include images or examples in your explanation. You do not need to give a formal proof or disproof.

(b) [4 points] For all sets $A, B: (A \cup B) \setminus (A \cap B) = (A \setminus B) \cup (B \setminus A)$.

(c) [4 points] For all sets $A, B: \mathcal{P}(A) \times \mathcal{P}(B) \subseteq \mathcal{P}(A \times B)$.

3. Induction I (20 points)

Let the function $f:\mathbb{N}\to\mathbb{N}$ be defined as follows:

 $\begin{array}{l} f(0)=2\\ f(1)=7\\ f(n)=f(n-1)+2f(n-2) \mbox{ for }n\geq 2\\ \mbox{Prove that }f(n)=3*2^n+(-1)^{n+1} \mbox{ for all integers }n\geq 0 \mbox{ using strong induction.} \end{array}$

4. Induction II (20 points)

Let the set S be recursively defined as follows: Basis: $(0,0) \in S$ Recursive Step: If $(x,y) \in S$, then $(x+2, y+4) \in S$ and $(x+4, y+8) \in S$.

Prove that for all $(x, y) \in S$, x + y is divisible by 3.

5. Irregularity (20 points) Prove that the language $L = \{10^x 10^{x+1}1 : x \ge 0\}$ is not regular.