

CSE 390Z: Mathematics for Computation Workshop

QuickCheck: 4. Number Theory Proof Solutions (due Tuesday, February 3)

Please submit a response to the following questions on Gradescope. We do not grade on accuracy, so please submit your best attempt. You may either typeset your responses or hand-write them. Note that hand-written solutions must be legible to be graded.

We have created [this template](#) if you choose to typeset with Latex. [This guide](#) has specific information about scanning and uploading pdf files to Gradescope.

0. Mod Madness

Write an English proof of the following statement:

For integers a, b, m, n with $m, n > 1$, if $n \mid m$ and $a \equiv_m b$, then $a \equiv_n b$.

Solution:

Let a, b, m, n be arbitrary integers with $m, n > 1$. Suppose $n \mid m$ and $a \equiv_m b$. By definition of divides, we have $m = kn$ for some integer k . By definition of congruence, we have $m \mid a - b$. By definition of divides, this means that $a - b = jm$ for some integer j . Combining these two equations, we see that $a - b = j(kn) = (kj)n$. Therefore, by definition of divides, $n \mid a - b$, and by definition of congruence, $a \equiv_n b$. Since a, b, m, n were arbitrary, we have shown that for all integers a, b, m, n with $m, n > 1$, if $n \mid m$ and $a \equiv_m b$, then $a \equiv_n b$.

1. Video Solution

Watch [this video](#) on the solution **after** making an initial attempt. Then, answer the following questions.

- (a) What is one thing you took away from the video solution?
- (b) What topic from the quick check or lecture would you most like to review in workshop?