

# CSE 401/M501 – Compilers

LR Parsing  
Hal Perkins  
Spring 2023

# Administrivia (added Fri.)

- HW1 due last night, but still have a late day or two if you need it (but try to save them)
- Project:
  - Scanner due Thursday night, but please shake down infrastructure well before then
    - DO NOT start on the parser yet – just edit token classes in the .cup file (and any other small edits you need to get a clean build)
  - If you're still looking for a partner / need a project repo set up, send email to [cse401-staff@cs](mailto:cse401-staff@cs)
- HW2: LR parsing and grammars – due in 2 weeks, but lectures aren't quite far enough along. Will post when we get enough background done.

# Agenda

- LR Parsing
- Table-driven Parsers
- Parser States
- Shift-Reduce and Reduce-Reduce conflicts

# Bottom-Up Parsing

- Idea: Read the input left to right
- Whenever we've matched the right hand side of a production, reduce it to the appropriate non-terminal and add that non-terminal to the parse tree
- The upper edge of this partial parse tree is known as the *frontier*

# Example


- Grammar

$S ::= aABe$

$A ::= A|bc \mid b$

$B ::= d$

- Bottom-up Parse



# LR(1) Parsing

- We'll look at LR(1) parsers
  - Left to right scan, Rightmost derivation, **1** symbol lookahead
  - Almost all practical programming languages have an LR(1) grammar
  - LALR(1), SLR(1), etc. – subsets of LR(1)
    - LALR(1) can parse most real languages, tables are more compact, and is used by YACC/Bison/CUP/etc.

# LR Parsing in Greek

- The bottom-up parser reconstructs a reverse rightmost derivation
- Given the rightmost derivation
$$S \Rightarrow \beta_1 \Rightarrow \beta_2 \Rightarrow \dots \Rightarrow \beta_{n-2} \Rightarrow \beta_{n-1} \Rightarrow \beta_n = w$$
the parser will first discover  $\beta_{n-1} \Rightarrow \beta_n$ , then  $\beta_{n-2} \Rightarrow \beta_{n-1}$ , etc.
- Parsing terminates when
  - $\beta_1$  reduced to  $S$  (start symbol, success), or
  - No match can be found (syntax error)

# How Do We Parse with This?

- Key: given what we've already seen and the next input symbol (the lookahead), decide what to do.
- Choices:
  - Shift: Advance 1 token further in the input
  - Reduce: Perform a reduction
- Can reduce  $A \Rightarrow \beta$  if both of these hold:
  - $A \Rightarrow \beta$  is a valid production
  - $A \Rightarrow \beta$  is a step in *this* rightmost derivation
- This is known as a *shift-reduce* parser



# Sentential Forms

- If  $S \Rightarrow^* \alpha$ , the string  $\alpha$  is called a *sentential form* of the grammar
- In the derivation  
$$S \Rightarrow \beta_1 \Rightarrow \beta_2 \Rightarrow \dots \Rightarrow \beta_{n-2} \Rightarrow \beta_{n-1} \Rightarrow \beta_n = w$$
each of the  $\beta_i$  are sentential forms
- A sentential form in a rightmost derivation is called a right-sentential form (similarly for leftmost and left-sentential)

# Handles

- Informally, a substring of the tree frontier that matches the right side  $\beta$  of a production *that is part of the rightmost derivation of the current input string*
  - Even if  $A ::= \beta$  is a production, it is a handle only if  $\beta$  matches the parse tree frontier at a point where  $A ::= \beta$  was used in *this particular* derivation
  - $\beta$  may appear in many other places in the frontier without being the rhs of a handle for that particular production
- Bottom-up parsing is all about finding handles

# Handle Examples

- In the derivation

$S \Rightarrow aABe \Rightarrow aAde \Rightarrow aAbcde \Rightarrow abbcde$

–  $a**b**bcde$  is a right sentential form whose handle is

$A ::= b$  at position 2

–  $a**Abc**de$  is a right sentential form whose handle is

$A ::= Abc$  at position 4

- Note: some books take the left end of the match as the position

# Handles Defined

- Formally, a *handle* of a right-sentential form  $\gamma$  is a production  $A ::= \beta$  and a position in  $\gamma$  where  $\beta$  may be replaced by  $A$  to produce the previous right-sentential form in the rightmost derivation of  $\gamma$ 
  - Some sources use “handle” to refer only to the right-hand side  $\beta$  and its position. Others mean the entire production  $A ::= \beta$ . Which one should be clear from context.

# Implementing Shift-Reduce Parsers

- Key Data structures
  - A stack holding the frontier of the tree
  - A string with the remaining input
- Also need to encode the rules that tell us what action to take given (a) the state of the stack and (b) the lookahead symbol
  - Typically a table that encodes a finite automata

# Shift-Reduce Parser Operations

- *Shift* – push the next input symbol onto the stack
- *Reduce* – if the top of the stack is the right side of a handle  $A ::= \beta$ , pop the right side  $\beta$  and push the left side  $A$
- *Accept* – announce success
- *Error* – syntax error discovered

# Shift-Reduce Example

$S ::= aABe$   
 $A ::= Abc \mid b$   
 $B ::= d$

Stack	Input	Action
\$	abbcde\$	<i>shift</i>
\$a	bbcde\$	<i>shift</i>
\$ab	bcde\$	<i>reduce</i>
\$aA	bcde\$	<i>shift</i>
\$aAb	cde\$	<i>shift</i>
\$aAbc	de\$	<i>reduce</i>
\$aA	de\$	<i>shift</i>
\$aAd	e\$	<i>reduce</i>
\$aAB	e\$	<i>shift</i>
\$aABe	\$	<i>reduce</i>
\$S	\$	<i>accept</i>

# How Do We Automate This?

- Cannot use clairvoyance in a real parser (alas...)
- Defn. *Viable prefix* – a prefix of a right-sentential form that can appear on the stack of the shift-reduce parser
  - Equivalent: a prefix of a right-sentential form that does not continue past the rightmost handle of that sentential form
  - In Greek:  $\gamma$  is a *viable prefix* of  $G$  if there is some derivation  $S \Rightarrow_{rm}^* \alpha A w \Rightarrow_{rm} \alpha \beta w$  and  $\gamma$  is a prefix of  $\alpha \beta$ .
  - The occurrence of  $\beta$  in  $\alpha \beta w$  is the right side of a *handle* of  $\alpha \beta w$



# How Do We Automate This?


- Fact: the set of viable prefixes of a CFG is a regular language(!)
- Idea: Construct a DFA to recognize viable prefixes given the stack and remaining input
  - Perform reductions when we recognize the rhs of handles

# DFA for prefixes of

$S ::= aABe$

$A ::= Abc \mid b$


$B ::= d$



# Trace

$S ::= aABe$   
 $A ::= Abc \mid b$   
 $B ::= d$

Stack	Input
\$	abbcde\$
\$a	bbcde\$
\$ab	bcde\$
\$aA	bcde\$
\$aAb	cde\$
\$aAbc	de\$
\$aA	de\$
\$aAd	e\$
\$aAB	e\$
\$aABe	\$
\$S	\$



# Observations

- Way too much backtracking
  - We want the parser to run in time proportional to the length of the input
- Where the heck did this DFA come from anyway?
  - From the underlying grammar
  - We'll defer construction details for now

# Avoiding DFA Rescanning

- Observation: no need to restart DFA after a shift. Stay in the same state and process next token.
- Observation: after a reduction, the contents of the stack are the same as before except for the new non-terminal on top that replaced the rhs of the production
  - ∴ Scanning the stack will take us through the same transitions as before until the last one
  - ∴ If we record state numbers on the stack, we can back up directly to the appropriate state when we pop the right hand side of a production from the stack

# Stack

- Change the stack to contain pairs of states and symbols from the grammar

$$\$s_0 X_1 s_1 X_2 s_2 \dots X_n s_n$$

- State  $s_0$  is the start state
  - When we push a symbol on the stack, push the symbol plus the new parser DFA state that we reach
  - When we reduce, popping the handle will reveal the state of the FA just prior to reading the handle
- Observation: in an actual parser, only the state numbers are needed, since they implicitly contain the symbol information, but for explanations and examples it can help to show both.

# Encoding the DFA in a Table

- A shift-reduce parser's DFA can be encoded in two tables
  - One row for each state
  - *action* table encodes what to do given the current state and the next input symbol
  - *goto* table encodes the transitions to take when we back up into a state after a reduction and then make a transition using the newly pushed (reduced) non-terminal

# Actions (1)

- Given the current state and input symbol, the main possible actions are
  - $s_i$  – shift the input symbol and state  $i$  onto the stack (i.e., shift and move to state  $i$ )
  - $r_j$  – reduce using grammar production  $j$ 
    - The production tells us how many  $\langle \text{symbol}, \text{state} \rangle$  pairs to pop off the stack (= length of RHS of production), and the LHS nonterminal to push
    - Each production needs a unique number, i.e.,  $A ::= \alpha \mid \beta$  needs to be split into  $A ::= \alpha$  and  $A ::= \beta$



# Actions (2)

- Other possible *action* table entries
  - *accept*
  - **blank** – no transition – syntax error
    - A LR parser will detect an error as soon as possible on a left-to-right scan
    - A real compiler needs to produce an error message, recover, and continue parsing when this happens
      - (Often involves encoding error handling/recovery info in the action table)

# Goto


- When a reduction is performed using  $A ::= \beta$ , we pop  $|\beta|$   $\langle \text{symbol}, \text{state} \rangle$  pairs from the stack revealing a state  $uncovered\_s$  on the top of the stack
- $goto[uncovered\_s, A]$  is the new state to push on the stack when reducing production  $A ::= \beta$  (after popping handle  $\beta$  and pushing  $A$ )

# Aside: Extra Initial Production


- When we construct the DFA we'll need to add a new production to handle end-of-file (i.e., end-of-input) correctly
- If  $S$  is the start state of the original grammar, add an initial production  $S' ::= S \$$ 
  - $\$$  represents end-of-file (input)
  - Accept when we've reduced the input to  $S$  and there is no more input (i.e., lookahead is  $\$$ )

# Reminder: DFA for

0.  $S' ::= S\$$
1.  $S ::= aABe$
2.  $A ::= Abc$
3.  $A ::= b$
4.  $B ::= d$



# LR Parse Table



State	action						goto		
	a	b	c	d	e	\$	A	B	S
0						acc			
1	s2								g0
2		s4					g3		
3		s6		s5				g8	
4	r3	r3	r3	r3	r3	r3			
5	r4	r4	r4	r4	r4	r4			
6			s7						
7	r2	r2	r2	r2	r2	r2			
8					s9				
9	r1	r1	r1	r1	r1	r1			


- 0.  $S' ::= S\$$
- 1.  $S ::= aABe$
- 2.  $A ::= Abc$
- 3.  $A ::= b$
- 4.  $B ::= d$

# LR Parsing Algorithm (1)

```
word = scanner.getToken();
while (true) {
    s = top of stack;
    if (action[s, word] =  $si$ ) {
        push word; push  $i$  (state);
        word = scanner.getToken();
    } else if (action[s, word] =  $rj$ ) {
        pop  $2 * \text{length of right side of}$ 
        production  $j$  ( $2 * |\beta|$ );
        uncovered_s = top of stack;
        push left side  $A$  of production  $j$ ;
        push state goto[uncovered_s,  $A$ ];
    }
}
```

```
} else if (action[s, word] = accept ) {
    return;
} else {
    // no entry in action table
    report syntax error;
    halt or attempt recovery;
}
```

# Example



0.  $S' ::= S\$$
1.  $S ::= aABe$
2.  $A ::= Abc$
3.  $A ::= b$
4.  $B ::= d$

Stack	Input
\$1	abbcde\$
\$1a2	bbcde\$
\$1a2b4	bcde\$
\$1a2A3	bcde\$
\$1a2A3b6	cde\$
\$1a2A3b6c7	de\$
\$1a2A3	de\$
\$1a2A3d5	e\$
\$1a2A3B8	e\$
\$1a2A3B8e9	\$
\$1S0	\$

S	action						goto		
	a	b	c	d	e	\$	A	B	S
0						ac			
1	s2								g0
2		s4					g3		
3		s6		s5				g8	
4	r3	r3	r3	r3	r3	r3			
5	r4	r4	r4	r4	r4	r4			
6			s7						
7	r2	r2	r2	r2	r2	r2			
8					s9				
9	r1	r1	r1	r1	r1	r1			

# LR States

- Idea is that each state encodes
  - The set of all possible productions that we could be looking at, given the current state of the parse, and
  - *Where* we are in the right hand side of each of those productions




# Items

- An *item* is a production with a dot in the right hand side
- Example: Items for production  $A ::= X Y$ 
  - $A ::= . X Y$
  - $A ::= X . Y$
  - $A ::= X Y .$
- Idea: The dot represents a position in the production – partial match to rhs

# DFA for

$S' ::= S \$$   
 $S ::= aABe$   
 $A ::= Abc$   
 $A ::= b$   
 $B ::= d$




# Problems with Grammars

- Non-LR grammars cause problems when constructing an LR parser (that's how you know it's not an LR grammar!)
  - Shift-reduce conflicts
  - Reduce-reduce conflicts
- i.e., arrive at a situation when two (or more) conflicting actions are called for

# Shift-Reduce Conflicts

- Situation: both a shift and a reduce are possible at a given point in the parse (equivalently: in a particular state of the DFA)
- Classic example: if-else statement  
 $S ::= \text{ifthen } S \mid \text{ifthen } S \text{ else } S$

# Parser States for



1.  $S ::= \text{ifthen } S$
2.  $S ::= \text{ifthen } S \text{ else } S$

- State 3 has a shift-reduce conflict
  - Can shift past else into state 4 (s4)
  - Can reduce (r1)  
 $S ::= \text{ifthen } S$

(Note: other  $S ::= \cdot \text{ifthen}$  items not included in states 2-4 to save space)

# Solving Shift-Reduce Conflicts

- Option 1: Fix the grammar
  - Done in Java reference grammar, others
- Option 2: Use a parse tool with a “longest match” rule – i.e., if there is a conflict, choose to shift instead of reduce
  - Does exactly what we want for if-else case
  - Guideline: a few shift-reduce conflicts are fine, but be sure they do what you want (and that this behavior is guaranteed by the tool specification)

# Reduce-Reduce Conflicts

- Situation: two different reductions are possible in a given state
- Contrived example

$S ::= A$


$S ::= B$

$A ::= x$

$B ::= x$

# Parser States for

1.  $S ::= A$
2.  $S ::= B$
3.  $A ::= x$
4.  $B ::= x$



- State 2 has a reduce-reduce conflict (r3, r4)



# Handling Reduce-Reduce Conflicts

- These normally indicate a serious problem with the grammar.
- Fixes
  - Use a different kind of parser generator that takes lookahead information into account when constructing the states
    - Most practical tools (Yacc, Bison, CUP, et al) do this
  - Fix the grammar

# Another Reduce-Reduce Conflict

- Suppose the grammar tries to separate arithmetic and boolean expressions

$expr ::= aexp \mid bexp$

$aexp ::= aexp * aident \mid aident$

$bexp ::= bexp \&\& bident \mid bident$

$aident ::= id$

$bident ::= id$

- This will create a reduce-reduce conflict

# Covering Grammars

- A solution is to merge *aident* and *bident* into a single non-terminal (or use *id* in place of *aident* and *bident* everywhere they appear)
- This is a *covering grammar*
  - Will generate some programs that are not generated by the original grammar
  - Use the type checker or other static semantic analysis to weed out illegal programs later

# Coming Attractions

- Constructing LR tables
  - We'll present a simple version (SLR(0)) in lecture, then talk about extending it to LR(1) and then a little bit about how this relates to LALR(1) used in most parser generators
- LL parsers and recursive descent
- Continue reading ch. 3