

**CSE 403: Software Engineering, Winter 2016**

[courses.cs.washington.edu/courses/cse403/16wi/](https://courses.cs.washington.edu/courses/cse403/16wi/)

# **Design Patterns**

**Emina Torlak**

[emina@cs.washington.edu](mailto:emina@cs.washington.edu)

# Outline

- Overview of design patterns
- Creational patterns
- Structural patterns
- Behavioral patterns



# intro


## **overview of design patterns**

# What is a design pattern?




# What is a design pattern?

- A standard solution to a common programming problem
  - a design or implementation structure that achieves a particular purpose
  - a high-level programming idiom



# What is a design pattern?

- A **standard** solution to a common programming problem
  - a design or implementation structure that achieves a particular purpose
  - a high-level programming idiom
- A technique for making code **more flexible** or **efficient**
  - reduce coupling among program components
  - reduce memory overhead




# What is a design pattern?

- A **standard** solution to a common programming problem
  - a design or implementation structure that achieves a particular purpose
  - a high-level programming idiom
- A technique for making code **more flexible** or **efficient**
  - reduce coupling among program components
  - reduce memory overhead
- **Shorthand** for describing program design
  - a description of connections among program components
  - the shape of a heap snapshot or object model



# Why should you care?

- You could come up with these solutions on your own ...
- But you shouldn't have to!
- A design pattern is a **known solution** to a **known problem**.





# Types of design patterns

- **Creational patterns**
  - how objects are instantiated
- **Structural patterns**
  - how objects / classes can be combined
- **Behavioral patterns**
  - how objects communicate
- **Concurrency patterns**
  - how computations are parallelized / distributed

# **When (not) to use design patterns**

# When (not) to use design patterns

- Rule 1: delay
  - Understand the problem & solution first, then improve it

# When (not) to use design patterns

- Rule 1: delay
  - Understand the problem & solution first, then improve it
- Design patterns can increase or decrease understandability of code
  - Add indirection, increase code size
  - Improve modularity, separate concerns, ease description

# When (not) to use design patterns

- Rule 1: delay
  - Understand the problem & solution first, then improve it
- Design patterns can increase or decrease understandability of code
  - Add indirection, increase code size
  - Improve modularity, separate concerns, ease description
- If your design or implementation has a problem, consider design patterns that address that problem
- References:
  - Design Patterns: Elements of Reusable Object-Oriented Software, by Erich Gamma, Richard Helm, Ralph Johnson, and John Vlissides, 1995.
  - Effective Java: Programming Language Guide, by Joshua Bloch, 2001.

create

**creational patterns**

# Kinds of creational patterns

- Factory (method)
- Abstract factory
- Builder
- Prototype
- Flyweight
- Singleton

Creational patterns address inflexibility of constructors in Java:

1. Can't return a subtype of the class they belong to
2. Always return a fresh new object, never re-use one

# Factory patterns (problem)

```
interface Matrix { ... }  
  class SparseMatrix implements Matrix { ... }  
  class DenseMatrix implements Matrix { ... }
```

- Clients use the supertype (Matrix)
  - But still need to use a SparseMatrix or DenseMatrix **constructor**
  - Must decide concrete implementation somewhere
- Don't want to change code to use a different constructor




# Factory method pattern (one solution)

```
class MatrixFactory {  
    public static Matrix createMatrix() {  
        return new SparseMatrix();  
    }  
}
```

- Clients call createMatrix instead of a particular constructor
- Advantages:
  - To switch the implementation, change only one place
  - createMatrix can do arbitrary computations to decide what kind of matrix to make
- Frequently used in frameworks (e.g., Java swing)
  - BorderFactory.createRaisedBevelBorder()

# Abstract factory pattern (another solution)

A factory class that can be subclassed (to make new kinds of factories) and that has an overridable method to create its objects



shape

**structural patterns**

# Kinds of structural patterns


- Composite
- Decorator
- Adapter
- Proxy
- ...

Structural patterns enable client code to

1. modify the interface
2. extend behavior
3. restrict access
4. unify access

# Composite pattern

A client can  
manipulate the whole  
or any part uniformly.



# Composite pattern example: Java GUI

```
Container north = new JPanel(new FlowLayout());  
north.add(new JButton("Button 1"));  
north.add(new JButton("Button 2"));
```

```
Container south = new JPanel(new BorderLayout());  
south.add(new JLabel("Southwest"), BorderLayout.WEST);  
south.add(new JLabel("Southeast"), BorderLayout.EAST);
```


```
Container overall = new JPanel(new BorderLayout());  
overall.add(north, BorderLayout.NORTH);  
overall.add(new JButton("Center Button"), BorderLayout.CENTER);  
overall.add(south, BorderLayout.SOUTH);
```

```
frame.add(overall);
```



# Decorator pattern

A decorator is a wrapper object that modifies behavior of, or adds features to, another object.



# Decorator pattern example: Java IO

- InputStream class has only public int read() method to read one letter at a time.
- Decorators such as BufferedReader add functionality to read the stream more easily.

```
// InputStreamReader/BufferedReader decorate InputStream
InputStream in = new FileInputStream("hardcode.txt");
InputStreamReader isr = new InputStreamReader(in);
BufferedReader br = new BufferedReader(isr);
```

```
// With a BufferedReader decorator, read an
// entire line from the file in one call
// (InputStream only provides public int read() )
String wholeLine = br.readLine();
```



behave


**behavioral patterns**

# Kinds of behavioral patterns

- Null object
- Template method
- Iterator
- Strategy
- ...

Behavioral patterns identify and capture common patterns of communication between objects.

# Null object pattern




# Null object pattern example: empty list

```
List<Object> search(String value) {  
    if ("".equal(value))  
        return Collections.emptyList(); // null object (empty list)  
    else  
        return ...;  
}  
  
if (search(userInput).isEmpty()) // no NullPointerException  
    ...  
else  
    ...
```

# Template method pattern

Subclasses can  
redefine certain steps  
of an algorithm  
without changing the  
algorithm's structure.



# Template method example: games

```
abstract class Game {  
  
    protected int playersCount;  
    abstract void initializeGame();  
    abstract void makePlay(int player);  
    abstract boolean endOfGame();  
    abstract void printWinner();  
  
    // template method  
    public final void playOneGame(int playersCount) {  
        this.playersCount = playersCount;  
        initializeGame();  
        int j = 0;  
        while (!endOfGame()) {  
            makePlay(j);  
            j = (j + 1) % playersCount;  
        }  
        printWinner();  
    }  
}  
  
class Monopoly extends Game { ... }  
class Chess extends Game { ... }
```

# Summary

- A design pattern is a known solution to a known problem.
  - Creational, structural, behavioral
- If your design or implementation has a problem, then (and only then) consider design patterns that address that problem.

