
Synchronization Part 2

CSE 410, Spring 2004
Computer Systems

<http://www.cs.washington.edu/education/courses/410/04sp/>

Readings and References

- Reading

- » Chapter 7, Sections 7.4 through 7.7, *Operating System Concepts*, Silberschatz, Galvin, and Gagne

- Other References

- » The Java Tutorial, Synchronizing Threads
- » <http://java.sun.com/docs/books/tutorial/essential/threads/multithreaded.html>

Shared Stack

```
void Stack::Push(Item *item) {  
    item->next = top;  
    top = item;  
}
```

- Suppose two threads, **red** and **blue**, share this code and a Stack `s`
- The two threads both operate on `s`
 - » each calls `s->Push(...)`
- Execution is interleaved by context switches

Stack Example

- Now suppose that a context switch occurs at an “inconvenient” time, so that the actual execution order is

1 `item->next = top;`


2 `item->next = top;`

3 `top = item;`


4 `top = item;`

context switch from red to blue

context switch from blue to red



Disaster Strikes



Shared Stack Solution

- How do we fix this using locks?

```
void Stack::Push(Item *item) {  
    lock->Acquire();  
    item->next = top;  
    top = item;  
    lock->Release();  
}
```

Correct Execution


- Only one thread can hold the lock

```
lock->Acquire();  
item->next = top;
```

```
top = item;  
lock->Release();
```


```
lock->Acquire();
```

wait for lock acquisition



```
item->next = top;  
top = item;  
lock->Release();
```

Correct Execution



How can Pop *wait for* a Stack item?

Synchronized stack using locks

```
Stack::Push(Item * item) {      Item * Stack::Pop() {
    lock->Acquire();             lock->Acquire();
    push item on stack          pop item from stack
    lock->Release();             lock->Release();
}                                return item;
                                }
}
```

- This works okay if we don't want to wait inside Pop and can just return <no data available>
 - » in order to wait we want to go to sleep inside the critical section
 - » other threads won't be able to run because Pop holds the lock
 - » **condition variables** make it possible to go to sleep inside a critical section, by releasing the lock and going to sleep in one **atomic** operation

Monitors

- **Monitor: a lock and condition variables**
- Key addition is the ability to inexpensively and reliably wait for a condition change
- Can be implemented as a separate class
 - » The class contains code and private data
 - » Since the data is private, only monitor code can access it
 - » Only one thread is allowed to run in the monitor at a time
- Can be implemented directly in other classes using locks and condition variables

Condition Variables

- A condition variable is a queue of threads waiting for something inside a critical section
- There are three operations
 - » **Wait()**--release lock & go to sleep (atomic); reacquire lock upon awakening
 - » **Signal()**--wake up a waiting thread, if any
 - » **Broadcast()**--wake up all waiting threads
- A thread must hold the lock when doing condition variable operations

Stack with Condition Variables

Pop can now wait for something to be pushed onto the stack

```
Stack::Push(Item *item) {
    lock->Acquire();
    push item on stack
    condition->signal( lock );
    lock->Release();
}

Item *Stack::Pop() {
    lock->Acquire();
    while( nothing on stack ) {
        condition->wait( lock );
    }
    pop item from stack
    lock->Release();
    return item;
}
```

Synchronization in Win2K/XP

- Windows has locks (known as mutexes)
 - » `CreateMutex`--returns a handle to a new mutex
 - » `WaitForSingleObject`--acquires the mutex
 - » `ReleaseMutex`--releases the mutex
- Windows has condition variables (known as events)
 - » `CreateEvent`--returns a handle to a new event
 - » `WaitForSingleObject`--waits for the event to happen
 - » `SetEvent`--signals the event, waking up one waiting thread

Synchronization in Java

- Java has locks (on any object)
 - » The Java platform associates a lock with every object that has synchronized code
 - » A method or a code block {...} can be synchronized
 - » The lock is acquired before the block is entered and released when the block is exited
- Java has condition variables (wait lists)
 - » The Object class defines wait(), notify(), notifyAll() methods
 - » By inheritance, all objects of all classes have those methods