

CSE 410: Computer Systems Spring 2005

Lecture 5 Threads

Hank
Levy
levy@cs.
washingt
on.edu
Allen
Center
596

Processes

- A process includes many things:
 - an address space (all the code and data pages)
 - protection boundary
 - OS resources (e.g., open files) and accounting info
 - hardware execution state (PC, SP, regs)
- Creating a new process is costly, because of all of the data structures that must be allocated/initialized
 - Linux: over 95 fields in `task_struct`
 - on a 700 MHz pentium, `fork+exit` = 251 microseconds, `fork+exec` = 1024 microseconds
- Interprocess communication is costly, since it must usually go through the OS
 - overhead of system calls
 - 0.46 microseconds on 700 MHz pentium

05/19/2005

© 2003 Hank Levy

2

Parallel Programs

- Imagine a web server, which forks off copies of itself to handle multiple simultaneous tasks
 - or, imagine we have any parallel program on a multiprocessor
- To execute these, we need to:
 - create several processes that execute in parallel
 - cause each to map to the *same* address space to share data
 - see the `shmget()` system call for one way to do this (kind of)
 - have the OS schedule them in parallel
 - multiprogramming or true parallel processing on an SMP
- This is really inefficient
 - space: PCB, page tables, etc.
 - time: creating OS structures, fork and copy addr space, etc.

05/19/2005

© 2003 Hank Levy

3

Can we do better?

- What's similar in these processes?
 - they all share the same code and data (address space)
 - they all share the same privileges
 - they all share the same resources (files, sockets, etc.)
- What's different?
 - each has its own hardware execution state
 - PC, registers, stack pointer, and stack
- Key idea:
 - separate the concept of
 - a **process** (address space, etc.) from that of
 - a minimal "**thread of control**" (execution state: PC, etc.)
 - this execution state is usually called a **thread**, or sometimes, a **lightweight process**

05/19/2005

© 2003 Hank Levy

4

Threads and processes


- Most modern OS's (Mach, Chorus, NT, modern Unix) therefore support two entities:
 - the **process**, which defines the address space and general process attributes (such as open files, etc.)
 - the **thread**, which defines a sequential execution stream within a process
- A thread is bound to a single process
 - processes, however, can have multiple threads executing within them
 - sharing data between threads is cheap: all see same address space
- Threads become the unit of scheduling
 - processes are just **containers** in which threads execute

05/19/2005

© 2003 Hank Levy

5

Thread Design Space




05/19/2005

© 2003 Hank Levy

6

(old) Process address space




05/19/2005

© 2003 Hank Levy

7

(new) Address space with threads



05/19/2005

© 2003 Hank Levy

8

Process/Thread Separation

- Separating threads and processes makes it easier to support multi-threaded applications
 - creating concurrency does not require creating new processes
- Concurrency (multithreading) is useful for:
 - improving program structure (the Java argument)
 - handling concurrent events (e.g., web servers)
 - building parallel programs (e.g., raytracer)
- So, multithreading is useful even on a uniprocessor
 - even though only one thread can run at a time

05/19/2005

© 2003 Hank Levy

9

Kernel thread and user-level threads

- Who is responsible for creating/managing threads?
- Two answers, in general:
 - the OS (**kernel threads**)
 - thread creation and management requires system calls
 - the user-level process (**user-level threads**)
 - a library linked into the program manages the threads
- Why is user-level thread management possible?
 - threads share the same address space
 - therefore the thread manager doesn't need to manipulate address spaces
 - threads only differ in hardware contexts (roughly)
 - PC, SP, registers
 - these can be manipulated by the user-level process itself!

05/19/2005

© 2003 Hank Levy

10

Kernel Threads

- OS now manages threads *and* processes
 - all thread operations are implemented in the kernel
 - OS schedules all of the threads in a system
 - if one thread in a process blocks (e.g. on I/O), the OS knows about it, and can run other threads from that process
 - possible to overlap I/O and computation **inside** a process
- Kernel threads are cheaper than processes
 - less state to allocate and initialize
- But, they can still be too expensive
 - thread operations are all system calls
 - OS must perform all of the usual argument checks
 - but want them to be as fast as a procedure call!
 - must maintain kernel state for each thread
 - can place limit on # of simultaneous threads, typically ~1000

05/19/2005

© 2003 Hank Levy

11

User-Level Threads

- To make threads cheap and fast, they need to be implemented at the user level
 - managed entirely by user-level library, e.g. `libpthreads.a`
- User-level threads are small and fast
 - each thread is represented simply by a PC, registers, a stack, and a small **thread control block** (TBC)
 - creating a thread, switching between threads, and synchronizing threads are done via procedure calls
 - no kernel involvement is necessary!
 - user-level thread operations can be 10-100x faster than kernel threads as a result

05/19/2005

© 2003 Hank Levy

12

Performance example

- On a 700MHz Pentium running Linux 2.2.16:
 - Processes
 - `fork/exit`: 251 μ s
 - Kernel threads
 - `pthread_create()/pthread_join()`: 94 μ s
 - User-level threads
 - `pthread_create()/pthread_join`: 4.5 μ s

User-level Thread Limitations

- But, user-level threads aren't perfect
 - tradeoff, as with everything else
- User-level threads are invisible to the OS
 - there is no integration with the OS
- As a result, the OS can make poor decisions
 - scheduling a process with only idle threads
 - blocking a process whose thread initiated I/O, even though the process has other threads that are ready to run
 - unscheduling a process with a thread holding a lock
- Solving this requires coordination between the kernel and the user-level thread manager

Coordinating K/L and U/L Threads

- Another possibility:
 - use both K/L and U/L threads in a single system
 - can associate a user-level thread with a kernel-level thread
 - or, can multiplex user-level threads on top of kernel threads
- “scheduler activations”
 - a research paper from UW with huge effect on industry
 - each process can request one or more kernel threads
 - process is given responsibility for mapping user-level threads onto kernel threads
 - kernel promises to notify user-level before it suspends or destroys a kernel thread
- pop question:
 - why would a process have more user-level threads than kernel threads?

Thread Interface

- This is taken from the POSIX pthreads API:
 - `t = pthread_create(attributes, start_procedure)`
 - creates a new thread of control
 - new thread begins executing at `start_procedure`
 - `pthread_cond_wait(condition_variable)`
 - the calling thread blocks, sometimes called `thread_block()`
 - `pthread_signal(condition_variable)`
 - starts the thread waiting on the condition variable
 - `pthread_exit()`
 - terminates the calling thread
 - `pthread_wait(t)`
 - waits for the named thread to terminate

User-level thread implementation

- a thread scheduler determines when a thread runs
 - it uses queues to keep track of what threads are doing
 - just like the OS and processes
 - but, implemented at user-level as a library
 - run queue: threads currently running
 - ready queue: threads ready to run
 - wait queue: threads blocked for some reason
 - maybe blocked on I/O, maybe blocked on a lock
- how can you prevent a thread from hogging the CPU?
 - how did the OS handle this?

Preemptive vs. non-preemptive

- Strategy 1: force everybody to cooperate
 - a thread willingly gives up the CPU by calling `yield()`
 - `yield()` calls into the scheduler, which context switches to another ready thread
 - what happens if a thread never calls `yield()`?
- Strategy 2: use preemption
 - scheduler requests that a timer interrupt be delivered by the OS periodically
 - usually delivered as a UNIX signal (man signal)
 - signals are just like software interrupts, but delivered to user-level by the OS instead of delivered to OS by hardware
 - at each timer interrupt, scheduler gains control and context switches as appropriate

Thread context switch

- Very simple for user-level threads:
 - save context of currently running thread
 - push machine state onto thread stack
 - restore context of the next thread
 - pop machine state from next thread's stack
 - return to caller as the new thread
 - execution resumes at PC of next thread
- This is all done by assembly language
 - it works at the level of the procedure calling convention
 - thus, it cannot be implemented using procedure calls