

---

## From Source to Execution

CSE 410, Spring 2007  
Computer Systems

<http://www.cs.washington.edu/410>

4/10/2007

cse410-08-link © 2006-07 Perkins, DW Johnson and University of Washington

1

---

## Readings and References

- Reading
  - » Section 2.10, Translating and Starting a Program
  - » Appendix A.1, Introduction
  - » Appendix A.2, Assemblers
  - » Appendix A.3, Linkers
  - » Appendix A.4, Loading

4/10/2007

cse410-08-link © 2006-07 Perkins, DW Johnson and University of Washington

2

---

## Starting a Program

- Two phases from source code to execution
- Build time
  - » compiler creates assembly code
  - » assembler creates machine code
  - » linker creates an executable
- Run time
  - » loader moves the executable into memory and starts the program

4/10/2007

cse410-08-link © 2006-07 Perkins, DW Johnson and University of Washington

3

---

## Build Time

- You're experts on generating assembly language: either by writing high-level code that is compiled, or by hand
- Two parts to translating from assembly to machine language:
  - » Instruction encoding (including translating pseudoinstructions)
  - » Translating labels to addresses
- Label translations go in the *symbol table*

4/10/2007

cse410-08-link © 2006-07 Perkins, DW Johnson and University of Washington

4

## Symbol Table

- Symbols are **names** of global variables or labels (including procedure entry points)
- Symbol table associates **symbols** with their **addresses** in the object file
- This allows files compiled separately to be linked

LabelA	0x01031ff0
bigArray	0x10006000

4/10/2007

cse410-08-link © 2006-07 Perkins, DW Johnson and University of Washington

5

## Modular Program Design

- Small projects might use only one file
  - » Any time any one line changes, recompile and reassemble the whole thing
- For larger projects, recompilation time and complexity management is significant
- Solution: split project into modules
  - » compile and assemble modules separately
  - » link the object files

4/10/2007

cse410-08-link © 2006-07 Perkins, DW Johnson and University of Washington

6

## The Compiler + Assembler

- Translate source files to object files
- Object files
  - » Contain machine instructions (1's & 0's)
  - » Contain bookkeeping information
    - Procedures and variables the object file defines
    - Procedures and variables the object file uses but does not define (unresolved references)
    - Debugging information associating machine instructions with lines of source code

4/10/2007

cse410-08-link © 2006-07 Perkins, DW Johnson and University of Washington

7

## The Linker

- The linker's job is to "stitch together" the object files:
  1. Place the modules in memory space
  2. Determine the addresses of data and labels
  3. Match up references between modules
- Creates an executable file


4/10/2007

cse410-08-link © 2006-07 Perkins, DW Johnson and University of Washington

8

## Determining Addresses

- Some addresses change during memory layout
- Modules were compiled/assembled in isolation
  - » Assembler assigns addresses starting at 0 during assembly
  - » Final addresses assigned by linker
- *Absolute* addresses must be *relocated*
- Object file keeps track of instructions that use absolute addresses



4/10/2007

cse410-08-link © 2006-07 Perkins, DW Johnson and University of Washington

9

## Resolving References


- For example, in a word processing program, an input module calls a spell check module
- Module address is unresolved at compile time
- The linker matches unresolved symbols to locations in other modules at link time
- In SPIM, “main” is resolved when your program is loaded

4/10/2007

cse410-08-link © 2006-07 Perkins, DW Johnson and University of Washington

10

## Linker Example




4/10/2007

cse410-08-link © 2006-07 Perkins, DW Johnson and University of Washington

11

## Libraries

- Some code is used so often, it is bundled into *libraries* for common access
- Libraries contain most of the code you use but didn't write: e.g., printf(), sqrt()
- Library code is (often) merged with yours at link time



4/10/2007

cse410-08-link © 2006-07 Perkins, DW Johnson and University of Washington

12

## The Executable

---

- End result of compiling, assembling, and linking: the *executable*
  - » Header, listing the lengths of the other segments
  - » Text (code) segment
  - » Static data segment
  - » Potentially other segments, depending on architecture & OS conventions

4/10/2007

cse410-08-link © 2006-07 Perkins, DW Johnson and University of Washington

13

## Run Time

---

- When a program is started ...
  - » Some *dynamic linking* may occur
    - some symbols aren't defined until run time
    - Windows' dlls (dynamic link library)
  - » The segments are loaded into memory
  - » The OS transfers control to the program and it runs
- We'll learn a lot more about this during the OS part of the course

4/10/2007

cse410-08-link © 2006-07 Perkins, DW Johnson and University of Washington

14