

Introduction to Database Systems

CSE 414

Lecture 17: E/R Diagrams

Announcements

- HW5 (XML) due Wednesday
- New webquiz coming by mid-week
- Today: E/R diagrams (4.1-4.6)

Today: E/R Diagrams

Motivating scenario: your boss asks you to set up a DBMS about:


- Companies. Each company has:
 - A name, an address, and a CEO
 - A list of employees, with ssn, name, and address
- Products manufactured by these companies
 - Each product has a name and a price
 - The same product may be manufactured by several companies
- Buyers of these products
 - Each buyer has an ssn, name, and address
 - Some employees may be buyers too

Database Design


- Why do we need it?
 - Need a way to model real world entities in terms of relations
 - Not easy to go from real-world entities to a database schema
- Consider issues such as:
 - What entities to model
 - How entities are related
 - What **constraints** exist in the domain
 - How to achieve **good** designs
- Several formalisms exists
 - We discuss E/R diagrams

Database Design Process


Conceptual Model:



Relational Model:
Tables + constraints
And also functional dep.




Normalization:
Eliminates anomalies



Conceptual Schema

Physical storage details

Physical Schema



Entity / Relationship Diagrams

- Entity set = a class
 - An entity = an object



Product

- Attribute




city

- Relationship




makes



Keys in E/R Diagrams


- Every entity set must have a key




What is a Relation ?

- A mathematical definition:
 - if A, B are sets, then a relation R is a subset of $A \times B$

- $A = \{1, 2, 3\}$, $B = \{a, b, c, d\}$,
 $A \times B = \{(1, a), (1, b), \dots, (3, d)\}$
 $R = \{(1, a), (1, c), (3, b)\}$





- **makes** is a subset of **Product** \times **Company**:





Multiplicity of E/R Relations



- one-one:




- many-one




- many-many





Multi-way Relationships


How do we model a purchase relationship between buyers, products and stores?



Can still model as a mathematical set (how ?)

Arrows in Multiway Relationships


Q: What does the arrow mean ?



A: A given person buys a given product from at most one store

Arrows in Multiway Relationships


Q: What does the arrow mean ?



A: A given person buys a given product from at most one store
AND every store sells to every person at most one product


Arrows in Multiway Relationships

Q: How do we say that every person shops at at most one store ?




A: Cannot. This is the best approximation.
(Why only approximation ?)

Converting Multi-way Relationships to Binary




Converting Multi-way Relationships to Binary




3. Design Principles

What's wrong?




Moral: be faithful to the specifications of the app!

Design Principles: What's Wrong?



**Moral: pick the right
kind of entities.**


Design Principles: What's Wrong?



From E/R Diagrams to Relational Schema

- Entity set \rightarrow relation
- Relationship \rightarrow relation

Entity Set to Relation




Product(prod-ID, category, price)

| <u>prod-ID</u> | category | price |
|----------------|----------|-------|
| Gizmo55 | Camera | 99.99 |
| Pokemn19 | Toy | 29.99 |

Create Table (SQL)


```
CREATE TABLE Product (  
    prod-ID CHAR(30) PRIMARY KEY,  
    category VARCHAR(20),  
    price double)
```

N-N Relationships to Relations



Represent that in relations!

N-N Relationships to Relations




| <u>prod-ID</u> | <u>cust-ID</u> | <u>name</u> | <u>date</u> |
|----------------|----------------|-------------|-------------|
| Gizmo55 | Joe12 | UPS | 4/10/2011 |
| Gizmo55 | Joe12 | FEDEX | 4/9/2011 |

Create Table (SQL)


```
CREATE TABLE Shipment(  
    name CHAR(30)  
        REFERENCES Shipping-Co,  
    prod-ID CHAR(30),  
    cust-ID VARCHAR(20),  
    date DATETIME,  
    PRIMARY KEY (name, prod-ID, cust-ID),  
    FOREIGN KEY (prod-ID, cust-ID)  
        REFERENCES Orders  
)
```

N-1 Relationships to Relations



Represent this in relations!

N-1 Relationships to Relations




Orders(prod-ID, cust-ID, date1, name, date2)

Shipping-Co(name, address)

Remember: no separate relations for many-one relationship


Multi-way Relationships to Relations



Modeling Subclasses


Some objects in a class may be special

- define a new class
- better: define a *subclass*



So --- we define subclasses in E/R

Subclasses



Understanding Subclasses

- Think in terms of records:

- Product

| |
|--------|
| field1 |
| field2 |


- SoftwareProduct

| |
|--------|
| field1 |
| field2 |
| field3 |

- EducationalProduct

| |
|--------|
| field1 |
| field2 |
| field4 |
| field5 |

Subclasses to Relations



Product

| <u>Name</u> | Price | Category |
|-------------|-------|----------|
| Gizmo | 99 | gadget |
| Camera | 49 | photo |
| Toy | 39 | gadget |

Sw.Product


| <u>Name</u> | platforms |
|-------------|-----------|
| Gizmo | unix |

Ed.Product

| <u>Name</u> | Age Group |
|-------------|-----------|
| Gizmo | toddler |
| Toy | retired |

Other ways to convert are possible

Modeling UnionTypes With Subclasses




Say: each piece of furniture is owned either by a person or by a company

Modeling Union Types with Subclasses


Say: each piece of furniture is owned either by a person or by a company

Solution 1. Acceptable but imperfect (What's wrong ?)




Modeling Union Types with Subclasses

Solution 2: better, more laborious




Weak Entity Sets

Entity sets are weak when their key comes from other classes to which they are related.



Team(sport, number, universityName)
University(name)

What Are the Keys of R ?



Up next

- Constraints
- Data integrity
- Schema normalization and views