2

Database Systems CSE 414

Lecture 25: Introduction to Transactions (Ch 8.1)

CSF 414 - Fall 2017

Announcements

- WQ6 is due tomorrow 11pm
- HW7 is due on Friday 11pm
- WQ7 is posted and due on Dec. 7th, 11pm

SF 414 - Fall 2017

Data Management Pipeline

Application programmer

Schema designer

Conceptual Schema

Database administrator Physical Schema

CSE 414-Fall 2017

3

Demo (see lec25-transactions-intro.sql)

CSE 414 - Fall 2017

Challenges

- Want to execute many apps concurrently
 All these apps read and write data to the same DB
- Simple solution: only serve one app at a time
 What's the problem?
- Better: multiple operations need to be executed *atomically* over the DB

CSE 414 - Fall 2017

What can go wrong?

- Manager: balance budgets among projects
 - Remove \$10k from project A
 - Add \$7k to project B
 - Add \$3k to project C
- · CEO: check company's total balance
 - SELECT SUM(money) FROM budget;
- This is called a dirty / inconsistent read a.k.a. WRITE-READ conflict

SE 414 - Fall 2017

What can go wrong?

- App 1: SELECT inventory FROM products WHERE pid = 1
- App 2: UPDATE products SET inventory = 0 WHERE pid = 1
- App 1: SELECT inventory * price FROM products WHERE pid = 1
- This is known as an unrepeatable read a.k.a. READ-WRITE conflict

CSE 414 - Fall 2017

7

11

What can go wrong?

Account 1 = \$100 Account 2 = \$100 Total = \$200

- App 1:
- App 1: Set Account 1 = \$200
- Set Account 1 = \$200Set Account 2 = \$0
- App 2: Set Account 2 = \$200
- App 2:
- App 1: Set Account 2 = \$0
- Set Account 2 = \$200Set Account 1 = \$0

- App 2: Set Account 1 = \$0
- At the end:
- At the end:

- Total = \$200

- Total = \$0

This is called the lost update a.k.a. WRITE-WRITE conflict

CSE 414 - Fall 2017 8

What can go wrong?

- · Buying tickets to the next Bieber concert:
 - Fill up form with your mailing address
 - Put in debit card number
 - Click submit
 - Screen shows money deducted from your account
 - [Your browser crashes]



Changes to the database should be ALL or NOTHING

CSE 414 - Fall 2017

Transactions

Collection of statements that are executed atomically (logically speaking)

BEGIN TRANSACTION
[SQL statements]
COMMIT or
ROLLBACK (=ABORT)

[single SQL statement]

If BEGIN... missing, then TXN consists of a single instruction

Transactions Demo (see lec25-transactions-intro.sql)

CSE 414 - Fall 2017

Serial execution

CSE 414 - Fall 2017

- Definition: A SERIAL execution of transactions is one, where each transaction is executed one after another.
- Fact: Nothing can go wrong if the DB executes transactions serially.
- Definition: A SERIALIZABLE execution of transactions is one that is equivalent to a serial execution

CSE 414 - Fall 2017

12

ACID Transactions

- Atomic
 - State shows either all the effects of txn, or none of them
- Consistent
 - Txn moves from a state where integrity holds, to another where integrity holds
- Isolated
 - Effect of txns is the same as txns running one after another (i.e., looks like batch mode)
- Durable
 - Once a txn has committed, its effects remain in the database

CSE 414 - Fall 2017

Atomic

- **Definition**: A transaction is ATOMIC if all its updates must happen or not at all.
- Example: move \$100 from A to B

UPDATE accounts SET bal = bal - 100
WHERE acct = A;
UPDATE accounts SET bal = bal + 100
WHERE acct = B;

Crash!

BEGIN TRANSACTION:

UPDATE accounts SET bal = bal - 100 WHERE acct = A; UPDATE accounts SET bal = bal + 100 WHERE acct = B; COMMIT;

CSE 414 - Fall 2017

14

Isolated

- Definition An execution ensures that txns are isolated, if the effect of each txn is as if it were the only txn running on the system.
- Example: Alice deposits \$100, Bob withdraws \$100 from account

BEGIN TRANSACTION;
x = select bal from accounts
where acct = A;
Alice:
x = x+100
update accounts
set bal = x where acct = A;
COMMIT;

BEGIN TRANSACTION; y = select bal from accounts where acct = A; b: if y < 100 return "Error" y = y - 100 update accounts set bal = y where acct = A;

13

COMMIT;

Consistent

- Recall: integrity constraints govern how values in tables are related to each other
 - Example: account.bal >= 0
 - Example: foreign key constraints
- · Can be enforced by the DBMS or by the app
- · How consistency is achieved by the app:
 - App programmer ensures that txns only takes a consistent DB state to another consistent state
 - DB makes sure that txns are executed atomically
- Can defer checking the validity of constraints until the end of a transaction

CSE 414 - Fall 2017

16

Durable

- A transaction is durable if its effects continue to exist after the transaction and even after the program has terminated
- · How? By writing to disk
 - (often multiple disks, since individual disks can fail)

CSE 414 - Fall 2017

17

Rollback transactions

- If the app gets to a state where it cannot complete the transaction successfully, execute ROLLBACK
- The DB returns to the state prior to the transaction

CSE 414 - Fall 2017

all 2017

18

ACID

- Atomic
- Consistent
- Isolated
- Durable
- Enjoy this in HW8!
- · Note: by default, each statement is its own txn
 - Exception: if auto-commit is off, then every statement immediately after a commit starts a new txn and each subsequent statement is contained within the same txn until the txn commits

CSE 414 - Fall 2017

Transactions

Jim Gray

- Inventor of ACID transactions, 2PL, data cubes, ...
- Joined Microsoft in 1995
- Won the Turing Award in 1998
- His book "Transaction Processing" is probably still the best work on database implementation

CSE 414 - Fall 2017

20