

Chapter 6

Dynamic Programming

Algorithmic Paradigms

Greed. Build up a solution incrementally, myopically optimizing some local criterion.

Divide-and-conquer. Break up a problem into two sub-problems, solve each sub-problem independently, and combine solution to sub-problems to form solution to original problem.

Dynamic programming. Break up a problem into a series of overlapping sub-problems, and build up solutions to larger and larger sub-problems.

2

Dynamic Programming History

Bellman. Pioneered the systematic study of dynamic programming in the 1950s.

Etymology.

- Dynamic programming = planning over time.
- Secretary of Defense was hostile to mathematical research.
- Bellman sought an impressive name to avoid confrontation.
 - "it's impossible to use dynamic in a pejorative sense"
 - "something not even a Congressman could object to"

Reference: Bellman, R. E. *Eye of the Hurricane, An Autobiography*.

3

Dynamic Programming Applications

Areas.

- Bioinformatics.
- Control theory.
- Information theory.
- Operations research.
- Computer science: theory, graphics, AI, systems,

Some famous dynamic programming algorithms.

- Viterbi for hidden Markov models.
- Unix diff for comparing two files.
- Smith-Waterman for sequence alignment.
- Bellman-Ford for shortest path routing in networks.
- Cocke-Kasami-Younger for parsing context free grammars.


4

6.1 Weighted Interval Scheduling

Weighted Interval Scheduling

Weighted interval scheduling problem.

- Job j starts at s_j , finishes at f_j , and has weight or value v_j .
- Two jobs **compatible** if they don't overlap.
- Goal: find maximum **weight** subset of mutually compatible jobs.




6

Unweighted Interval Scheduling Review

Recall. Greedy algorithm works if all weights are 1.

- Consider jobs in ascending order of finish time.
- Add job to subset if it is compatible with previously chosen jobs.

Observation. Greedy algorithm can fail spectacularly if arbitrary weights are allowed.




7

Weighted Interval Scheduling

Notation. Label jobs by finishing time: $f_1 \leq f_2 \leq \dots \leq f_n$.

Def. $p(j)$ = largest index $i < j$ such that job i is compatible with j .

Ex: $p(8) = 5, p(7) = 3, p(2) = 0$.



8

Dynamic Programming: Binary Choice

Notation. $OPT(j)$ = value of optimal solution to the problem consisting of job requests 1, 2, ..., j.

- Case 1: OPT selects job j.
 - can't use incompatible jobs $\{ p(j) + 1, p(j) + 2, \dots, j - 1 \}$
 - must include optimal solution to problem consisting of remaining compatible jobs 1, 2, ..., $p(j)$
- Case 2: OPT does not select job j.
 - must include optimal solution to problem consisting of remaining compatible jobs 1, 2, ..., $j-1$

↖ optimal substructure

$$OPT(j) = \begin{cases} 0 & \text{if } j=0 \\ \max \{ v_j + OPT(p(j)), OPT(j-1) \} & \text{otherwise} \end{cases}$$

Weighted Interval Scheduling: Brute Force

Brute force algorithm.

```


Input: n, s1, ..., sn, f1, ..., fn, v1, ..., vn
Sort jobs by finish times so that f1 ≤ f2 ≤ ... ≤ fn.
Compute p(1), p(2), ..., p(n)

Compute-Opt(j) {
  if (j = 0)
    return 0
  else
    return max(vj + Compute-Opt(p(j)), Compute-Opt(j-1))
}
    
```

Weighted Interval Scheduling: Brute Force

Observation. Recursive algorithm fails spectacularly because of redundant sub-problems ⇒ exponential algorithms.

Ex. Number of recursive calls for family of "layered" instances grows like Fibonacci sequence.



Weighted Interval Scheduling: Memoization

Memoization. Store results of each sub-problem in a cache; lookup as needed.

```

Input: n, s1, ..., sn, f1, ..., fn, v1, ..., vn
Sort jobs by finish times so that f1 ≤ f2 ≤ ... ≤ fn.
Compute p(1), p(2), ..., p(n)

for j = 1 to n
  M[j] = empty ← global array
M[j] = 0

M-Compute-Opt(j) {
  if (M[j] is empty)
    M[j] = max(wj + M-Compute-Opt(p(j)), M-Compute-Opt(j-1))
  return M[j]
}
    
```

Weighted Interval Scheduling: Running Time

Claim. Memoized version of algorithm takes $O(n \log n)$ time.

- Sort by finish time: $O(n \log n)$.
- Computing $p(\cdot)$: $O(n)$ after sorting by start time.
- $M\text{-Compute-Opt}(j)$: each invocation takes $O(1)$ time and either
 - (i) returns an existing value $M[j]$
 - (ii) fills in one new entry $M[j]$ and makes two recursive calls
- Progress measure $\Phi = \#$ nonempty entries of $M[\cdot]$.
 - initially $\Phi = 0$, throughout $\Phi \leq n$.
 - (ii) increases Φ by 1 \Rightarrow at most $2n$ recursive calls.
- Overall running time of $M\text{-Compute-Opt}(n)$ is $O(n)$. ■

Remark. $O(n)$ if jobs are pre-sorted by start and finish times.

13

Weighted Interval Scheduling: Bottom-Up

Bottom-up dynamic programming. Unwind recursion.

```
Input:  $n, s_1, \dots, s_n, f_1, \dots, f_n, v_1, \dots, v_n$ 
Sort jobs by finish times so that  $f_1 \leq f_2 \leq \dots \leq f_n$ .
Compute  $p(1), p(2), \dots, p(n)$ 
Iterative-Compute-Opt {
   $M[0] = 0$ 
  for  $j = 1$  to  $n$ 
     $M[j] = \max(v_j + M[p(j)], M[j-1])$ 
}
```

15

Weighted Interval Scheduling: Finding a Solution

Q. Dynamic programming algorithms computes optimal value. What if we want the solution itself?

A. Do some post-processing.

```
Run M-Compute-Opt(n)
Run Find-Solution(n)
Find-Solution(j) {
  if (j = 0)
    output nothing
  else if ( $v_j + M[p(j)] > M[j-1]$ )
    print j
    Find-Solution(p(j))
  else
    Find-Solution(j-1)
}
```

- # of recursive calls $\leq n \Rightarrow O(n)$.

16