



CSE 417

Algorithms and Complexity

Autumn 2020

Lecture 12



Shortest Paths Algorithm and Minimum
Spanning Trees

Announcements

- Reading
 - 4.4, 4.5, 4.7, 4.8
- Homework
 - Assignment will include a sample midterm

Single Source Shortest Path Problem

- Given a directed graph and a start vertex s
 - Determine distance of every vertex from s
 - Identify shortest paths to each vertex



Assume all edges have non-negative cost

Dijkstra's Algorithm

$S = \{ \}$; $d[s] = 0$; $d[v] = \text{infinity}$ for $v \neq s$


While $S \neq V$

Choose v in $V-S$ with minimum $d[v]$

Add v to S


For each w in the neighborhood of v

$$d[w] = \min(d[w], d[v] + c(v, w))$$



Correctness Proof

- Elements in S have the correct label
- Induction: when v is added to S , it has the correct distance label
 - $\text{Dist}(s, v) = d[v]$ when v added to S



Dijkstra Implementation

$S = \{ \}; \quad d[s] = 0; \quad d[v] = \text{infinity for } v \neq s$

While $S \neq V$

 Choose v in $V-S$ with minimum $d[v]$

 Add v to S

 For each w in the neighborhood of v

$$d[w] = \min(d[w], d[v] + c(v, w))$$

- Basic implementation requires Heap for tracking the distance values
- Run time $O(m \log n)$

$O(n^2)$ Implementation for Dense Graphs

```
FOR i := 1 TO n
    d[i] := Infinity;  visited[i] := FALSE;
d[s] := 0;

FOR i := 1 TO n
    v := -1;  dMin := Infinity;
    FOR j := 1 TO n
        IF visited[j] = FALSE AND d[j] < dMin
            v := j;  dMin := d[j];
    IF v = -1
        RETURN;
    visited[v] := TRUE;


    FOR j := 1 TO n
        IF d[v] + len[v, j] < d[j]
            d[j] := d[v] + len[v, j];
            prev[j] := v;
```

Future stuff for shortest paths



- Bellman-Ford Algorithm
 - $O(nm)$ time
 - Handles negative cost edges
 - Identifies negative cost cycle if present
 - Dynamic programming algorithm
 - Very easy to implement

Bottleneck Shortest Path

- Define the bottleneck distance for a path to be the maximum cost edge along the path



Compute the bottleneck shortest paths



How do you adapt Dijkstra's algorithm to handle bottleneck distances

- Does the correctness proof still apply?

Dijkstra's Algorithm for Bottleneck Shortest Paths

$S = \{ \}$; $d[s] = \text{negative infinity}$; $d[v] = \text{infinity}$ for $v \neq s$


While $S \neq V$

Choose v in $V-S$ with minimum $d[v]$

Add v to S

For each w in the neighborhood of v

$$d[w] = \min(d[w], \max(d[v], c(v, w)))$$




Minimum Spanning Tree

- Introduce Problem
- Demonstrate three different greedy algorithms
- Provide proofs that the algorithms work

Minimum Spanning Tree Definitions


- $G=(V,E)$ is an UNDIRECTED graph
- Weights associated with the edges
- Find a spanning tree of minimum weight
 - If not connected, complain

Minimum Spanning Tree



Greedy Algorithms for Minimum Spanning Tree


- Extend a tree by including the cheapest outgoing edge
- Add the cheapest edge that joins disjoint components
- Delete the most expensive edge that does not disconnect the graph



Greedy Algorithm 1

Prim's Algorithm

- Extend a tree by including the cheapest out going edge




Construct the MST
with Prim's
algorithm starting
from vertex a

Label the edges in
order of insertion

Greedy Algorithm 2

Kruskal's Algorithm

- Add the cheapest edge that joins disjoint components




Construct the MST
with Kruskal's
algorithm

Label the edges in
order of insertion

Greedy Algorithm 3

Reverse-Delete Algorithm

- Delete the most expensive edge that does not disconnect the graph



Construct the MST
with the reverse-
delete algorithm

Label the edges in
order of removal

Dijkstra's Algorithm for Minimum Spanning Trees

$S = \{ \}$; $d[s] = 0$; $d[v] = \text{infinity}$ for $v \neq s$


While $S \neq V$

Choose v in $V-S$ with minimum $d[v]$

Add v to S


For each w in the neighborhood of v

$$d[w] = \min(d[w], c(v, w))$$




Minimum Spanning Tree

Undirected Graph
 $G=(V,E)$ with edge
weights



Greedy Algorithms for Minimum Spanning Tree

- **[Prim]** Extend a tree by including the cheapest outgoing edge
- **[Kruskal]** Add the cheapest edge that joins disjoint components
- **[ReverseDelete]** Delete the most expensive edge that does not disconnect the graph




Why do the greedy algorithms work?

- For simplicity, assume all edge costs are distinct

Edge inclusion lemma


- Let S be a subset of V , and suppose $e = (u, v)$ is the minimum cost edge of E , with u in S and v in $V-S$
- e is in every minimum spanning tree of G
 - Or equivalently, if e is not in T , then T is not a minimum spanning tree



e is the minimum cost edge
between S and $V-S$

Proof

- Suppose T is a spanning tree that does not contain e
- Add e to T , this creates a cycle
- The cycle must have some edge $e_1 = (u_1, v_1)$ with u_1 in S and v_1 in $V-S$



- $T_1 = T - \{e_1\} + \{e\}$ is a spanning tree with lower cost
- Hence, T is not a minimum spanning tree