



CSE 417 Algorithms and Complexity

Lecture 25
Autumn 2020
Network Flow, Part 2

Outline


- Network flow definitions
- Flow examples
- Augmenting Paths
- Residual Graph
- Ford-Fulkerson Algorithm
- Cuts
- Maxflow-MinCut Theorem
- Simple applications of Max Flow

Network Flow Definitions

- Flowgraph: Directed graph with distinguished vertices s (source) and t (sink)
- Capacities on the edges, $c(e) \geq 0$
- Problem, assign flows $f(e)$ to the edges such that:
 - $0 \leq f(e) \leq c(e)$
 - Flow is conserved at vertices other than s and t
 - Flow conservation: flow going into a vertex equals the flow going out
 - The flow leaving the source is as large as possible


Residual Graph

- Flow graph showing the remaining capacity
- Flow graph G , Residual Graph G_R
 - G : edge e from u to v with capacity c and flow f
 - G_R : edge e' from u to v with capacity $c - f$
 - G_R : edge e'' from v to u with capacity f



Augmenting Path Algorithm

- Augmenting path in residual graph
 - Vertices v_1, v_2, \dots, v_k
 - $v_1 = s, v_k = t$
 - Possible to add b units of flow between v_j and v_{j+1} for $j = 1 \dots k-1$



Adding flow along a path in the residual graph

- Let P be an s - t path in the residual graph with capacity b
- b units of flow can be added along P in the graph G
- Need to show:
 - new flow satisfies capacity constraints
 - new flow satisfies conservation constraints

Ford-Fulkerson Algorithm (1956)

while not done


Construct residual graph G_R

Find an s-t path P in G_R with capacity $b > 0$


Add b units of flow along path P in G

If the sum of the capacities of edges leaving S is at most C , then the algorithm takes at most C iterations

Flow Example I



Flow Example II




Cuts in a graph

- Cut: Partition of V into disjoint sets S, T with s in S and t in T .
- $\text{Cap}(S,T)$: sum of the capacities of edges from S to T
- $\text{Flow}(S,T)$: net flow out of S
 - Sum of flows out of S minus sum of flows into S
- $\text{Flow}(S,T) \leq \text{Cap}(S,T)$


What is $\text{Cap}(S,T)$ and $\text{Flow}(S,T)$

$S = \{s, a, b, e, h\}$, $T = \{c, f, i, d, g, t\}$



What is $\text{Cap}(S,T)$ and $\text{Flow}(S,T)$


$S = \{s, a, b, e, h\}$, $T = \{c, f, i, d, g, t\}$




$\text{Cap}(S,T) = 95$,

$\text{Flow}(S,T) = 80 - 15 = 65$


Minimum value cut




Find a minimum value cut



Find a minimum value cut




Find a minimum value cut




MaxFlow – MinCut Theorem

- There exists a flow which has the same value of the minimum cut
- Proof: Consider a flow where the residual graph has no s-t path with positive capacity
- Let S be the set of vertices in G_R reachable from s with paths of positive capacity



Let S be the set of vertices in G_R reachable from s with paths of positive capacity




What can we say about the flows and capacity between u and v?

Max Flow - Min Cut Theorem

- Ford-Fulkerson algorithm finds a flow where the residual graph is disconnected, hence FF finds a maximum flow.
- If we want to find a minimum cut, we begin by looking for a maximum flow.

History

- Ford / Fulkerson studied network flow in the context of the Soviet Rail Network




Ford Fulkerson Runtime

- Cost per phase \times number of phases
- Phases
 - Capacity leaving source: C
 - Add at least one unit per phase
- Cost per phase
 - Build residual graph: $O(m)$
 - Find s-t path in residual: $O(m)$

Performance

- The worst case performance of the Ford-Fulkerson algorithm is horrible



Better methods of finding augmenting paths

- Find the maximum capacity augmenting path
 - $O(m^2 \log(C))$ time algorithm for network flow
- Find the shortest augmenting path
 - $O(m^2 n)$ time algorithm for network flow
- Find a blocking flow in the residual graph
 - $O(mn \log n)$ time algorithm for network flow