



# CSE 417

# Algorithms and Complexity

Autumn 2024


Lecture 24

Network Flow, Part 1

# Announcements

- Homework 8, Due Wednesday, Nov 29
- Homework 9, Due Friday, Dec 6
- Final Exam,
  - Monday, December 9, 8:30-10:20 AM

# Network Flow




# Outline

- Network flow definitions
- Flow examples
- Augmenting Paths
- Residual Graph
- Ford Fulkerson Algorithm
- Cuts
- Maxflow-MinCut Theorem

# Network Flow Definitions

- Capacity
- Source, Sink
- Capacity Condition
- Conservation Condition
- Value of a flow


# Flow Example



# Network Flow Definitions


- Flowgraph: Directed graph with distinguished vertices  $s$  (source) and  $t$  (sink)
- Capacities on the edges,  $c(e) \geq 0$
- Problem, assign flows  $f(e)$  to the edges such that:
  - $0 \leq f(e) \leq c(e)$
  - Flow is conserved at vertices other than  $s$  and  $t$ 
    - Flow conservation: flow going into a vertex equals the flow going out
  - The flow leaving the source is as large as possible

# Find a maximum flow







# Find a maximum flow





# Flow Example



# Residual Graph


- Flow graph showing the remaining capacity
- Flow graph  $G$ , Residual Graph  $G_R$ 
  - $G$ : edge  $e$  from  $u$  to  $v$  with capacity  $c$  and flow  $f$
  - $G_R$ : edge  $e'$  from  $u$  to  $v$  with capacity  $c - f$
  - $G_R$ : edge  $e''$  from  $v$  to  $u$  with capacity  $f$

# Flow assignment and the residual graph




# Augmenting Path Algorithm


- Augmenting path
  - Vertices  $v_1, v_2, \dots, v_k$ 
    - $v_1 = s, v_k = t$
    - Possible to add  $b$  units of flow between  $v_j$  and  $v_{j+1}$  for  $j = 1 \dots k-1$




# Build the residual graph



Residual graph:





# Find two augmenting paths



# Augmenting Path Lemma

- Let  $P = v_1, v_2, \dots, v_k$  be a path from  $s$  to  $t$  with minimum capacity  $b$  in the residual graph.
- $b$  units of flow can be added along the path  $P$  in the flow graph.





# Proof

- Add  $b$  units of flow along the path  $P$
- What do we need to verify to show we have a valid flow after we do this?

—

—

# Ford-Fulkerson Algorithm (1956)

while not done

    Construct residual graph  $G_R$

    Find an s-t path  $P$  in  $G_R$  with capacity  $b > 0$

    Add  $b$  units along in  $G$

If the sum of the capacities of edges leaving  $S$  is at most  $C$ , then the algorithm takes at most  $C$  iterations