

CSE 42 I: Intro Algorithms

Dynamic Programming, I
Intro: Fibonacci & Stamps

W. L. Ruzzo

Dynamic Programming

Outline:

General Principles

Easy Examples – Fibonacci, Licking Stamps

Meatier examples

Weighted interval scheduling

String Alignment

RNA Structure prediction

Maybe others

Some Algorithm Design Techniques, I: Greedy

Greedy algorithms

Usually builds something a piece at a time

Repeatedly make the greedy choice - the one that looks the best right away

e.g. closest pair in TSP search

Usually simple, fast if they work (but often don't)

Some Algorithm Design Techniques, II: D & C

Divide & Conquer

Reduce problem to one or more sub-problems of the same type, i.e., a recursive solution

Typically, sub-problems are disjoint, and at most a constant fraction of the size of the original

e.g. Mergesort, Quicksort, Binary Search, Karatsuba

Typically, speeds up a polynomial time algorithm

Some Algorithm Design Techniques, III: DP

Dynamic Programming

Reduce problem to one or more sub-problems of the same type, i.e., a recursive solution

Useful when the same sub-problems show up *repeatedly* in the solution

Often very robust to problem re-definition

Sometimes gives *exponential* speedups

“Dynamic Programming”

Program – A plan or procedure for dealing with some matter

– Webster’s New World Dictionary

Dynamic Programming History

Bellman. Pioneered the systematic study of dynamic programming in the 1950s.

Etymology.

Dynamic programming = planning over time.

Secretary of Defense was hostile to mathematical research.

Bellman sought an impressive name to avoid confrontation.

“it’s impossible to use dynamic in a pejorative sense”

“something not even a Congressman could object to”

Reference: Bellman, R. E. *Eye of the Hurricane, An Autobiography*.

A very simple case: Computing Fibonacci Numbers

Recall $F_n = F_{n-1} + F_{n-2}$ and $F_0 = 0, F_1 = 1$

Recursive algorithm:


Fibo(n)

if $n = 0$ then return(0)


else if $n = 1$ then return(1)

else return(Fibo(n-1)+Fibo(n-2))

Call tree - start



Full call tree



many duplicates \Rightarrow exponential time!

Two Alternative Fixes

Memoization (“Caching”)

Compute on demand, but don't re-compute:

Save answers from all recursive calls

Before a call, test whether answer saved

Dynamic Programming (not memoized)

Pre-compute, don't re-compute:

Recursion become iteration (top-down → bottom-up)

Anticipate and pre-compute needed values

DP usually cleaner, faster, simpler data structures

Fibonacci - Memoized Version

initialize: $F[i] \leftarrow$ undefined for all $i > 1$

$F[0] \leftarrow 0$

$F[1] \leftarrow 1$


FiboMemo(n):

if($F[n]$ undefined) {

$F[n] \leftarrow \text{FiboMemo}(n-2) + \text{FiboMemo}(n-1)$

}


return($F[n]$)



Fibonacci - Dynamic Programming Version

```
FiboDP(n):  
  F[0] ← 0  
  F[1] ← 1  
  for i = 2 to n do  
    F[i] ← F[i-1] + F[i-2]  
  end  
  return(F[n])
```

For this problem, suffices to keep only last 2 entries instead of full array, but about the same speed



Dynamic Programming

Useful when

Same recursive sub-problems occur *repeatedly*

Parameters of these recursive calls anticipated

The solution to whole problem can be solved without knowing the *internal* details of how the sub-problems are solved

“principle of optimality” – more below

Example: Making change

Given:

Large supply of 1¢, 5¢, 10¢, 25¢, 50¢ coins

An amount N

Problem: choose fewest coins totaling N

Cashier's (greedy) algorithm works:

Give as many as possible of the next biggest denomination

Licking Stamps

Given:

Large supply of 5¢, 4¢, and 1¢ stamps

An amount N

Problem: choose fewest stamps totaling N

A Few Ways To Lick 27¢

| # of 5¢ stamps | # of 4 ¢ stamps | # of 1¢ stamps | total number |
|----------------|-----------------|----------------|--------------|
| 5 | 0 | 2 | 7 |
| 4 | 1 | 3 | 8 |
| 3 | 3 | 0 | 6 |

Morals: Greed doesn't pay; success of "cashier's alg" depends on coin denominations



A Simple Algorithm

At most N stamps needed, etc.

```
for a = 0, ..., N {  
  for b = 0, ..., N {  
    for c = 0, ..., N {  
      if (5a+4b+c == N && a+b+c is new min)  
        {retain (a,b,c);}}}  
output retained triple;
```

Time: $O(N^3)$

(Not too hard to see some optimizations, but we're after bigger fish...)

Better Idea

Theorem: If last stamp in an opt sol has value v , then previous stamps are *opt sol* for $N-v$.

Proof: if not, we could improve the solution for N by using opt for $N-v$.

Alg: for $i = 1$ to n :


$$OPT(i) = \min \left\{ \begin{array}{ll} 0 & i=0 \\ 1+OPT(i-5) & i \geq 5 \\ 1+OPT(i-4) & i \geq 4 \\ 1+OPT(i-1) & i \geq 1 \end{array} \right\}$$

Claim: $OPT(i)$ =
min number of
stamps totaling $i \notin$

Pf: induction on i .

New Idea: Recursion

$$OPT(i) = \min \left\{ \begin{array}{ll} 0 & i=0 \\ 1+OPT(i-5) & i \geq 5 \\ 1+OPT(i-4) & i \geq 4 \\ 1+OPT(i-1) & i \geq 1 \end{array} \right\}$$



Time: $> 3^{N/5}$

Another New Idea: Avoid Recomputation

Tabulate values of solved subproblems

Top-down: “memoization”

Bottom up (better):

for $i = 0, \dots, N$ do

$$OPT(i) = \min \left\{ \begin{array}{ll} 0 & i=0 \\ 1+OPT(i-5) & i \geq 5 \\ 1+OPT(i-4) & i \geq 4 \\ 1+OPT(i-1) & i \geq 1 \end{array} \right.$$

Time: $O(N)$


Finding *How Many Stamps*

| i | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|--------|---|---|---|---|---|---|---|---|---|---|----|----|----|
| OPT(i) | 0 | 1 | 2 | 3 | 1 | 1 | 2 | 3 | 2 | | | | |



$1 + \text{Min}(3, 1, 3) = 2$

Finding *Which* Stamps: Trace-Back



$$\underline{1} + \text{Min}(3, \underline{1}, 3) = \underline{2}$$

Trace-Back

Way 1: tabulate all

add data structure storing back-pointers indicating which predecessor gave the min. (more space, maybe less time)

Way 2: re-compute just what's needed

```
TraceBack(i):  
    if i == 0 then return;  
    for d in {1, 4, 5} do  
        if OPT[i] == 1 + OPT[i - d]  
            then break;  
    print d;  
    TraceBack(i - d);
```

$$OPT(i) = \min \left\{ \begin{array}{ll} 0 & i=0 \\ 1+OPT(i-5) & i \geq 5 \\ 1+OPT(i-4) & i \geq 4 \\ 1+OPT(i-1) & i \geq 1 \end{array} \right\}$$

Complexity Note

$O(N)$ is better than $O(N^3)$ or $O(3^{N/5})$

But still *exponential* in input size ($\log N$ bits)

(E.g., miserable if N is 64 bits – $c \cdot 2^{64}$ steps & 2^{64} memory.)

Note: can do in $O(1)$ for fixed denominations, e.g., 5¢, 4¢, and 1¢ (how?) but not in general. See “NP-Completeness” later.

Elements of Dynamic Programming

What feature did we use?

What should we look for to use again?

“Optimal Substructure”

Optimal solution contains optimal subproblems

A non-example: $\min(\text{number of stamps mod } 2)$

“Repeated Subproblems”

The same subproblems arise in various ways