


## 6.1 Weighted Interval Scheduling

---

# Weighted Interval Scheduling

Weighted interval scheduling problem.

- Job  $j$  starts at  $s_j$ , finishes at  $f_j$ , and has weight or value  $v_j$ .
- Two jobs **compatible** if they don't overlap.
- Goal: find maximum **weight** subset of mutually compatible jobs.




## Unweighted Interval Scheduling Review

**Recall.** Greedy algorithm works if all weights are 1.

- Consider jobs in ascending order of finish time.
- Add job to subset if it is compatible with previously chosen jobs.

**Observation.** Greedy algorithm can fail spectacularly if arbitrary weights are allowed.




# Weighted Interval Scheduling

**Notation.** Label jobs by finishing time:  $f_1 \leq f_2 \leq \dots \leq f_n$ .

**Def.**  $p(j)$  = largest index  $i < j$  such that job  $i$  is compatible with  $j$ .

**Ex:**  $p(8) = 5$ ,  $p(7) = 3$ ,  $p(2) = 0$ .



j	p(j)
0	-
1	0
2	0
3	0
4	1
5	0
6	2
7	3
8	5

## Dynamic Programming: Binary Choice

**Notation.**  $OPT(j)$  = value of optimal solution to the problem consisting of job requests  $1, 2, \dots, j$ .

- Case 1: Optimum selects job  $j$ .
  - can't use incompatible jobs  $\{ p(j) + 1, p(j) + 2, \dots, j - 1 \}$
  - must include optimal solution to problem consisting of remaining compatible jobs  $1, 2, \dots, p(j)$
- Case 2: Optimum does not select job  $j$ .
  - must include optimal solution to problem consisting of remaining compatible jobs  $1, 2, \dots, j-1$

*optimal substructure*

$$OPT(j) = \begin{cases} 0 & \text{if } j = 0 \\ \max \{ v_j + OPT(p(j)), OPT(j-1) \} & \text{otherwise} \end{cases}$$

## Weighted Interval Scheduling: Brute Force

Brute force recursive algorithm.

```
Input:  $n, s_1, \dots, s_n, f_1, \dots, f_n, v_1, \dots, v_n$ 
```

```
Sort jobs by finish times so that  $f_1 \leq f_2 \leq \dots \leq f_n$ .
```


```
Compute  $p(1), p(2), \dots, p(n)$ 
```

```
Compute-Opt(j) {  
    if (j = 0)  
        return 0  
    else  
        return max( $v_j + \text{Compute-Opt}(p(j))$ ,  $\text{Compute-Opt}(j-1)$ )  
}
```

# Weighted Interval Scheduling: Brute Force

**Observation.** Recursive algorithm fails spectacularly because of redundant sub-problems  $\Rightarrow$  exponential algorithms.

**Ex.** Number of recursive calls for family of "layered" instances grows like Fibonacci sequence.



## Weighted Interval Scheduling: Bottom-Up

Bottom-up dynamic programming. Unwind recursion.

```
Input:  $n, s_1, \dots, s_n, f_1, \dots, f_n, v_1, \dots, v_n$ 
```

```
Sort jobs by finish times so that  $f_1 \leq f_2 \leq \dots \leq f_n$ .
```

```
Compute  $p(1), p(2), \dots, p(n)$ 
```

```
Iterative-Compute-Opt {  
    OPT[0] = 0  
    for  $j = 1$  to  $n$   
        OPT[j] = max( $v_j + \text{OPT}[p(j)]$ , OPT[j-1])  
}
```

```
Output OPT[n]
```

Claim: OPT[j] is value of optimal solution for jobs 1..j

Timing: Easy. Main loop is  $O(n)$ ; sorting is  $O(n \log n)$




## Weighted Interval Scheduling

**Notation.** Label jobs by finishing time:  $f_1 \leq f_2 \leq \dots \leq f_n$ .

**Def.**  $p(j)$  = largest index  $i < j$  such that job  $i$  is compatible with  $j$ .

**Ex:**  $p(8) = 5$ ,  $p(7) = 3$ ,  $p(2) = 0$ .



j	v <sub>j</sub>	p <sub>j</sub>	opt <sub>j</sub>
0	-	-	0
1		0	
2		0	
3		0	
4		1	
5		0	
6		2	
7		3	
8		5	

## Weighted Interval Scheduling: Finding a Solution


Q. Dynamic programming algorithms computes optimal value. What if we want the solution itself?

A. Do some post-processing - "traceback"


```
Run M-Compute-Opt(n)
Run Find-Solution(n)
```

```
Find-Solution(j) {
  if (j = 0)
    output nothing
  else if ( $v_j + \text{OPT}[p(j)] > \text{OPT}[j-1]$ )
    print j
    Find-Solution(p(j))
  else
    Find-Solution(j-1)
}
```

the condition  
determining the  
max when  
computing  
OPT[ ]



the relevant  
sub-problem



- # of recursive calls  $\leq n \Rightarrow O(n)$ .

## Sidebar: why does job ordering matter?

It's *Not* for the same reason as in the greedy algorithm for unweighted interval scheduling.

Instead, it's because it allows us to consider only a small number of subproblems ( $O(n)$ ), vs the exponential number that seem to be needed if the jobs aren't ordered (seemingly, *any* of the  $2^n$  possible subsets might be relevant)

Don't believe me? Think about the analogous problem for weighted *rectangles* instead of intervals... (I.e., pick max weight non-overlapping subset of a set of axis-parallel rectangles.) Same problem for circles also appears difficult.

## 6.4 Knapsack Problem

---

# Knapsack Problem

Knapsack problem.

- Given  $n$  objects and a "knapsack."
- Item  $i$  weighs  $w_i > 0$  kilograms and has value  $v_i > 0$ .
- Knapsack has capacity of  $W$  kilograms.
- Goal: fill knapsack so as to maximize total value.

Ex: { 3, 4 } has value 40.

$W = 11$

Item	Value	Weight	V/W
1	1	1	1
2	6	2	3
3	18	5	3.60
4	22	6	3.66
5	28	7	4

**Greedy:** repeatedly add item with maximum ratio  $v_i / w_i$ .

Ex: { 5, 2, 1 } achieves only value = 35  $\Rightarrow$  greedy not optimal.

[NB greedy is optimal for "fractional knapsack": take #5 + 4/6 of #4]

## Dynamic Programming: False Start

Def.  $OPT(i)$  = max profit subset of items  $1, \dots, i$ .

- Case 1:  $OPT$  does not select item  $i$ .
  - $OPT$  selects best of  $\{ 1, 2, \dots, i-1 \}$
- Case 2:  $OPT$  selects item  $i$ .
  - accepting item  $i$  does not immediately imply that we will have to reject other items
  - without knowing what other items were selected before  $i$ , we don't even know if we have enough room for  $i$

Conclusion. Need more sub-problems!

## Dynamic Programming: Adding a New Variable

Def.  $OPT(i, w)$  = max profit subset of items 1, ..., i with weight limit w.

- Case 1: OPT does not select item i.
  - OPT selects best of { 1, 2, ..., i-1 } using weight limit w
- Case 2: OPT selects item i.
  - new weight limit =  $w - w_i$
  - OPT selects best of { 1, 2, ..., i-1 } using this new weight limit

$$OPT(i, w) = \begin{cases} 0 & \text{if } i = 0 \\ OPT(i-1, w) & \text{if } w_i > w \\ \max\{OPT(i-1, w), v_i + OPT(i-1, w - w_i)\} & \text{otherwise} \end{cases}$$

## Knapsack Problem: Bottom-Up

Knapsack. Fill up an  $n$ -by- $W$  array.

```
Input:  $n, w_1, \dots, w_N, v_1, \dots, v_N$ 

for  $w = 0$  to  $W$ 
     $OPT[0, w] = 0$ 

for  $i = 1$  to  $n$ 
    for  $w = 1$  to  $W$ 
        if ( $w_i > w$ )
             $OPT[i, w] = OPT[i-1, w]$ 
        else
             $OPT[i, w] = \max \{OPT[i-1, w], v_i + OPT[i-1, w-w_i]\}$ 

return  $OPT[n, W]$ 
```



# Knapsack Algorithm

←----- W + 1 ----->

		0	1	2	3	4	5	6	7	8	9	10	11
n + 1 ↓	φ	0	0	0	0	0	0	0	0	0	0	0	0
	{ 1 }	0	1	1	1	1	1	1	1	1	1	1	1
	{ 1, 2 }	0	1	6	7	7	7	7	7	7	7	7	7
	{ 1, 2, 3 }	0	1	6	7	7	18	19	24	25	25	25	25
	{ 1, 2, 3, 4 }	0	1	6	7	7	18	22	24	28	29	29	40
	{ 1, 2, 3, 4, 5 }	0	1	6	7	7	18	22	28	29	34	34	40

OPT: { 4, 3 }  
value = 22 + 18 = 40

W = 11

Item	Value	Weight
1	1	1
2	6	2
3	18	5
4	22	6
5	28	7

```

if (wi > w)
    OPT[i, w] = OPT[i-1, w]
else
    OPT[i, w] = max{OPT[i-1, w], vi+OPT[i-1, w-wi]}
    
```

## Knapsack Problem: Running Time

Running time.  $\Theta(nW)$ .

- Not polynomial in input size!
- "Pseudo-polynomial."
- Knapsack is NP-hard. [Chapter 8]

Knapsack approximation algorithm. There exists a polynomial algorithm that produces a feasible solution that has value within 0.01% (or any other desired factor) of optimum. [Section 11.8]