



## CSE 421 Algorithms



Richard Anderson  
Lecture 22  
Network Flow



## Outline

- Network flow definitions
- Flow examples
- Augmenting Paths
- Residual Graph
- Ford Fulkerson Algorithm
- Cuts
- Maxflow-MinCut Theorem

## Network Flow Definitions


- Capacity
- Source, Sink
- Capacity Condition
- Conservation Condition
- Value of a flow

## Network Flow Definitions

- Flowgraph: Directed graph with distinguished vertices  $s$  (source) and  $t$  (sink)
- Capacities on the edges,  $c(e) \geq 0$
- Problem, assign flows  $f(e)$  to the edges such that:
  - $0 \leq f(e) \leq c(e)$
  - Flow is conserved at vertices other than  $s$  and  $t$ 
    - Flow conservation: flow going into a vertex equals the flow going out
  - The flow leaving the source is as large as possible


## Find a maximum flow

Value of flow:




Construct a maximum flow and indicate the flow value

## Find a maximum flow




## Flow Example



## Residual Graph


- Flow graph showing the remaining capacity
- Flow graph  $G$ , Residual Graph  $G_R$ 
  - $G$ : edge  $e$  from  $u$  to  $v$  with capacity  $c$  and flow  $f$
  - $G_R$ : edge  $e'$  from  $u$  to  $v$  with capacity  $c - f$
  - $G_R$ : edge  $e''$  from  $v$  to  $u$  with capacity  $f$

## Flow assignment and the residual graph




## Augmenting Path Algorithm


- Augmenting path
  - Vertices  $v_1, v_2, \dots, v_k$ 
    - $v_1 = s, v_k = t$
    - Possible to add  $b$  units of flow between  $v_j$  and  $v_{j+1}$  for  $j = 1 \dots k-1$




## Build the residual graph



Residual graph:




## Find two augmenting paths



## Augmenting Path Lemma

- Let  $P = v_1, v_2, \dots, v_k$  be a path from  $s$  to  $t$  with minimum capacity  $b$  in the residual graph.
- $b$  units of flow can be added along the path  $P$  in the flow graph.



## Proof

- Add  $b$  units of flow along the path  $P$
- What do we need to verify to show we have a valid flow after we do this?

–  
–

## Ford-Fulkerson Algorithm (1956)

while not done

Construct residual graph  $G_R$

Find an  $s$ - $t$  path  $P$  in  $G_R$  with capacity  $b > 0$

Add  $b$  units along in  $G$


If the sum of the capacities of edges leaving  $S$  is at most  $C$ , then the algorithm takes at most  $C$  iterations

## Cuts in a graph


- Cut: Partition of  $V$  into disjoint sets  $S, T$  with  $s$  in  $S$  and  $t$  in  $T$ .
- $\text{Cap}(S, T)$ : sum of the capacities of edges from  $S$  to  $T$
- $\text{Flow}(S, T)$ : net flow out of  $S$ 
  - Sum of flows out of  $S$  minus sum of flows into  $S$
- $\text{Flow}(S, T) \leq \text{Cap}(S, T)$

## What is $\text{Cap}(S, T)$ and $\text{Flow}(S, T)$


$S = \{s, a, b, e, h\}$ ,  $T = \{c, f, i, d, g, t\}$



## Minimum value cut




## Find a minimum value cut




## MaxFlow – MinCut Theorem

- There exists a flow which has the same value of the minimum cut
- Proof: Consider a flow where the residual graph has no s-t path with positive capacity
- Let S be the set of vertices in  $G_R$  reachable from s with paths of positive capacity



Let S be the set of vertices in  $G_R$  reachable from s with paths of positive capacity




What can we say about the flows and capacity between u and v?

## Max Flow - Min Cut Theorem

- Ford-Fulkerson algorithm finds a flow where the residual graph is disconnected, hence FF finds a maximum flow.
- If we want to find a minimum cut, we begin by looking for a maximum flow.

## Performance

- The worst case performance of the Ford-Fulkerson algorithm is horrible



## Better methods of finding augmenting paths

- Find the maximum capacity augmenting path
  - $O(m^2 \log(C))$  time algorithm for network flow
- Find the shortest augmenting path
  - $O(m^2 n)$  time algorithm for network flow
- Find a blocking flow in the residual graph
  - $O(mn \log n)$  time algorithm for network flow