



## CSE 421 Algorithms



Richard Anderson  
Lecture 23  
Network Flow



## Today



- Maxflow-MinCut Theorem
- Network Flow Applications

## Network Flow Definitions



- Flowgraph: Directed graph with distinguished vertices  $s$  (source) and  $t$  (sink)
- Capacities on the edges,  $c(e) \geq 0$
- Problem, assign flows  $f(e)$  to the edges such that:
  - $0 \leq f(e) \leq c(e)$
  - Flow is conserved at vertices other than  $s$  and  $t$ 
    - Flow conservation: flow going into a vertex equals the flow going out
  - The flow leaving the source is as large as possible

## Lecture Review

- Residual Graph – how a flow can be augmented
- Ford Fulkerson Algorithm
- Correctness Proof for FF Algorithm
  - FF Terminates with a valid flow
  - When FF completes residual graph is disconnected
  - If the Residual Graph is disconnected, then the flow is maximum
    - Max Flow, Min-Cut Theorem

## Residual Graph

- Flow graph showing the remaining capacity
- Flow graph  $G$ , Residual Graph  $G_R$ 
  - $G$ : edge  $e$  from  $u$  to  $v$  with capacity  $c$  and flow  $f$
  - $G_R$ : edge  $e'$  from  $u$  to  $v$  with capacity  $c - f$
  - $G_R$ : edge  $e''$  from  $v$  to  $u$  with capacity  $f$



## Ford-Fulkerson Algorithm (1956)

while not done

Construct residual graph  $G_R$

Find an  $s$ - $t$  path  $P$  in  $G_R$  with capacity  $b > 0$


Add  $b$  units along in  $G$

If the sum of the capacities of edges leaving  $S$  is at most  $C$ , then the algorithm takes at most  $C$  iterations

## Cuts in a graph


- Cut: Partition of  $V$  into disjoint sets  $S, T$  with  $s$  in  $S$  and  $t$  in  $T$ .
- $Cap(S,T)$ : sum of the capacities of edges from  $S$  to  $T$
- $Flow(S,T)$ : net flow out of  $S$ 
  - Sum of flows out of  $S$  minus sum of flows into  $S$
- $Flow(S,T) \leq Cap(S,T)$

## What is $Cap(S,T)$ and $Flow(S,T)$




$Cap(S,T) = 95$ ,  $Flow(S,T) = 80 - 15 = 65$


## Minimum value cut




## Find a minimum value cut



## Find a minimum value cut




## Find a minimum value cut




## MaxFlow – MinCut Theorem

- There exists a flow which has the same value of the minimum cut
- Proof: Consider a flow where the residual graph has no s-t path with positive capacity
- Let S be the set of vertices in  $G_R$  reachable from s with paths of positive capacity



Let S be the set of vertices in  $G_R$  reachable from s with paths of positive capacity




What can we say about the flows and capacity between u and v?

## Max Flow - Min Cut Theorem

- Ford-Fulkerson algorithm finds a flow where the residual graph is disconnected, hence FF finds a maximum flow.
- If we want to find a minimum cut, we begin by looking for a maximum flow.

## Performance

- The worst case performance of the Ford-Fulkerson algorithm is horrible



## Better methods of finding augmenting paths

- Find the maximum capacity augmenting path
  - $O(m^2 \log(C))$  time algorithm for network flow
- Find the shortest augmenting path
  - $O(m^2 n)$  time algorithm for network flow
- Find a blocking flow in the residual graph
  - $O(mn \log n)$  time algorithm for network flow

## Problem Reduction

- Reduce Problem A to Problem B
  - Convert an instance of Problem A to an instance of Problem B
  - Use a solution of Problem B to get a solution to Problem A
- Practical
  - Use a program for Problem B to solve Problem A
- Theoretical
  - Show that Problem B is at least as hard as Problem A

## Problem Reduction Examples


- Reduce the problem of finding the Maximum of a set of integers to finding the Minimum of a set of integers

Find the maximum of: 8, -3, 2, 12, 1, -6

Construct an equivalent minimization problem

## Undirected Network Flow

- Undirected graph with edge capacities
- Flow may go either direction along the edges (subject to the capacity constraints)



Construct an equivalent flow problem

## Bipartite Matching


- A graph  $G=(V,E)$  is bipartite if the vertices can be partitioned into disjoint sets  $X,Y$
- A matching  $M$  is a subset of the edges that does not share any vertices
- Find a matching as large as possible

## Application


- A collection of teachers
- A collection of courses
- And a graph showing which teachers can teach which courses

RA	●	●	311
PB	●	●	331
ME	●	●	332
DG	●	●	401
AK	●	●	421

## Converting Matching to Network Flow



## Finding edge disjoint paths



Construct a maximum cardinality set of edge disjoint paths