

CSE 421

Algorithms

Richard Anderson

Lecture 14

Divide and Conquer

Announcements

- Review session, 3:30 pm. CSE 403.
- Midterm. Monday.

What you really need to know about recurrences

- Work per level changes geometrically with the level
- Geometrically increasing ($x > 1$)
 - The bottom level wins
- Geometrically decreasing ($x < 1$)
 - The top level wins
- Balanced ($x = 1$)
 - Equal contribution

$$T(n) = aT(n/b) + n^c$$

- **Balanced:** $a = b^c$
 - $T(n) = 4T(n/2) + n^2$
- **Increasing:** $a > b^c$
 - $T(n) = 9T(n/8) + n$
 - $T(n) = 3T(n/4) + n^{1/2}$
- **Decreasing:** $a < b^c$
 - $T(n) = 5T(n/8) + n$
 - $T(n) = 7T(n/2) + n^3$

Divide and Conquer Algorithms

- Split into sub problems
- Recursively solve the problem
- Combine solutions

- Make progress in the split and combine stages
 - Quicksort – progress made at the split step
 - Mergesort – progress made at the combine step
- D&C Algorithms
 - Strassen's Algorithm – Matrix Multiplication
 - Inversions
 - Median
 - Closest Pair
 - Integer Multiplication
 - FFT

How to multiply 2 x 2 matrices with 7 multiplications

Multiply 2 x 2 Matrices:

$$\begin{vmatrix} r & s \\ t & u \end{vmatrix} = \begin{vmatrix} a & b \\ c & d \end{vmatrix} \begin{vmatrix} e & g \\ f & h \end{vmatrix}$$

$$r = p_1 + p_2 - p_4 + p_6$$

$$s = p_4 + p_5$$

$$t = p_6 + p_7$$

$$u = p_2 - p_3 + p_5 - p_7$$

Where:

$$p_1 = (b - d)(f + h)$$

$$p_2 = (a + d)(e + h)$$

$$p_3 = (a - c)(e + g)$$

$$p_4 = (a + b)h$$

$$p_5 = a(g - h)$$

$$p_6 = d(f - e)$$

$$p_7 = (c + d)e$$

Corrected version from AHU 1974

Strassen's Algorithms

- Treat $n \times n$ matrices as 2×2 matrices of $n/2 \times n/2$ submatrices
- Use Strassen's trick to multiply 2×2 matrices with 7 multiplies
- Base case standard multiplication for single entries
- Recurrence: $T(n) = 7 T(n/2) + cn^2$
- Solution is $O(7^{\log n}) = O(n^{\log 7})$ which is about $O(n^{2.807})$

Inversion Problem

- Let a_1, \dots, a_n be a permutation of $1 \dots n$
- (a_i, a_j) is an inversion if $i < j$ and $a_i > a_j$

4, 6, 1, 7, 3, 2, 5

- Problem: given a permutation, count the number of inversions
- This can be done easily in $O(n^2)$ time
 - Can we do better?

Application

- Counting inversions can be use to measure how close ranked preferences are
 - People rank 20 movies, based on their rankings you cluster people who like that same type of movie

Counting Inversions





11	12	4	1	7	2	3	15	9	5	16	8	6	13	10	14
----	----	---	---	---	---	---	----	---	---	----	---	---	----	----	----

Count inversions on lower half


Count inversions on upper half

Count the inversions between the halves

Count the Inversions



19



Problem – how do we count inversions between sub problems in $O(n)$ time?

- Solution – Count inversions while merging

1	2	3	4	7	11	12	15
---	---	---	---	---	----	----	----

5	6	8	9	10	13	14	16
---	---	---	---	----	----	----	----

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Standard merge algorithm – add to inversion count when an element is moved from the upper array to the solution

Use the merge algorithm to count inversions

1	4	11	12
---	---	----	----

2	3	7	15
---	---	---	----

--	--	--	--	--	--	--	--

5	8	9	16
---	---	---	----


6	10	13	14
---	----	----	----

--	--	--	--	--	--	--	--

Indicate the number of inversions for each element detected when merging

Inversions

- Counting inversions between two sorted lists
 - $O(1)$ per element to count inversions



- Algorithm summary
 - Satisfies the “Standard recurrence”
 - $T(n) = 2 T(n/2) + cn$

Computing the Median


- Given n numbers, find the number of rank $n/2$
- One approach is sorting
 - Sort the elements, and choose the middle one
 - Can you do better?

Problem generalization

- *Selection*, given n numbers and an integer k , find the k -th largest

Select(A, k)

```
Select(A, k){  
    Choose element x from A  
    S1 = {y in A | y < x}  
    S2 = {y in A | y > x}  
    S3 = {y in A | y = x}  
    if (|S2| >= k)  
        return Select(S2, k)  
    else if (|S2| + |S3| >= k)  
        return x  
    else  
        return Select(S1, k - |S2| - |S3|)  
}
```



Randomized Selection

- Choose the element at random
- Analysis can show that the algorithm has expected run time $O(n)$

Deterministic Selection

- What is the run time of select if we can guarantee that choose finds an x such that $|S_1| < 3n/4$ and $|S_2| < 3n/4$ in $O(n)$ time

BFPRT Algorithm



- A very clever choose algorithm . . .



Split into $n/5$ sets of size 5

M be the set of medians of these sets

Let x be the median of M



BFPRT runtime

$$|S_1| < 3n/4, |S_2| < 3n/4$$

Split into $n/5$ sets of size 5

M be the set of medians of these sets

x be the median of M

Construct S_1 and S_2

Recursive call in S_1 or S_2

BFPRT Recurrence

- $T(n) \leq T(3n/4) + T(n/5) + c n$

Prove that $T(n) \leq 20 c n$