



# Five Problems



CSE 421

Richard Anderson

Autumn 2019, Lecture 3



# Announcements

- Course website: [//courses.cs.washington.edu/courses/cse421/19au/](http://courses.cs.washington.edu/courses/cse421/19au/)


## Lecture Schedule, CSE 421, Autumn 2019

Lecture	Date	Topic	Reading	Lecturer	Slides
Lecture 1	Wednesday, September 25	Course Introduction, Stable Marriage	Kleinberg-Tardos, Section 1.1	Anna Karlin	<a href="#">(PPTX)</a> <a href="#">(PDF)</a> <a href="#">(PDF Handouts)</a> <a href="#">(PDF Karlin)</a>
Lecture 2	Friday, September 27	Stable Matching	Kleinberg-Tardos, Section 1.1	Richard Anderson	<a href="#">(PPTX)</a> <a href="#">(PDF)</a> <a href="#">(PDF Handouts)</a> <a href="#">(Slides with Ink)</a>
Lecture 3	Monday, September 30	Five Problems	Kleinberg-Tardos, Section 1.2	Richard Anderson	<a href="#">(PPTX)</a> <a href="#">(PDF)</a> <a href="#">(PDF Handouts)</a>
Lecture 4	Wednesday, October 2	Runtime	Kleinberg-Tardos, Sections 2.1, 2.2	Richard Anderson	
Lecture 5	Friday, October 4	Graph Theory	Kleinberg-Tardos, Sections 3.1, 3.2, 3.4	TBD	

- Office hours
  - Richard Anderson
    - Monday, 2:40 pm - 3:30 pm, CSE 582
    - Wednesday, 2:40 pm - 3:30 pm, CSE 582

Teaching Assistant office hours:

CSE 421 OHs Fall 2019



# Theory of Algorithms

- What is expertise?
- How do experts differ from novices?

# Introduction of five problems


- Show the types of problems we will be considering in the class
- Examples of important types of problems
- Similar looking problems with very different characteristics
- Problems
  - Scheduling
  - Weighted Scheduling
  - Bipartite Matching
  - Maximum Independent Set
  - Competitive Facility Location

# What is a problem?

- Instance
- Solution
- Constraints on solution
- Measure of value

# Problem: Scheduling

- Suppose that you own a banquet hall
- You have a series of requests for use of the hall:  
 $(s_1, f_1), (s_2, f_2), \dots$



- Find a set of requests as large as possible with no overlap

# What is the largest solution?

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_


# Greedy Algorithm

- Test elements one at a time if they can be members of the solution
- If an element is not ruled out by earlier choices, add it to the solution
- Many possible choices for ordering (length, start time, end time)
- For this problem, considering the jobs by increasing end time works



# Suppose we add values?

- $(s_i, f_i, v_i)$ , start time, finish time, payment
- Maximize value of elements in the solution



# Greedy Algorithms


- Earliest finish time
- Maximum value
- Give counter examples to show these algorithms don't find the maximum value solution

# Dynamic Programming


- Requests  $R_1, R_2, R_3, \dots$
- Assume requests are in increasing order of finish time ( $f_1 < f_2 < f_3 \dots$ )
- $Opt_i$  is the maximum value solution of  $\{R_1, R_2, \dots, R_i\}$  containing  $R_i$
- $Opt_i = \text{Max}\{ j \mid f_j < s_i \}[Opt_j + v_i]$

# Matching


- Given a bipartite graph  $G=(U,V,E)$ , find a subset of the edges  $M$  of maximum size with no common endpoints.
- Application:
  - $U$ : Professors
  - $V$ : Courses
  - $(u,v)$  in  $E$  if Prof.  $u$  can teach course  $v$



# Find a maximum matching




# Augmenting Path Algorithm




# Reduction to network flow

- More general problem
- Send flow from source to sink
- Flow subject to capacities at edges
- Flow conserved at vertices
- Can solve matching as a flow problem




# Maximum Independent Set

- Given an undirected graph  $G=(V,E)$ , find a set  $I$  of vertices such that there are no edges between vertices of  $I$
- Find a set  $I$  as large as possible





# Find a Maximum Independent Set





# Key characteristic


- Hard to find a solution
- Easy to verify a solution once you have one
- Other problems like this
  - Hamiltonian circuit
  - Clique
  - Subset sum
  - Graph coloring


# NP-Completeness

- Theory of Hard Problems
- A large number of problems are known to be equivalent
- Very elegant theory

# Are there even harder problems?

- Simple game:
  - Players alternating selecting nodes in a graph
    - Score points associated with node
    - Remove nodes neighbors
  - When neither can move, player with most points wins





# Competitive Facility Location

- Choose location for a facility
  - Value associated with placement
  - Restriction on placing facilities too close together
- Competitive
  - Different companies place facilities
    - E.g., KFC and McDonald's

# Complexity theory

- These problems are P-Space complete instead of NP-Complete
  - Appear to be much harder
  - No obvious certificate
    - G has a Maximum Independent Set of size 10
    - Player 1 wins by at least 10 points



# Summary

- Scheduling
- Weighted Scheduling
- Bipartite Matching
- Maximum Independent Set
- Competitive Scheduling