

CSE 421

Algorithms


Richard Anderson

Lecture 18, Autumn 2019

Dynamic Programming

Optimal linear interpolation


Optimal linear interpolation with K segments



$$\text{Error} = \sum (y_i - ax_i - b)^2$$

$$\text{Opt}_k[j] = \min_i \{ \text{Opt}_{k-1}[i] + E_{i,j} \} \text{ for } 0 < i < j$$

Optimal solution with k segments extends an optimal solution of k-1 segments on a smaller problem



Subset Sum Problem

- Let $w_1, \dots, w_n = \{6, 8, 9, 11, 13, 16, 18, 24\}$
- Find a subset that has as large a sum as possible, without exceeding 50

Adding a variable for Weight

- $\text{Opt}[j, K]$ the largest subset of $\{w_1, \dots, w_j\}$ that sums to at most K
- $\{2, 4, 7, 10\}$
 - $\text{Opt}[2, 7] =$
 - $\text{Opt}[3, 7] =$
 - $\text{Opt}[3, 12] =$
 - $\text{Opt}[4, 12] =$

Subset Sum Recurrence

- $\text{Opt}[j, K]$ the largest subset of $\{w_1, \dots, w_j\}$ that sums to at most K

Subset Sum Grid

$$\text{Opt}[j, K] = \max(\text{Opt}[j - 1, K], \text{Opt}[j - 1, K - w_j] + w_j)$$

4																	
3																	
2																	
1																	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

{2, 4, 7, 10}

Subset Sum Code

for j = 1 to n

 for k = 1 to W

$\text{Opt}[j, k] = \max(\text{Opt}[j-1, k], \text{Opt}[j-1, k-w_j] + w_j)$

Knapsack Problem

- Items have weights and values
- The problem is to maximize total value subject to a bound on weight
- Items $\{I_1, I_2, \dots, I_n\}$
 - Weights $\{w_1, w_2, \dots, w_n\}$
 - Values $\{v_1, v_2, \dots, v_n\}$
 - Bound K
- Find set S of indices to:
 - Maximize $\sum_{i \in S} v_i$ such that $\sum_{i \in S} w_i \leq K$

Knapsack Recurrence

Subset Sum Recurrence:

$$\text{Opt}[j, K] = \max(\text{Opt}[j - 1, K], \text{Opt}[j - 1, K - w_j] + w_j)$$

Knapsack Recurrence:

Knapsack Grid

$$\text{Opt}[j, K] = \max(\text{Opt}[j - 1, K], \text{Opt}[j - 1, K - w_j] + v_j)$$

4																	
3																	
2																	
1																	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Weights {2, 4, 7, 10} Values: {3, 5, 9, 16}

Dynamic Programming Examples

- Examples
 - Optimal Billboard Placement
 - Text, Solved Exercise, Pg 307
 - Linebreaking with hyphenation
 - Compare with HW problem 6, Pg 317
 - String approximation
 - Text, Solved Exercise, Page 309

Billboard Placement

- Maximize income in placing billboards
 - $b_i = (p_i, v_i)$, v_i : value of placing billboard at position p_i
- Constraint:
 - At most one billboard every five miles
- Example
 - $\{(6,5), (8,6), (12, 5), (14, 1)\}$

Design a Dynamic Programming Algorithm for Billboard Placement

- Compute $\text{Opt}[1], \text{Opt}[2], \dots, \text{Opt}[n]$
- What is $\text{Opt}[k]$?

Input b_1, \dots, b_n , where $b_i = (p_i, v_i)$, position and value of billboard i

$$\text{Opt}[k] = \text{fun}(\text{Opt}[0], \dots, \text{Opt}[k-1])$$

- How is the solution determined from sub problems?

Input b_1, \dots, b_n , where $b_i = (p_i, v_i)$, position and value of billboard i

Solution

```
j = 0;           // j is five miles behind the current position
                 // the last valid location for a billboard, if one placed at P[k]
for k := 1 to n
    while (P[ j ] < P[ k ] - 5)
        j := j + 1;
    j := j - 1;
    Opt[ k ] = Max(Opt[ k-1 ] , V[ k ] + Opt[ j ]);
```