

# CSE 421 Algorithms

Richard Anderson

Lecture 26

NP-Completeness

# NP Completeness

2

COMPUTERS, COMPLEXITY, AND INTRACTABILITY



I can't find an efficient algorithm, I guess I'm just too dumb.




I can't find an efficient algorithm, but neither can all these famous people.

# Algorithms vs. Lower bounds

- Algorithmic Theory
  - What we can compute
    - I can solve problem  $X$  with resources  $R$
  - Proofs are almost always to give an algorithm that meets the resource bounds
- Lower bounds
  - How do we show that something can't be done?

# Theory of NP Completeness

# The Universe



# Polynomial Time

- P: Class of problems that can be solved in polynomial time
  - Corresponds with problems that can be solved efficiently in practice
  - Right class to work with “theoretically”

# Decision Problems

- Theory developed in terms of yes/no problems
  - Independent set
    - Given a graph  $G$  and an integer  $K$ , does  $G$  have an independent set of size at least  $K$
  - Network Flow
    - Given a graph  $G$  with edge capacities, a source vertex  $s$ , and sink vertex  $t$ , and an integer  $K$ , does the graph have flow function with value at least  $K$

# Definition of P

Decision problems for which there is a polynomial time algorithm

Problem	Description	Algorithm	Yes	No
MULTIPLE	Is x a multiple of y?	Grade school division	51, 17	51, 16
RELPRIME	Are x and y relatively prime?	Euclid's algorithm	34, 39	34, 51
PRIMES	Is x prime?	Agrawal, Kayal, Saxena (2002)	53	51
EDIT-DISTANCE	Is the edit distance between x and y less than 5?	Dynamic programming	niether neither	acgggt tttta
LSOLVE	Is there a vector x that satisfies $Ax = b$ ?	Gaussian elimination	$\left[ \begin{array}{ccc c} 0 & 1 & 1 & 4 \\ 2 & 4 & -2 & 2 \\ 0 & 3 & 15 & 36 \end{array} \right]$	$\left[ \begin{array}{ccc c} 1 & 0 & 0 & 1 \\ 1 & 1 & 1 & 1 \\ 0 & 1 & 1 & 1 \end{array} \right]$



# What is NP?

- Problems solvable in non-deterministic polynomial time . . .
- Problems where “yes” instances have polynomial time checkable certificates

# Certificate examples

- Independent set of size  $K$ 
  - The Independent Set
- Satisfiable formula
  - Truth assignment to the variables
- Hamiltonian Circuit Problem
  - A cycle including all of the vertices
- $K$ -coloring a graph
  - Assignment of colors to the vertices

# Certifiers and Certificates: 3-Satisfiability

SAT: Does a given CNF formula have a satisfying formula

Certificate: An assignment of truth values to the n boolean variables

Certifier: Check that each clause has at least one true literal,

instance s

$$\left(\overline{x_1} \vee x_2 \vee x_3\right) \wedge \left(x_1 \vee \overline{x_2} \vee x_3\right) \wedge \left(x_1 \vee x_2 \vee x_4\right) \wedge \left(\overline{x_1} \vee \overline{x_3} \vee \overline{x_4}\right)$$

certificate t



$$x_1 = 1, x_2 = 1, x_3 = 0, x_4 = 1$$

# Certifiers and Certificates: Hamiltonian Cycle

HAM-CYCLE. Given an undirected graph  $G = (V, E)$ , does there exist a simple cycle  $C$  that visits every node?

Certificate. A permutation of the  $n$  nodes.

Certifier. Check that the permutation contains each node in  $V$  exactly once, and that there is an edge between each pair of adjacent nodes in the permutation.



# Polynomial time reductions

- Y is Polynomial Time Reducible to X
  - Solve problem Y with a polynomial number of computation steps and a polynomial number of calls to a black box that solves X
  - Notations:  $Y <_P X$

# Lemmas

- Suppose  $Y <_p X$ . If  $X$  can be solved in polynomial time, then  $Y$  can be solved in polynomial time.
- Suppose  $Y <_p X$ . If  $Y$  cannot be solved in polynomial time, then  $X$  cannot be solved in polynomial time.

# NP-Completeness

- A problem  $X$  is NP-complete if
  - $X$  is in NP
  - For every  $Y$  in NP,  $Y <_p X$
- $X$  is a “hardest” problem in NP
- If  $X$  is NP-Complete,  $Z$  is in NP and  $X <_p Z$ 
  - Then  $Z$  is NP-Complete


# Cook's Theorem

- The Circuit Satisfiability Problem is NP-Complete







# Garey and Johnson



# History


- Jack Edmonds
  - Identified NP
- Steve Cook
  - Cook's Theorem – NP-Completeness
- Dick Karp
  - Identified “standard” collection of NP-Complete Problems
- Leonid Levin
  - Independent discovery of NP-Completeness in USSR

# P vs. NP Question




# Populating the NP-Completeness Universe

- Circuit Sat  $\leq_p$  3-SAT
- 3-SAT  $\leq_p$  Independent Set
- 3-SAT  $\leq_p$  Vertex Cover
- Independent Set  $\leq_p$  Clique
- 3-SAT  $\leq_p$  Hamiltonian Circuit
- Hamiltonian Circuit  $\leq_p$  Traveling Salesman
- 3-SAT  $\leq_p$  Integer Linear Programming
- 3-SAT  $\leq_p$  Graph Coloring
- 3-SAT  $\leq_p$  Subset Sum
- Subset Sum  $\leq_p$  Scheduling with Release times and deadlines




# Sample Problems

- Independent Set
  - Graph  $G = (V, E)$ , a subset  $S$  of the vertices is independent if there are no edges between vertices in  $S$



# Vertex Cover

- Vertex Cover
  - Graph  $G = (V, E)$ , a subset  $S$  of the vertices is a vertex cover if every edge in  $E$  has at least one endpoint in  $S$



# Cook's Theorem

- The Circuit Satisfiability Problem is NP-Complete
- Circuit Satisfiability
  - Given a boolean circuit, determine if there is an assignment of boolean values to the input to make the output true





# Proof of Cook's Theorem

- Reduce an arbitrary problem  $Y$  in NP to  $X$
- Let  $A$  be a non-deterministic polynomial time algorithm for  $Y$
- Convert  $A$  to a circuit, so that  $Y$  is a Yes instance iff and only if the circuit is satisfiable