

Sample final is out.

Final review session on Sunday at 3:00.

Final is Monday at 2:30-4:20 at Gates 01.

CSE 421

Reductions / P vs NP

Shayan Oveis Gharan


Reductions & NP-Completeness

Polynomial Time Reduction


Def $A \leq_p B$: if there is an **algorithm** for problem A using a 'black box' (subroutine) that solve problem B s.t.,

- Algorithm uses only a polynomial number of steps
- Makes only a polynomial number of calls to a subroutine for **B**

So,



Conversely,



In words, B is as hard as A (it can be even harder)

\leq_p^1 Reductions

A restricted form of polynomial-time reduction often called Karp or many-to-one reduction

$A \leq_p^1 B$: if and only if there is an algorithm for A given a black box solving B that on input x

- Runs for polynomial time computing an input $f(x)$ of B
- Makes one call to the black box for B for input $f(x)$
- Returns the answer that the black box gave

We say that the function $f(\cdot)$ is the reduction


Example 1: Indep Set \leq_p Clique

Indep Set: Given $G=(V,E)$ and an integer k , is there $S \subseteq V$ s.t. $|S| \geq k$ and **no two** vertices in S are joined by an edge?


Clique: Given a graph $G=(V,E)$ and an integer k , is there $S \subseteq V$, $|S| \geq k$ s.t., every pair of vertices in S is joined by an edge?

Claim: Indep Set \leq_p Clique

Pf: Given $G = (V, E)$ an instance of indep Set. Construct a new graph $G' = (V, E')$ where $\{u, v\} \in E'$ if and only if $\{u, v\} \notin E$.



S is an independ
set in G



S is an Clique
in G'

Example 2: Vertex Cover \leq_p Indep Set

Vertex Cover: Given a graph $G=(V,E)$ and an integer k , is there a vertex cover of size at most k ?

Claim: For any graph $G = (V, E)$, S is an independent set iff $V - S$ is a vertex cover

Pf:

\Rightarrow Let S be a independent set of G

Then, S has **at most one** endpoint of every edge of G


So, $V - S$ has at least one endpoint of every edge of G

So, $V - S$ is a vertex cover.

\Leftarrow Suppose $V - S$ is a vertex cover

Then, there is no edge between vertices of S (otherwise, $V - S$ is not a vertex cover)

So, S is an independent set.



Example 3: Vertex Cover \leq_p Set Cover

Set Cover: Given a set U , collection of subsets S_1, \dots, S_m of U and an integer k , is there a collection of k sets that contain all elements of U ?

Claim: Vertex Cover \leq_p Set Cover

Pf:

Given $(G = (V, E), k)$ of vertex cover we construct a set cover input $f(G, k)$

- $U = E$
- For each $v \in V$ we create a set S_v of all edges connected to v

This clearly is a polynomial-time reduction

So, we need to prove it gives the right answer

Example 3: Vertex Cover \leq_p Set Cover

Claim: Vertex Cover \leq_p Set Cover

Pf: Given $(G = (V, E), k)$ of vertex cover we construct a set cover input $f(G, k)$

- $U = E$
- For each $v \in V$ we create a set S_v of all edges connected to v

Vertex-Cover (G, k) is yes \Rightarrow Set-Cover $f(G, k)$ is yes

If a set $W \subseteq V$ covers all edges, just choose S_v for all $v \in W$, it covers all U .

Set-Cover $f(G, k)$ is yes \Rightarrow Vertex-Cover (G, k) is yes

If $(S_{v_1}, \dots, S_{v_k})$ covers all U , the set $\{v_1, \dots, v_k\}$ covers all edges of G .

\leq_p^m Reductions

Sometimes we solve problem A by reducing it to many copies of problem B

$A \leq_p^m B$: if and only if there is an algorithm for A given a black box solving B that on input x

- Runs for polynomial time computing inputs $f_1(x), \dots, f_m(x)$ of B where m is a polynomial on length of x .
- Makes m calls to the black box for B for each input $f_i(x)$
- Returns yes if one of calls to B answers yes and no otherwise.

We say that the function $f(\cdot)$ is the reduction