

CSE 421 Algorithms

Richard Anderson
Winter 2019
Lecture 2



Announcements

- Homework due Wednesdays
 - HW 1, Due January 16
 - It's on the web
 - Submit solutions on canvas
 - pay attention to making explanations clear and understandable
- Instructor Office hours (CSE 582):
 - Monday 2:30-3:20, Wednesday 2:30-3:20
- TA Office hours:
 - TBD

Course Mechanics

- Homework
 - Due Wednesdays
 - About 5 problems, sometimes programming
 - Target: 1 week turnaround on grading
- Exams (In class)
 - Midterm, Wednesday, February 13
 - Final, Monday, March 18, 2:30-4:20 pm
- **Approximate** grade weighting
 - HW: 50, MT: 15, Final: 35
- Course web
 - Slides, Handouts
 - Lecture schedule is fairly accurate

Stable Matching: Formal Problem

- Input
 - Preference lists for m_1, m_2, \dots, m_n
 - Preference lists for w_1, w_2, \dots, w_n
- Output
 - Perfect matching M satisfying stability property (e.g., no instabilities) :

For all m', m'', w', w''
 If $(m', w') \in M$ and $(m'', w'') \in M$ then
 (m' prefers w' to w'') or (w'' prefers m'' to m')

Idea for an Algorithm

m proposes to w

If w is unmatched, w accepts

If w is matched to m_2

If w prefers m to m_2 w accepts m , dumping m_2

If w prefers m_2 to m , w rejects m

Unmatched m proposes to the highest w on its preference list **that it has not already proposed to**

Algorithm

Initially all m in M and w in W are free

While there is a free m

w highest on m 's list that m has not proposed to
 if w is free, then match (m, w)

else

suppose (m_2, w) is matched

if w prefers m to m_2


unmatch (m_2, w)

match (m, w)

Example

$m_1: w_1 w_2 w_3$
 $m_2: w_1 w_3 w_2$
 $m_3: w_1 w_2 w_3$

 $w_1: m_2 m_3 m_1$
 $w_2: m_3 m_1 m_2$
 $w_3: m_3 m_1 m_2$



Order: $m_1, m_2, m_3, m_1, m_3, m_1$

Does this work?

- Does it terminate?
- Is the result a stable matching?
- Begin by identifying invariants and measures of progress
 - m 's proposals get worse (have higher m -rank)
 - Once w is matched, w stays matched
 - w 's partners get better (have lower w -rank)


Claim: If an m reaches the end of its list, then all the w 's are matched

Claim: The algorithm stops in at most n^2 steps

When the algorithm halts, every w is matched

The resulting matching is stable

Suppose
 $(m_1, w_1) \in M, (m_2, w_2) \in M$
 m_1 prefers w_2 to w_1



How could this happen?


Hence, the algorithm finds a perfect matching

Result

- Simple, $O(n^2)$ algorithm to compute a stable matching
- Corollary
 - A stable matching always exists

A closer look

Stable matchings are not necessarily fair




How many stable matchings can you find?

Algorithm under specified

- Many different ways of picking m's to propose
- Surprising result
 - All orderings of picking free m's give the same result
- Proving this type of result
 - Reordering argument
 - Prove algorithm is computing something more specific
 - Show property of the solution – so it computes a specific stable matching

M-rank and W-rank of matching

- m-rank: position of matching w in preference list
- M-rank: sum of m-ranks
- w-rank: position of matching m in preference list
- W-rank: sum of w-ranks



What is the M-rank?


What is the W-rank?

Suppose there are n m's, and n w's

- What is the minimum possible M-rank?
- What is the maximum possible M-rank?
- Suppose each m is matched with a random w, what is the expected M-rank?

Random Preferences

Suppose that the preferences are completely random



If there are n m's and n w's, what is the expected value of the M-rank and the W-rank when the proposal algorithm computes a stable matching?

Stable Matching Algorithms

- M Proposal Algorithm
 - Iterate over all m's until all are matched
- W Proposal Algorithm
 - Change the role of m's and w's
 - Iterate over all w's until all are matched

Best choices for one side may be bad for the other

Design a configuration for problem of size 4:

M proposal algorithm:
All m's get first choice, all w's get last choice

W proposal algorithm:
All w's get first choice, all m's get last choice

m₁:
m₂:
m₃:
m₄:
w₁:
w₂:
w₃:
w₄:

But there is a stable second choice

Design a configuration for problem of size 4:

M proposal algorithm:
All m's get first choice, all w's get last choice

W proposal algorithm:
All w's get first choice, all m's get last choice

There is a stable matching where everyone gets their second choice

m₁:
m₂:
m₃:
m₄:
w₁:
w₂:
w₃:
w₄:

What is the run time of the Stable Matching Algorithm?

Initially all m in M and w in W are free
While there is a free m **Executed at most n² times**
 w highest on m's list that m has not proposed to
 if w is free, then match (m, w)
 else
 suppose (m₂, w) is matched
 if w prefers m to m₂
 unmatch (m₂, w)
 match (m, w)

O(1) time per iteration

- Find free m
- Find next available w
- If w is matched, determine m₂
- Test if w prefer m to m₂
- Update matching

What does it mean for an algorithm to be efficient?

Key ideas

- Formalizing real world problem
 - Model: graph and preference lists
 - Mechanism: stability condition
- Specification of algorithm with a natural operation
 - Proposal
- Establishing termination of process through invariants and progress measure
- Under specification of algorithm
- Establishing uniqueness of solution