

## CSE 421 Algorithms

Richard Anderson  
Autumn 2019  
Lecture 5

## Announcements

- Reading
  - Chapter 3 (Mostly review)
  - Start on Chapter 4
- No class on Monday

## Review from Wednesday

- Run time function  $T(n)$ 
  - $T(n)$  is the maximum time to solve an instance of size  $n$
- Disregard constant functions
- $T(n)$  is  $O(f(n))$        $[T : \mathbb{Z}^+ \rightarrow \mathbb{R}^+]$ 
  - If  $n$  is sufficiently large,  $T(n)$  is bounded by a constant multiple of  $f(n)$
  - Exist  $c, n_0$ , such that for  $n > n_0$ ,  $T(n) < c f(n)$

## Graph Theory

- $G = (V, E)$ 
  - $V$  – vertices
  - $E$  – edges
- Undirected graphs
  - Edges sets of two vertices  $\{u, v\}$
- Directed graphs
  - Edges ordered pairs  $(u, v)$
- Many other flavors
  - Edge / vertices weights
  - Parallel edges
  - Self loops

## Definitions

- Path:  $v_1, v_2, \dots, v_k$ , with  $(v_i, v_{i+1})$  in  $E$ 
  - Simple Path
  - Cycle
  - Simple Cycle
- Neighborhood
  - $N(v)$
- Distance
- Connectivity
  - Undirected
  - Directed (strong connectivity)
- Trees
  - Rooted
  - Unrooted

## Graph Representation

$V = \{ a, b, c, d \}$   
 $E = \{ \{a, b\}, \{a, c\}, \{a, d\}, \{b, d\} \}$

Adjacency List

	1	1	1
1		0	1
1	0		0
1	1	0	

Incidence Matrix

## Graph search


- Find a path from  $s$  to  $t$

```

S = {s}
while S is not empty
  u = Select(S)
  visit u
  foreach v in N(u)
    if v is unvisited
      Add(S, v)
      Pred[v] = u
    if (v = t) then path found
  
```


## Breadth first search

- Explore vertices in layers
  - $s$  in layer 1
  - Neighbors of  $s$  in layer 2
  - Neighbors of layer 2 in layer 3 . . .




## Key observation

- All edges go between vertices on the same layer or adjacent layers




## Bipartite Graphs

- A graph  $V$  is bipartite if  $V$  can be partitioned into  $V_1, V_2$  such that all edges go between  $V_1$  and  $V_2$
- A graph is bipartite if it can be two colored



## Can this graph be two colored?




## Algorithm

- Run BFS
- Color odd layers red, even layers blue
- If no edges between the same layer, the graph is bipartite
- If edge between two vertices of the same layer, then there is an odd cycle, and the graph is not bipartite

Theorem: A graph is bipartite if and only if it has no odd cycles

### Lemma 1

- If a graph contains an odd cycle, it is not bipartite



### Lemma 2

- If a BFS tree has an *intra-level edge*, then the graph has an odd length cycle


Intra-level edge: both end points are in the same level

### Lemma 3

- If a graph has no odd length cycles, then it is bipartite

### Graph Search

- Data structure for next vertex to visit determines search order



### Graph search

#### Breadth First Search


```
S = {s}
while S is not empty
  u = Dequeue(S)
  if u is unvisited
    visit u
    foreach v in N(u)
      Enqueue(S, v)
```

#### Depth First Search

```
S = {s}
while S is not empty
  u = Pop(S)
  if u is unvisited
    visit u
    foreach v in N(u)
      Push(S, v)
```


### Breadth First Search

- All edges go between vertices on the same layer or adjacent layers




### Depth First Search

- Each edge goes between vertices on the same branch
- No cross edges



### Connected Components

- Undirected Graphs




### Computing Connected Components in $O(n+m)$ time


- A search algorithm from a vertex  $v$  can find all vertices in  $v$ 's component
- While there is an unvisited vertex  $v$ , search from  $v$  to find a new component

### Directed Graphs

- A Strongly Connected Component is a subset of the vertices with paths between every pair of vertices.



### Identify the Strongly Connected Components




Strongly connected components can be found in  $O(n+m)$  time


- But it's tricky!
- Simpler problem: given a vertex  $v$ , compute the vertices in  $v$ 's scc in  $O(n+m)$  time

### Topological Sort

- Given a set of tasks with precedence constraints, find a linear order of the tasks




Find a topological order for the following graph



If a graph has a cycle, there is no topological sort

- Consider the first vertex on the cycle in the topological sort
- It must have an incoming edge



Lemma: If a graph is acyclic, it has a vertex with in degree 0


- Proof:
  - Pick a vertex  $v_1$ , if it has in-degree 0 then done
  - If not, let  $(v_2, v_1)$  be an edge, if  $v_2$  has in-degree 0 then done
  - If not, let  $(v_3, v_2)$  be an edge . . .
  - If this process continues for more than  $n$  steps, we have a repeated vertex, so we have a cycle

### Topological Sort Algorithm

While there exists a vertex  $v$  with in-degree 0

Output vertex  $v$

Delete the vertex  $v$  and all out going edges



### Details for $O(n+m)$ implementation

- Maintain a list of vertices of in-degree 0
- Each vertex keeps track of its in-degree
- Update in-degrees and list when edges are removed
- $m$  edge removals at  $O(1)$  cost each