

# CSE 421 Section 1


**Stable Matchings and Proofs Workshop**

# **Administrivia and introductions**



## Your Section TA

- Runs your section
- Default TA for general questions



**OH:** [time/day/location]

**Email:** [user]@cs.washington.edu

## All Course TAs

- Homework/exam grading
- Office hours and Ed questions



Ajay Harilal



Ben Zhang



Daniel Gao




Edward Qin




George King



Glenn Sun



Owen Boseley



Paul Han

# Announcements

- **Section materials**
  - Handouts will be provided in each section
  - Solutions and slides on course webpage the evening after section
- **HW1**
  - Due Wednesday, 10/2 @ 11:59pm

# Homework

LaTeX (preferred)	Google Docs/Word	Handwritten
<ul style="list-style-type: none"><li>• overleaf.com</li><li>• Template available</li><li>• Ask us for syntax help</li></ul>	<ul style="list-style-type: none"><li>• Use equation editor for math and variables</li></ul>	<ul style="list-style-type: none"><li>• Write neatly</li><li>• Great for diagrams</li><li>• Use B/W scanning app</li></ul>

## No matter what format...

- Turn in via Gradescope
- Due Wednesdays at 11:59pm (except around Thanksgiving)

## Late problems policy (NOT assignments)

- Up to **10 total problem late days**
- Use up to **2 late days per problem**
- Each part of a late day counts as a day

# Stable matchings



# Stable matching problem

**Input:** Two sets  $P$  and  $R$  of  $n$  people each, with each person having a preference list for members of the other group


**Output:** A stable matching between the two groups

**Stable matching:** perfect matching with no unstable pairs

everyone matched to exactly  
one person from other group



two people who prefer each  
other to their current matches



# Gale–Shapley algorithm

We call  $P$  the **proposers** and  $R$  the **receivers**.

1. Initialize the status of all  $p \in P$  and  $r \in R$  to free.
2. While there is a free  $p \in P$ ,
  - a. Let  $r$  be the highest person on  $p$ 's list that  $p$  has not yet proposed to.
  - b. If  $r$  is free,
    - i. Match  $p$  and  $r$ .
  - c. Otherwise, if  $r$  prefers  $p$  over their current match  $p'$ ,
    - i. Unmatch  $p'$  and  $r$ .
    - ii. Match  $p$  and  $r$ .



# Problem 1 – Gale–Shapley review

$p_1 : r_3 > r_1 > r_2 > r_4$

$p_2 : r_2 > r_1 > r_4 > r_3$

$p_3 : r_2 > r_3 > r_1 > r_4$

$p_4 : r_3 > r_4 > r_1 > r_2$

$r_1 : p_4 > p_1 > p_3 > p_2$

$r_2 : p_1 > p_3 > p_2 > p_4$

$r_3 : p_1 > p_3 > p_4 > p_2$

$r_4 : p_3 > p_1 > p_2 > p_4$

1. Initialize the status of all  $p \in P$  and  $r \in R$  to free.
2. While there is a free  $p \in P$ ,
  - a. Let  $r$  be the highest person on  $p$ 's list that  $p$  has not yet proposed to.
  - b. If  $r$  is free,
    - i. Match  $p$  and  $r$ .
  - c. Otherwise, if  $r$  prefers  $p$  over their current match  $p'$ ,
    - i. Unmatch  $p'$  and  $r$ .
    - ii. Match  $p$  and  $r$ .

- a) Run the Gale–Shapley algorithm on the instance shown. When multiple  $p_i$  are free to propose, choose the one with the **smallest** index (e.g., if  $p_1$  and  $p_2$  are both free, have  $p_1$  propose).

**Taking 8 volunteers!**

# Problem 1 – Gale–Shapley review

$p_1 : r_3 > r_1 > r_2 > r_4$

$p_2 : r_2 > r_1 > r_4 > r_3$

$p_3 : r_2 > r_3 > r_1 > r_4$

$p_4 : r_3 > r_4 > r_1 > r_2$

$r_1 : p_4 > p_1 > p_3 > p_2$

$r_2 : p_1 > p_3 > p_2 > p_4$

$r_3 : p_1 > p_3 > p_4 > p_2$

$r_4 : p_3 > p_1 > p_2 > p_4$

1. Initialize the status of all  $p \in P$  and  $r \in R$  to free.
2. While there is a free  $p \in P$ ,
  - a. Let  $r$  be the highest person on  $p$ 's list that  $p$  has not yet proposed to.
  - b. If  $r$  is free,
    - i. Match  $p$  and  $r$ .
  - c. Otherwise, if  $r$  prefers  $p$  over their current match  $p'$ ,
    - i. Unmatch  $p'$  and  $r$ .
    - ii. Match  $p$  and  $r$ .

- b) What if you default to the one with the **largest** index? Does the answer change?
- c) What if the  $r_i$  propose instead of the  $p_i$ ? Does the answer change?

Try it yourself, or with people near you!

## Problem 2 – Number of stable matchings

We saw an instance of stable matching with two stable matchings.

**Is there an instance with more than two? Give example (if yes) or proof (if no).**

Take 3 minutes to brainstorm with the people around you, then we'll discuss.

# Proof-writing workshop



# Graph theory review

- **degree:** number of edges connected to a vertex
- **path** (walk): list of vertices  $v_1, v_2, \dots, v_k$  such that each  $\{v_i, v_{i+1}\}$  is an edge
  - for directed graphs,  $(v_i, v_{i+1})$
- **cycle** (closed walk): path with same first and last vertex
- **simple path** (path): path with all distinct vertices
- **simple cycle** (cycle): cycle with all distinct vertices, except first/last
- **connected:** there is a path between any two vertices
- **tree:** connected acyclic (no cycles) graph
- **rooted tree:** tree with a designated vertex called the root
  - Note that “parent” and “child” are not defined unless the tree is rooted!

## Problem 3 – Proof-writing workshop

In this problem, you will **read many proofs** of the following claim:

**Claim.** Every tree with at least 2 vertices has at least 2 vertices of degree 1.

a) First, take 3 minutes to think about the problem yourself. How would you prove it?

# Problem 3 – Proof-writing workshop

## Qualities of a good proof

<b>Correct</b>	<b>Complete</b>	<b>Concise</b>	<b>Clear</b>
<ul style="list-style-type: none"><li>• No false statements</li></ul>	<ul style="list-style-type: none"><li>• Claims justified</li><li>• Hypotheses used</li><li>• Notation defined</li></ul>	<ul style="list-style-type: none"><li>• No excessive details</li><li>• No unnecessary notation</li></ul>	<ul style="list-style-type: none"><li>• Main ideas are evident</li><li>• Good stylistic choices</li></ul>

b) Read Sample Solution 1. Discuss with people around you — is it clear, complete, concise, clear? What would you change?

# Problem 3 – Proof-writing workshop

## Qualities of a good proof

<b>Correct</b>	<b>Complete</b>	<b>Concise</b>	<b>Clear</b>
<ul style="list-style-type: none"><li>• No false statements</li></ul>	<ul style="list-style-type: none"><li>• Claims justified</li><li>• Hypotheses used</li><li>• Notation defined</li></ul>	<ul style="list-style-type: none"><li>• No excessive details</li><li>• No unnecessary notation</li></ul>	<ul style="list-style-type: none"><li>• Main ideas are evident</li><li>• Good stylistic choices</li></ul>

b) Read Sample Solution 2. Discuss with people around you — is it clear, complete, concise, clear? What would you change?



# Problem 3 – Proof-writing workshop

## Qualities of a good proof

<b>Correct</b>	<b>Complete</b>	<b>Concise</b>	<b>Clear</b>
<ul style="list-style-type: none"><li>• No false statements</li></ul>	<ul style="list-style-type: none"><li>• Claims justified</li><li>• Hypotheses used</li><li>• Notation defined</li></ul>	<ul style="list-style-type: none"><li>• No excessive details</li><li>• No unnecessary notation</li></ul>	<ul style="list-style-type: none"><li>• Main ideas are evident</li><li>• Good stylistic choices</li></ul>

b) Read Sample Solution 3. Discuss with people around you — is it clear, complete, concise, clear? What would you change?

# Problem 3 – Proof-writing workshop

## Qualities of a good proof

<b>Correct</b>	<b>Complete</b>	<b>Concise</b>	<b>Clear</b>
<ul style="list-style-type: none"><li>• No false statements</li></ul>	<ul style="list-style-type: none"><li>• Claims justified</li><li>• Hypotheses used</li><li>• Notation defined</li></ul>	<ul style="list-style-type: none"><li>• No excessive details</li><li>• No unnecessary notation</li></ul>	<ul style="list-style-type: none"><li>• Main ideas are evident</li><li>• Good stylistic choices</li></ul>

b) Read Sample Solution 4. Discuss with people around you — is it clear, complete, concise, clear? What would you change?

# Summary

- When stuck, look for **small examples**.
- When writing a proof, revise it to be **correct, complete, concise, and clear**.

**Thanks for coming to section this week!**